

全国罹患モニタリング集計2007年罹患数・率推計値報告
(MCIJ2007) 正誤表

・P193, P194, P195に掲載されている3表です。

【正】

主要部位別罹患数および年齢調整罹患率(沖縄県) —男女計— 2007年—

部位	死亡数	罹患数	粗罹患率	年齢調整罹患率		IM比
				世界人口*3	日本人口*4	
全部位 *1	2613	5211	378.7	202.5	277.5	1.99
全部位	2613	4974	361.5	190.3	262.1	1.90
口腔・咽頭	80	169	12.3	7.0	9.3	2.11
食道	84	138	10.0	4.8	6.8	1.64
胃	218	370	26.9	12.7	18.2	1.70
大腸(結腸・直腸)	384	795	57.8	29.3	40.9	2.07
結腸	278	563	40.9	20.1	28.3	2.03
直腸	106	232	16.9	9.2	12.5	2.19
肝および肝内胆管	164	187	13.6	6.9	9.7	1.14
胆のう・胆管	139	183	13.3	5.5	8.2	1.32
膵臓	139	168	12.2	5.7	8.3	1.21
喉頭	4	29	2.1	1.0	1.5	7.25
肺	616	860	62.5	26.6	40.0	1.40
皮膚 *2	9	93	6.8	2.8	4.1	10.33
乳房	83	604	86.2	59.4	76.5	7.28
子宮	69	246	35.1	23.5	30.2	3.57
子宮頸部	30	127	18.1	12.6	16.2	4.23
子宮体部	17	94	13.4	8.8	11.4	5.53
卵巣	34	64	9.1	5.9	7.6	1.88
前立腺	82	214	31.7	15.5	23.6	2.61
膀胱	42	78	5.7	2.3	3.5	1.86
腎・尿路(膀胱除く)	53	134	9.7	5.6	7.5	2.53
脳・中枢神経系	14	37	2.7	2.3	2.4	2.64
甲状腺	11	99	7.2	5.1	6.5	9.00
悪性リンパ腫	87	137	10.0	4.9	6.8	1.57
多発性骨髄腫	25	47	3.4	1.8	2.5	1.88
白血病	137	176	12.8	7.9	10.0	1.28

死亡数: 年齢不詳を除く

乳房: 女性のみ

*1 上皮内がんを含む

*2 悪性黒色腫を含む

*3 年齢調整罹患率の基準人口を世界標準人口とした場合

*4 年齢調整罹患率の基準人口を1985年日本モデル人口とした場合

【正】

主要部位別罹患数および年齢調整罹患率（沖縄県）—男女別—2007年—

部位	死亡数	罹患数	粗罹患率	年齢調整罹患率		IM比
				世界人口*2	日本人口*3	
男						
全部位	1553	2670	395.5	215.2	308.7	1.72
口腔・咽頭	64	137	20.3	12.2	16.6	2.14
食道	75	114	16.9	9.0	12.8	1.52
胃	153	262	38.8	20.6	29.9	1.71
大腸(結腸・直腸)	219	459	68.0	38.8	54.1	2.10
結腸	147	296	43.8	24.4	34.4	2.01
直腸	72	163	24.1	14.4	19.7	2.26
肝および肝内胆管	114	143	21.2	11.9	17.0	1.25
胆のう・胆管	56	80	11.8	5.9	9.1	1.43
膵臓	70	88	13.0	6.7	9.9	1.26
喉頭	4	28	4.1	2.1	3.1	7.00
肺	425	600	88.9	43.6	67.0	1.41
皮膚 *1	7	39	5.8	3.2	4.3	5.57
前立腺	82	214	31.7	15.5	23.6	2.61
膀胱	27	56	8.3	4.0	6.1	2.07
腎・尿路(膀胱除く)	33	87	12.9	7.7	10.6	2.64
脳・中枢神経系	10	25	3.7	2.9	3.2	2.50
甲状腺	3	22	3.3	2.3	2.9	7.33
悪性リンパ腫	48	72	10.7	6.2	8.3	1.50
多発性骨髄腫	15	24	3.6	2.0	2.9	1.60
白血病	82	106	15.7	10.4	13.4	1.29
女						
全部位	1060	2304	328.7	176.1	234.2	2.17
口腔・咽頭	16	32	4.6	2.2	3.0	2.00
食道	9	21	3.0	1.3	1.8	2.33
胃	65	108	15.4	6.0	8.4	1.66
大腸(結腸・直腸)	165	277	39.5	16.3	23.0	1.68
結腸	131	217	31.0	12.6	17.9	1.66
直腸	34	60	8.6	3.7	5.1	1.76
肝および肝内胆管	50	44	6.3	2.4	3.6	0.88
胆のう・胆管	83	103	14.7	5.1	7.4	1.24
膵臓	69	80	11.4	4.9	6.9	1.16
喉頭	0	1	0.1	0.0	0.1	
肺	191	259	36.9	13.6	19.9	1.36
皮膚 *1	2	45	6.4	2.1	3.2	22.50
乳房	83	604	86.2	59.4	76.5	7.28
子宮	69	246	35.1	23.5	30.2	3.57
子宮頸部	30	127	18.1	12.6	16.2	4.23
子宮体部	17	94	13.4	8.8	11.4	5.53
卵巣	34	64	9.1	5.9	7.6	1.88
膀胱	15	22	3.1	1.1	1.5	1.47
腎・尿路(膀胱除く)	20	47	6.7	3.8	4.9	2.35
脳・中枢神経系	4	12	1.7	1.9	1.7	3.00
甲状腺	8	77	11.0	8.0	9.9	9.63
悪性リンパ腫	39	65	9.3	4.0	5.7	1.67
多発性骨髄腫	10	23	3.3	1.7	2.3	2.30
白血病	55	70	10.0	5.8	7.1	1.27

死亡数: 年齢不詳を除く

*1 悪性黒色腫を含む

*2 年齢調整罹患率の基準人口を世界標準人口とした場合

*3 年齢調整罹患率の基準人口を1985年日本モデル人口とした場合

【正】

主要部位別、性別、年齢階級別罹患率（沖縄県）—2007年—

部位	全年齢	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	
男																				
全部位	395.5	9.7	6.9	6.8	13.9	20.9	27.2	29.0	41.1	113.0	151.3	309.9	537.6	728.9	1035.4	1748.6	2373.0	3112.0	3213.0	
口腔・咽頭	20.3	0.0	4.6	2.3	0.0	0.0	2.3	1.9	2.1	6.9	13.0	26.3	23.5	52.6	50.8	99.9	108.1	103.7	84.2	
食道	16.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	0.0	4.3	14.2	25.5	38.5	38.1	92.8	77.2	103.7	204.6	
胃	38.8	0.0	0.0	0.0	0.0	0.0	2.3	3.9	10.3	6.9	6.5	46.6	64.7	52.6	111.2	160.6	231.6	280.1	300.8	
大腸(結腸・直腸)	68.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.3	18.5	28.1	60.8	123.6	157.7	295.4	278.4	272.8	414.9	373.0	
結腸	43.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.1	9.2	15.1	30.4	80.4	98.1	184.2	182.0	211.0	280.1	264.7	
直腸	24.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.2	9.2	13.0	30.4	43.2	59.6	111.2	96.4	61.8	134.9	108.3	
肝および肝内胆管	21.2	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.2	17.3	18.2	29.4	59.6	54.0	71.4	139.0	145.2	144.4	
胆のう・胆管	11.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	2.2	6.1	19.6	21.0	25.4	50.0	61.8	166.0	108.3	
膵臓	13.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.1	9.2	0.0	10.1	39.2	3.5	19.1	82.1	66.9	93.4	60.2	
喉頭	4.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	0.0	0.0	4.1	9.8	7.0	0.0	28.5	25.7	31.1	24.1	
肺	88.9	0.0	0.0	0.0	0.0	0.0	0.0	3.9	2.1	23.1	25.9	42.5	64.7	126.2	187.4	399.7	720.6	964.7	974.7	
皮膚*1	5.8	0.0	0.0	0.0	0.0	0.0	2.3	0.0	2.1	2.3	2.2	4.1	5.9	10.5	12.7	14.3	46.3	0.0	120.3	
前立腺	31.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	23.5	59.6	92.1	207.0	236.8	290.5	276.8	
膀胱	8.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	2.3	2.2	2.0	17.7	7.0	3.2	46.4	56.6	83.0	96.3	
腎・尿路(膀胱除く)	12.9	0.0	0.0	0.0	0.0	0.0	4.5	3.9	0.0	6.9	13.0	12.2	17.7	24.5	44.5	53.5	36.0	114.1	60.2	
脳・中枢神経系	3.7	4.8	0.0	0.0	0.0	0.0	6.8	1.9	0.0	0.0	2.2	2.0	13.7	7.0	6.4	10.7	0.0	10.4	24.1	
甲状腺	3.3	0.0	0.0	0.0	0.0	2.3	0.0	1.9	2.1	0.0	6.5	8.1	7.8	10.5	3.2	0.0	20.6	0.0	0.0	
悪性リンパ腫	10.7	2.4	0.0	0.0	2.3	4.6	0.0	1.9	2.1	4.6	8.6	10.1	5.9	10.5	19.1	39.3	72.1	41.5	168.5	
多発性骨髄腫	3.6	0.0	0.0	0.0	0.0	2.3	0.0	0.0	0.0	2.3	0.0	4.1	5.9	7.0	6.4	14.3	15.4	41.5	24.1	
白血病	15.7	2.4	2.3	2.3	4.6	4.6	4.5	5.8	0.0	9.2	13.0	22.3	17.7	42.1	19.1	53.5	66.9	103.7	96.3	
女																				
全部位	328.7	12.8	4.9	7.2	12.0	13.9	46.4	76.6	129.4	218.6	291.1	361.8	491.5	650.4	723.6	793.1	957.8	1206.5	1516.9	
口腔・咽頭	4.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	4.6	0.0	10.6	2.1	10.4	3.0	12.5	11.7	15.9	32.8	
食道	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.0	8.5	6.3	0.0	6.0	3.1	7.8	15.9	20.5	
胃	15.4	0.0	0.0	0.0	0.0	0.0	2.2	3.8	4.0	2.3	2.2	10.6	14.6	24.3	23.9	21.9	74.3	53.1	155.8	
大腸(結腸・直腸)	39.5	0.0	0.0	0.0	0.0	0.0	0.0	1.9	4.0	2.3	11.0	25.4	52.3	73.0	89.7	116.0	148.6	186.0	287.0	
結腸	31.0	0.0	0.0	0.0	0.0	0.0	0.0	1.9	4.0	2.3	8.8	16.9	43.9	52.2	59.8	106.6	121.2	127.6	229.6	
直腸	8.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	8.5	8.4	20.9	29.9	9.4	27.4	58.5	57.4	
肝および肝内胆管	6.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	2.3	0.0	6.3	2.1	7.0	12.0	18.8	35.2	37.2	41.0	
胆のう・胆管	14.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	2.2	4.2	8.4	24.3	26.9	37.6	54.7	95.7	143.5	
膵臓	11.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	2.2	6.3	14.6	17.4	35.9	50.2	27.4	63.8	65.6	
喉頭	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.3	0.0	
肺	36.9	0.0	0.0	0.0	0.0	0.0	2.2	1.9	4.0	2.3	17.6	10.6	23.0	41.7	80.7	90.9	187.7	223.2	295.2	
皮膚*1	6.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	2.2	2.1	0.0	7.0	6.0	25.1	19.5	58.5	57.4		
乳房	86.2	0.0	0.0	0.0	0.0	2.3	11.0	13.4	58.7	129.8	158.8	133.3	190.3	243.5	233.2	163.0	140.7	122.2	82.0	
子宮	35.1	0.0	0.0	0.0	0.0	4.6	8.8	23.0	28.3	29.6	44.1	59.2	98.3	83.5	65.8	84.6	46.9	63.8	36.9	
子宮頸部	18.1	0.0	0.0	0.0	0.0	4.6	4.4	21.1	22.2	22.8	26.5	27.5	39.7	27.8	29.9	47.0	23.5	21.3	16.4	
子宮体部	13.4	0.0	0.0	0.0	0.0	0.0	4.4	1.9	2.0	6.8	15.4	27.5	48.1	45.2	26.9	28.2	23.5	31.9	4.1	
卵巣	9.1	0.0	0.0	0.0	0.0	2.3	2.2	1.9	6.1	11.4	11.0	14.8	14.6	27.8	12.0	25.1	15.6	21.3	24.6	
膀胱	3.1	0.0	0.0	0.0	0.0	0.0	2.2	0.0	0.0	0.0	0.0	0.0	2.1	0.0	9.4	9.4	7.8	15.9	36.9	
腎・尿路(膀胱除く)	6.7	2.6	0.0	0.0	0.0	0.0	2.2	0.0	0.0	4.6	0.0	12.7	6.3	13.9	23.9	15.7	35.2	21.3	16.4	
脳・中枢神経系	1.7	2.6	0.0	4.8	2.4	2.3	2.2	1.9	2.0	0.0	2.2	0.0	0.0	0.0	3.0	3.1	0.0	0.0	4.1	
甲状腺	11.0	0.0	0.0	2.4	2.4	2.3	8.8	21.1	8.1	11.4	8.8	19.0	16.7	17.4	20.9	21.9	11.7	26.6	8.2	
悪性リンパ腫	9.3	0.0	0.0	0.0	2.4	0.0	0.0	1.9	0.0	4.6	4.4	14.8	12.5	7.0	12.0	15.7	39.1	58.5	57.4	
多発性骨髄腫	3.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	2.1	2.1	13.9	9.0	15.7	11.7	15.9	8.2	
白血病	10.0	2.6	4.9	0.0	2.4	0.0	2.2	3.8	2.0	0.0	8.8	8.5	16.7	13.9	23.9	34.5	27.4	37.2	36.9	

*1 悪性黒色腫を含む

【誤】

主要部位別罹患数および年齢調整罹患率（沖縄県）—男女計—2007年—

部位	死亡数	罹患数	粗罹患率	年齢調整罹患率		IM比
				世界人口*3	日本人口*4	
全部位 *1	2613	5411	393.2	209.9	288.0	2.07
全部位	2613	5174	376.0	197.7	272.6	1.98
口腔・咽頭	80	175	12.7	7.2	9.7	2.19
食道	84	139	10.1	4.9	6.9	1.65
胃	218	387	28.1	13.4	19.1	1.78
大腸（結腸・直腸）	384	826	60.0	30.5	42.6	2.15
結腸	278	587	42.7	21.1	29.7	2.11
直腸	106	239	17.4	9.4	12.9	2.25
肝および肝内胆管	164	195	14.2	7.2	10.2	1.19
胆のう・胆管	139	188	13.7	5.6	8.3	1.35
膵臓	139	175	12.7	6.0	8.7	1.26
喉頭	4	29	2.1	1.0	1.5	7.25
肺	616	936	68.0	29.2	43.8	1.52
皮膚 *2	9	94	6.8	2.9	4.1	10.44
乳房	83	615	87.7	60.3	77.7	7.41
子宮	69	249	35.5	23.7	30.6	3.61
子宮頸部	30	128	18.3	12.7	16.3	4.27
子宮体部	17	95	13.6	9.0	11.6	5.59
卵巣	34	66	9.4	6.1	7.8	1.94
前立腺	82	225	33.3	16.4	24.9	2.74
膀胱	42	82	6.0	2.4	3.6	1.95
腎・尿路（膀胱除く）	53	136	9.9	5.6	7.6	2.57
脳・中枢神経系	14	37	2.7	2.3	2.4	2.64
甲状腺	11	100	7.3	5.2	6.5	9.09
悪性リンパ腫	87	138	10.0	5.0	6.8	1.59
多発性骨髄腫	25	48	3.5	1.8	2.6	1.92
白血病	137	186	13.5	8.3	10.5	1.36

死亡数: 年齢不詳を除く

乳房: 女性のみ

*1 上皮内がんを含む

*2 悪性黒色腫を含む

*3 年齢調整罹患率の基準人口を世界標準人口とした場合

*4 年齢調整罹患率の基準人口を1985年日本モデル人口とした場合

【誤】

主要部位別罹患数および年齢調整罹患率（沖縄県）—男女別—2007年—

部位	死亡数	罹患数	粗罹患率	年齢調整罹患率		IM比
				世界人口*2	日本人口*3	
男						
全部位	1553	2789	413.1	224.7	322.6	1.80
口腔・咽頭	64	141	20.9	12.6	17.1	2.20
食道	75	115	17.0	9.0	12.9	1.53
胃	153	272	40.3	21.4	31.1	1.78
大腸(結腸・直腸)	219	478	70.8	40.4	56.3	2.18
結腸	147	310	45.9	25.6	36.1	2.11
直腸	72	168	24.9	14.8	20.2	2.33
肝および肝内胆管	114	148	21.9	12.4	17.6	1.30
胆のう・胆管	56	82	12.1	6.1	9.3	1.46
膵臓	70	91	13.5	6.9	10.3	1.30
喉頭	4	28	4.1	2.1	3.1	7.00
肺	425	652	96.6	47.7	73.1	1.53
皮膚 *1	7	39	5.8	3.2	4.3	5.57
前立腺	82	225	33.3	16.4	24.9	2.74
膀胱	27	58	8.6	4.1	6.3	2.15
腎・尿路(膀胱除く)	33	89	13.2	7.8	10.8	2.70
脳・中枢神経系	10	25	3.7	2.9	3.2	2.50
甲状腺	3	22	3.3	2.3	2.9	7.33
悪性リンパ腫	48	73	10.8	6.3	8.4	1.52
多発性骨髄腫	15	24	3.6	2.0	2.9	1.60
白血病	82	111	16.4	10.8	14.0	1.35
女						
全部位	1060	2385	340.2	181.8	241.9	2.25
口腔・咽頭	16	34	4.9	2.4	3.2	2.13
食道	9	21	3.0	1.3	1.8	2.33
胃	65	115	16.4	6.5	9.1	1.77
大腸(結腸・直腸)	165	289	41.2	17.2	24.2	1.75
結腸	131	227	32.4	13.4	18.9	1.73
直腸	34	62	8.8	3.8	5.3	1.82
肝および肝内胆管	50	47	6.7	2.7	3.9	0.94
胆のう・胆管	83	106	15.1	5.2	7.6	1.28
膵臓	69	84	12.0	5.2	7.3	1.22
喉頭	0	1	0.1	0.0	0.1	
肺	191	283	40.4	15.0	22.0	1.48
皮膚 *1	2	46	6.6	2.2	3.3	23.00
乳房	83	615	87.7	60.3	77.7	7.41
子宮	69	249	35.5	23.7	30.6	3.61
子宮頸部	30	128	18.3	12.7	16.3	4.27
子宮体部	17	95	13.6	9.0	11.6	5.59
卵巣	34	66	9.4	6.1	7.8	1.94
膀胱	15	24	3.4	1.1	1.6	1.60
腎・尿路(膀胱除く)	20	47	6.7	3.8	4.9	2.35
脳・中枢神経系	4	12	1.7	1.9	1.7	3.00
甲状腺	8	78	11.1	8.1	10.0	9.75
悪性リンパ腫	39	65	9.3	4.0	5.7	1.67
多発性骨髄腫	10	24	3.4	1.8	2.4	2.40
白血病	55	75	10.7	6.2	7.7	1.36

死亡数: 年齢不詳を除く

*1 悪性黒色腫を含む

*2 年齢調整罹患率の基準人口を世界標準人口とした場合

*3 年齢調整罹患率の基準人口を1985年日本モデル人口とした場合

【誤】

主要部位別、性別、年齢階級別罹患率（沖縄県）—2007年—

部位	全年齢	0-4	5-9	10-14	15-19	20-24	25-29	30-34	35-39	40-44	45-49	50-54	55-59	60-64	65-69	70-74	75-79	80-84	85+	
男																				
全部位	413.1	9.7	6.9	6.8	13.9	20.9	27.2	30.9	41.1	113.0	155.6	316.0	567.0	788.5	1083.0	1827.1	2512.0	3226.1	3285.2	
口腔・咽頭	20.9	0.0	4.6	2.3	0.0	0.0	2.3	3.9	2.1	6.9	13.0	28.4	25.5	52.6	54.0	99.9	108.1	103.7	84.2	
食道	17.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	0.0	4.3	14.2	25.5	38.5	38.1	96.4	77.2	103.7	204.6	
胃	40.3	0.0	0.0	0.0	0.0	0.0	2.3	3.9	10.3	6.9	6.5	46.6	66.7	56.1	120.7	164.2	241.9	300.8	300.8	
大腸(結腸・直腸)	70.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	10.3	18.5	30.3	62.8	129.5	164.7	304.9	299.8	288.3	414.9	373.0	
結腸	45.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.1	9.2	17.3	32.4	84.4	101.6	193.7	196.3	221.3	280.1	264.7	
直腸	24.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	6.2	9.2	13.0	30.4	45.1	63.1	111.2	103.5	66.9	134.9	108.3	
肝および肝内胆管	21.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	9.2	17.3	18.2	31.4	63.1	60.3	71.4	144.1	145.2	144.4	
胆のう・胆管	12.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	2.2	6.1	19.6	21.0	25.4	50.0	72.1	166.0	108.3	
膵臓	13.5	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.1	9.2	0.0	10.1	41.2	7.0	19.1	82.1	66.9	93.4	72.2	
喉頭	4.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	0.0	0.0	4.1	9.8	7.0	0.0	28.5	25.7	31.1	24.1	
肺	96.6	0.0	0.0	0.0	0.0	0.0	0.0	3.9	2.1	23.1	28.1	42.5	78.5	157.7	196.9	435.4	777.3	1037.3	1022.9	
皮膚*1	5.8	0.0	0.0	0.0	0.0	0.0	2.3	0.0	2.1	2.3	2.2	4.1	5.9	10.5	12.7	14.3	46.3	0.0	120.3	
前立腺	33.3	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	23.5	66.6	98.5	217.7	257.4	290.5	276.8	
膀胱	8.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.1	2.3	2.2	2.0	17.7	7.0	3.2	46.4	66.9	83.0	96.3	
腎・尿路(膀胱除く)	13.2	0.0	0.0	0.0	0.0	0.0	4.5	3.9	0.0	6.9	13.0	12.2	17.7	24.5	44.5	53.5	41.2	114.1	72.2	
脳・中枢神経系	3.7	4.8	0.0	0.0	0.0	0.0	6.8	1.9	0.0	0.0	2.2	2.0	13.7	7.0	6.4	10.7	0.0	10.4	24.1	
甲状腺	3.3	0.0	0.0	0.0	0.0	2.3	0.0	1.9	2.1	0.0	6.5	8.1	7.8	10.5	3.2	0.0	20.6	0.0	0.0	
悪性リンパ腫	10.8	2.4	0.0	0.0	2.3	4.6	0.0	1.9	2.1	4.6	8.6	10.1	5.9	10.5	19.1	42.8	72.1	41.5	168.5	
多発性骨髄腫	3.6	0.0	0.0	0.0	0.0	2.3	0.0	0.0	0.0	2.3	0.0	4.1	5.9	7.0	6.4	14.3	15.4	41.5	24.1	
白血病	16.4	2.4	2.3	2.3	4.6	4.6	4.5	5.8	0.0	9.2	13.0	22.3	19.6	45.6	22.2	53.5	72.1	114.1	96.3	
女																				
全部位	340.2	12.8	4.9	7.2	12.0	13.9	46.4	76.6	129.4	220.9	297.8	366.0	508.3	685.1	756.5	855.8	977.4	1254.3	1566.1	
口腔・咽頭	4.9	0.0	0.0	0.0	0.0	0.0	0.0	0.0	4.0	4.6	0.0	10.6	2.1	10.4	6.0	12.5	11.7	15.9	36.9	
食道	3.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	0.0	0.0	8.5	6.3	0.0	6.0	3.1	7.8	15.9	20.5	
胃	16.4	0.0	0.0	0.0	0.0	0.0	2.2	3.8	4.0	4.6	4.4	10.6	14.6	27.8	26.9	21.9	74.3	58.5	164.0	
大腸(結腸・直腸)	41.2	0.0	0.0	0.0	0.0	0.0	0.0	1.9	4.0	2.3	11.0	25.4	54.4	80.0	98.7	125.4	148.6	191.3	295.2	
結腸	32.4	0.0	0.0	0.0	0.0	0.0	0.0	1.9	4.0	2.3	8.8	16.9	46.0	59.1	65.8	116.0	121.2	132.9	233.7	
直腸	8.8	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	8.5	8.4	20.9	32.9	9.4	27.4	58.5	61.5	
肝および肝内胆管	6.7	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.0	2.3	0.0	6.3	2.1	10.4	12.0	21.9	39.1	37.2	41.0	
胆のう・胆管	15.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	2.2	4.2	8.4	24.3	26.9	40.8	54.7	95.7	151.7	
膵臓	12.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	2.2	6.3	16.7	17.4	41.9	53.3	27.4	63.8	65.6	
喉頭	0.1	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	5.3	0.0	
肺	40.4	0.0	0.0	0.0	0.0	0.0	2.2	1.9	4.0	2.3	19.9	10.6	25.1	48.7	86.7	109.7	203.3	244.5	311.6	
皮膚*1	6.6	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.3	2.2	2.1	0.0	7.0	6.0	28.2	19.5	58.5	57.4	57.4	
乳房	87.7	0.0	0.0	0.0	0.0	2.3	11.0	13.4	58.7	129.8	161.0	137.5	192.4	250.4	230.2	175.5	140.7	132.9	82.0	
子宮	35.5	0.0	0.0	0.0	0.0	4.6	8.8	23.0	28.3	29.6	44.1	59.2	100.4	86.9	65.8	84.6	46.9	69.1	36.9	
子宮頸部	18.3	0.0	0.0	0.0	0.0	4.6	4.4	21.1	22.2	22.8	26.5	27.5	41.8	27.8	29.9	47.0	23.5	21.3	16.4	
子宮体部	13.6	0.0	0.0	0.0	0.0	0.0	4.4	1.9	2.0	6.8	15.4	27.5	48.1	48.7	26.9	28.2	23.5	31.9	4.1	
卵巣	9.4	0.0	0.0	0.0	0.0	2.3	2.2	1.9	6.1	11.4	11.0	14.8	14.6	31.3	15.0	25.1	15.6	21.3	24.6	
膀胱	3.4	0.0	0.0	0.0	0.0	0.0	2.2	0.0	0.0	0.0	0.0	0.0	2.1	0.0	9.0	12.5	7.8	15.9	41.0	
腎・尿路(膀胱除く)	6.7	2.6	0.0	0.0	0.0	0.0	2.2	0.0	0.0	4.6	0.0	12.7	6.3	13.9	23.9	15.7	35.2	21.3	16.4	
脳・中枢神経系	1.7	2.6	0.0	4.8	2.4	2.3	2.2	1.9	2.0	0.0	2.2	0.0	0.0	0.0	3.0	3.1	0.0	0.0	4.1	
甲状腺	11.1	0.0	0.0	2.4	2.4	2.3	8.8	21.1	8.1	11.4	8.8	19.0	16.7	17.4	23.9	21.9	11.7	26.6	8.2	
悪性リンパ腫	9.3	0.0	0.0	0.0	2.4	0.0	0.0	1.9	0.0	4.6	4.4	14.8	12.5	7.0	12.0	15.7	39.1	58.5	57.4	
多発性骨髄腫	3.4	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	2.2	2.1	2.1	13.9	9.0	18.8	11.7	15.9	8.2	
白血病	10.7	2.6	4.9	0.0	2.4	0.0	2.2	3.8	2.0	0.0	8.8	8.5	23.0	13.9	26.9	37.6	27.4	37.2	36.9	

*1 悪性黒色腫を含む