

21

がん死亡割合の国際比較

International Comparison of Proportion of Deaths from Cancer by Sex and Site





〔日本と外国との比較〕

わが国は外国と比べると、男女共に「胃がん」が多い。 一方、ここに比較した諸外国では、男では「肺がん」、「前 立腺がん」、「結腸、直腸がん」が多く、女では「乳がん」、 「肺がん」、「結腸、直腸がん」が多い。 Compared with foreign countries, stomach cancer is more frequent in Japan for both sexes, while lung cancer, prostate cancer, and colon and rectum cancer in males and breast cancer, lung cancer, and colon and rectum cancer in females are dominant in some foreign countries.

(注) 1) 棒グラフの上の数字はがん死亡率(人口10万対)である。

- 2)「その他」には「その他の新生物」のほかデータが提示されていない部位の悪性新生物を含む。肝臓は「その他」に含まれる。
- 3) スイスの「結腸」は直腸・肛門を含み、「その他のリンパ・造血器」はホジキンリンパ腫を含まない。

Note: 1) The number above each column is the cancer mortality rate per 100,000 population.

2) 'Others' includes malignant neoplasms on which data are not presented. Liver cancer is included in 'others'.

3) For Switzerland, 'colon' includes rectum and anus, and 'other neoplasms of lymphatic and hematopoietic tissue' does not include hodgkin lymphoma.

資料:世界保健機関統計データベース

Source: World Health Organization Statistics, Mortality Database