

15

受療率の推移 (1965年～2011年)

Trends in Estimated Rate of Patients (per day) in Japan (1965-2011)

受療率とは、わが国の病院及び診療所の患者について、3年に1回(昭和59年以前は毎年1回)行っている「患者調査」から調査日当日受診した患者の全国推計数を求め、これを人口で除して、人口10万対で表したものである。

Note: Estimated rate of patients is the ratio of the total number of outpatients who visited medical facilities and inpatients on the patient survey day to the whole population of Japan.

人口10万対 per 100,000 population

傷病分類 ¹⁾ Classification of diseases	昭和40年 1965	昭和45年 1970	昭和50年 1975	昭和57年 1982	昭和59年 1984	昭和62年 1987	平成2年 1990	平成5年 1993	平成8年 1996	平成11年 1999	平成14年 2002	平成17年 2005	平成20年 2008	平成23年 2011
全疾患 Total	5,910	6,987	7,049	6,805	6,403	6,600	6,768	6,735	7,000	6,566	6,222	6,696	6,467	6,852
全結核 ²⁾ Tuberculosis	301	192	116	41	38	36	27	21	15	14	10	7	6	5
新生物 Neoplasms	63	86	95	146	161	185	218	241	287	277	272	293	296	295
胃の悪性新生物(再掲) Malignant Neoplasm of Stomach (among them)	13	18	19	28	32	32	36	38	42	37	31	30	30	27
気管・気管支および肺の悪性新生物(再掲) Malignant Neoplasm of trachea, bronchus and Lung (among them)	...	3	4	9	11	14	16	18	21	21	23	26	27	28
乳房の悪性新生物(女)(再掲) Malignant Neoplasm of Breast (Female) (among them)	3	4	4	7	9	10	12	14	38	36	34	37	41	46
子宮の悪性新生物(再掲) ³⁾ Malignant Neoplasm of Uterus (among them)	7	8	8	8	4	8	9	8	9	8	8	8	8	8
糖尿病 Diabetes mellitus	34	64	87	106	119	128	161	159	189	178	173	182	168	185
統合失調症 Schizophrenic psychoses	130	151	165	181	184	185	193	181
てんかん Epilepsy	...	26	22	28	25	24	26	24	24	19	21	22	18	18
白内障 Cataract	...	31	89	93	97	89	90	97	104	106	85	86	62	73
中耳炎 Otitis media	91	80	87	76	69	52	51	35	40	48	40
高血圧性疾患 Hypertensive diseases	244	343	475	434	548	526	554	561	587	531	477	513	478	534
虚血性心疾患 ⁴⁾ Ischemic heart diseases	64	49	74	102	105	102	112	100	111	98	79	74	68	62
脳血管疾患 Cerebrovascular diseases	69	118	158	237	226	274	305	295	310	288	275	279	250	226
脳出血(再掲) Intracerebral hemorrhage	...	33	28	22	23	31	32	34	44	45	46	50	46	46
脳梗塞(再掲) ⁵⁾ Cerebral embolism	...	11	26	76	83	104	129	139	221	213	202	201	170	149
脳動脈硬化(症) Cerebral atherosclerosis	56	53	71	73	52	17	4	2	1	1	1
脳軟化(再掲) Encephalomalacia	...	26	28	22	11	7	4	2
急性上気道感染 Acute upper respiratory infections	...	585	576	408	424	361	365	331	276	270	222	225	205	217
喘息 Asthma	33	57	61	84	115	123	127	140	136	132	120	122	93	107
胃および十二指腸潰瘍 Gastric and duodenal ulcer	88	145	137	144	137	121	120	120	106	83	67	55	45	35
胃炎および十二指腸炎 Gastritis and duodenitis	213	218	214	147	128	119	117	124	110	84	69	67	52	49
慢性および詳細不明の腎不全 Chronic nephritis	21	19	32	40	46
慢性関節リウマチ ⁶⁾ Rheumatoid arthritis	...	81	67	64	49	44	44	40	38	35	34	33	31	30
その他のリウマチ Other rheumatosis	55	40	43	37	36
先天異常 Congenital anomalies	27	31	31	24	24	26	25	26
四肢の骨折 Fracture of upper and lower limb	...	75	65	85	91	90	97	90

- (注) 1) 傷病分類は、40年はICD-7、昭和45、50年はICD-8、昭和57～平成5年はICD-9、平成8年以降はICD-10による傷病分類を適用している。各ICD間では分類体系の変更がなされている(特にICD-9とICD-10の間では大幅な変更がなされている)ため、同一傷病であっても直接比較できないものがある。「…」は、当該年次調査に適用したICDには存在しなかった傷病分類である。
2) 平成5年(ICD-9)までは、珪肺・塵肺結核・結核後遺症を含む。 3) 平成5年(ICD-9)までは、胎盤の悪性新生物を含む。
4) 平成8年以降(ICD-10)は急性心筋梗塞の続発合併症を含む。 5) 平成8年以降(ICD-10)は脳梗塞後遺症を含む。
6) 平成5年(ICD-9)までは、若年性関節リウマチを含む。 7) 平成23年の数値は、宮城県の上巻医療圏、気仙沼医療圏及び福島県を除いた数値である。

Note: 1) The Seventh Revision of the International Classification of Diseases (ICD-7) was applied to the classifications of Diseases in 1965, the Eighth Revision (ICD-8) to the classifications in 1970 and 1975, the Ninth Revision (ICD-9) to the classifications during 1982-1993, and the Tenth (ICD-10) to the classifications in 1996 and thereafter. Because the classification system changes between different ICD revisions mentioned above (in particular, there are gross changes between ICD-9 and ICD-10), some statistics cannot be compared directly even under the same name of diseases. "..." indicates that no comparable category existed in the relevant revision of ICD applied to the annual survey. 2) Silicosis, silicotuberculosis, and tuberculosis sequelae were included in this category in ICD-9 and previous revisions (-1993). 3) Malignant neoplasms of the placenta were included in this category in ICD-9 and previous revisions (-1993). 4) Sequential complications of acute myocardial infarction were included in this category in ICD-10 (1996-). 5) Sequelae of cerebral infarction were included in this category in ICD-10 (1996-). 6) Juvenile rheumatoid arthritis was included in this category in ICD-9 and previous revisions (-1993). 7) The data in 2011 were calculated excluding the data of Ishinomaki medical area and Kesenuma medical area of Miyagi Prefecture, and Fukushima Prefecture.

資料: 厚生労働省「患者調査」

Source: Patient Survey, Ministry of Health, Labour and Welfare