

がんの統計'15

CANCER STATISTICS IN JAPAN — 2015



公益財団法人 がん研究振興財団

Foundation for Promotion of Cancer Research

History of Cancer Control in Japan	4 ~ 11
------------------------------------	--------

Figures and Tables

1	Projection of Cancer Mortality and Incidence in 2015	14
2	Number of Deaths, by Cancer Site (2014)	15
3	Cancer Deaths by Age Group, Site Distribution (2014)	16
4	Mortality Rate by Cancer Site (2014)	17
5	Age-adjusted Cancer Mortality Rate under Age 75 by Prefectures (2014)	18 ~ 22
6	Number of Incidence by Cancer Site (2011)	23
7	Cancer Incidence by Age Group, Site Distribution (2011)	24
8	Incidence Rate by Cancer Site (2011)	25
9	5-year Survival Rate, Data from Population-based Cancer Registries (Diagnosed in 2003-2005)	26 ~ 27
10	5-year Survival Rate in the Member Hospitals of the Association of Clinical Cancer Centers (Diagnosed in 2004-2007)	28 ~ 29
	10-year Survival Rate in the Member Hospitals of the Association of Clinical Cancer Centers (Diagnosed in 1999-2002)	30 ~ 31
11	5-year Relative Survival at the Designated Cancer Care Hospitals (Diagnosed in 2007)	32
12	Cumulative Cancer Incidence/Mortality Risk	33 ~ 34
13	Cancer among children, adolescent and young adult	35 ~ 36
14	Trends in Crude Mortality Rate for Leading Causes of Death (1947-2014)	37
15	Trends in Age-adjusted Mortality Rate for Leading Causes of Death (1947-2014)	38
16	Trends in Site-specific Crude Mortality Rate (1965-2014)	39
17	Trends in Age-adjusted Mortality Rate (1958-2014)	40 ~ 41
18	Trends in Age-specific Mortality Rate (1965, 1990, 2014)	42 ~ 45
19	Trends in Site-specific Crude Incidence Rate (1980-2011)	46
20	Trends in Age-adjusted Incidence Rate (1985-2010)	47 ~ 48
21	Trends in Age-specific Incidence Rate (1980, 2011)	49 ~ 52
22	Trends in 5-year Survival Rate, Data from Population-based Cancer Registry (Diagnosed in 1993-1996, 1997-1999, 2000-2002, 2003-2005)	53
23	Trends in Cancer Statistics : Age-adjusted Mortality/Incidence Rate	54
24	Smoking Prevalence	55 ~ 56
25	Cancer Screening Rates (2007, 2010, 2013)	57 ~ 59

Tabulated Data

1	Projection of Cancer Mortality and Incidence in 2015	62 ~ 63
2	Cancer Mortality by ICD-10 Classification (2014)	64 ~ 67
3	Number of Cancer Deaths by Age and Site (2014)	68 ~ 71
4	Cancer Mortality Rate by Age and Site (2014)	72 ~ 75
5	Cancer Mortality Rate by Prefecture	76 ~ 81
6	Number of Cancer Incidence by Age and Site (2011)	82 ~ 85
7	Cancer Incidence Rate by Age and Site (2011)	86 ~ 89
8	5-year Survival Rate in Population-based Cancer Registry (Diagnosed in 2003-2005)	90 ~ 91
9	5-year Survival Rate in the Member Hospitals of the Association of Clinical Cancer Centers (Diagnosed in 2004-2007)	92 ~ 95
	10-year Survival Rate in the Member Hospitals of the Association of Clinical Cancer Centers (Diagnosed in 1999-2002)	96 ~ 99
10	5-year Relative Survival at the Designated Cancer Care Hospitals (Diagnosed in 2007)	100
11	Cancer among children, adolescent and young adult	101
12	Trends in Crude Mortality Rate for Leading Causes of Death (1910-2014)	102 ~ 103
13	Trends in Age-adjusted Mortality Rate for Leading Causes of Death (1947-2014)	104 ~ 105
14	Smoking Prevalence	106 ~ 109
15	Cancer Screening Rate (2007, 2010, 2013)	110 ~ 111
16	Narcotics for Medical Use	112 ~ 113
17	Trends in Consumption of Tobacco, Alcohol and Food	114 ~ 115
18	Trends in Estimated Rate of Patients (per day) in Japan (1965-2011)	116
19	Trends in Estimates of National Medical Care Expenditure in Japan (1995-2013)	117
	Glossary	118 ~ 121
	Topics①	122
	Topics②	123
	Topics③	124
	Topics④	125 ~ 126
	Topics⑤	127 ~ 128

資 料 編

Tabulated Data

(1) 部位別予測がん死亡数 (2015 年)

Projected Number of Cancer Deaths by Site (2015)

男性 Males

		部位 Site	死亡数 N	がん全体に占める割合 %
C00-C97	全がん	All cancers	219,200	100
C33-C34	肺、気管	Lung, trachea	55,300	25
C16	胃	Stomach	32,400	15
C18-C20	大腸	Colon/rectum	27,200	12
C22	肝臓	Liver	18,900	9
C25	膵臓	Pancreas	16,600	8
C61	前立腺	Prostate	12,200	6
C15	食道	Esophagus	9,500	4
C23-C24	胆嚢・胆管	Gallbladder and bile ducts	9,500	4
C81-C85, C96	悪性リンパ腫	Malignant lymphoma	6,300	3
C64-C66, C68	腎・尿路 (膀胱除く)	Kidney and other urinary organs	5,900	3
C67	膀胱	Bladder	5,600	3
C00-C14	口腔・咽頭	Oral cavity and pharynx	5,200	2
C91-C95	白血病	Leukemia	4,900	2
C88-C90	多発性骨髄腫	Multiple myeloma	2,200	1
C70-C72	脳・中枢神経系	Brain, nervous system	1,300	<1
C32	喉頭	Larynx	900	<1
C43-C44	皮膚	Skin	800	<1
C73	甲状腺	Thyroid	600	<1
	(再掲 Detailed)			
C18	結腸	Colon	17,400	8
C19-C21	直腸	Rectum	9,800	4

女性 Females

		部位 Site	死亡数 N	がん全体に占める割合 %
C00-C97	全がん	All cancers	151,700	100
C18-C20	大腸	Colon/rectum	23,400	15
C33-C34	肺	Lung, trachea	21,900	14
C16	胃	Stomach	17,000	11
C25	膵臓	Pancreas	16,200	11
C50	乳房	Breast	13,800	9
C22	肝臓	Liver	10,000	7
C23-C24	胆嚢・胆管	Gallbladder and bile ducts	9,700	6
C53-C55	子宮	Uterus	6,300	4
C81-C85, C96	悪性リンパ腫	Malignant lymphoma	5,000	3
C56	卵巣	Ovary	4,800	3
C91-C95	白血病	Leukemia	3,300	2
C64-C66, C68	腎・尿路 (膀胱除く)	Kidney and other urinary organs	3,200	2
C67	膀胱	Bladder	2,500	2
C00-C14	口腔・咽頭	Oral cavity and pharynx	2,200	1
C88-C90	多発性骨髄腫	Multiple myeloma	2,000	1
C15	食道	Esophagus	1,900	1
C73	甲状腺	Thyroid	1,200	<1
C70-C72	脳・中枢神経系	Brain, nervous system	1,000	<1
C43-C44	皮膚	Skin	900	<1
C32	喉頭	Larynx	100	<1
	(再掲 Detailed)			
C18	結腸	Colon	17,800	12
C19-C20	直腸	Rectum	5,600	4
C53	子宮頸部	Cervix uteri	2,800	2
C54	子宮体部	Corpus uteri	2,400	2

資料：国立がん研究センターがん情報サービス「がん登録・統計」(http://ganjoho.jp/reg_stat/statistics/dl/index.html)Source: Cancer Registry and Statistics. Cancer Information Service, National Cancer Center, Japan. (http://ganjoho.jp/en/professional/statistics/table_download.html)

(2) 部位別予測がん罹患数 (2015年)
Projected Number of Cancer Incidence by Site (2015)

男性 Males

		部位 Site	罹患数 N	がん全体に占める割合 %
C00-C96	全がん	All cancers	560,300	100
C61	前立腺	Prostate	98,400	18
C16	胃	Stomach	90,800	16
C33-C34	肺	Lung, tracea	90,700	16
C18-C20	大腸	Colon/rectum	77,900	14
C22	肝臓	Liver	30,700	5
C15	食道	Esophagus	20,500	4
C64-C66, C68	腎・尿路(膀胱除く)	Kidney and other urinary organs	19,900	4
C25	膵臓	Pancreas	19,400	3
C81-C85, C96	悪性リンパ腫	Malignant lymphoma	16,400	3
C67	膀胱	Bladder	16,300	3
C23-C24	胆嚢・胆管	Gallbladder and bile ducts	14,100	3
C00-C14	口腔・咽頭	Oral cavity and pharynx	13,000	2
C43-C44	皮膚	Skin	11,600	2
C91-C95	白血病	Leukemia	7,900	1
C73	甲状腺	Thyroid	4,700	<1%
C32	喉頭	Larynx	4,300	<1%
C88-C90	多発性骨髄腫	Multiple myeloma	3,900	<1%
C70-C72	脳・中枢神経系	Brain, nervous system	2,600	<1%
(再掲 Detailed)				
C18	結腸	Colon	48,600	9
C19-C21	直腸	Rectum	29,300	5

女性 Females

		部位 Site	罹患数 N	がん全体に占める割合 %
C00-C96	全がん	All cancers	421,800	100
C50	乳房	Breast	89,400	21
C18-C20	大腸	Colon/rectum	57,900	14
C33-C34	肺	Lung, tracea	42,800	10
C16	胃	Stomach	42,200	10
C53-C55	子宮	Uterus	30,000	7
C25	膵臓	Pancreas	19,300	5
C22	肝臓	Liver	16,600	4
C81-C85, C96	悪性リンパ腫	Malignant lymphoma	13,300	3
C73	甲状腺	Thyroid	13,200	3
C43-C44	皮膚	Skin	12,800	3
C23-C24	胆嚢・胆管	Gallbladder and bile ducts	12,600	3
C56	卵巣	Ovary	10,400	2
C64-C66, C68	腎・尿路(膀胱除く)	Kidney and other urinary organs	8,800	2
C00-C14	口腔・咽頭	Oral cavity and pharynx	6,500	2
C91-C95	白血病	Leukemia	5,900	1
C67	膀胱	Bladder	5,000	1
C88-C90	多発性骨髄腫	Multiple myeloma	4,700	1
C15	食道	Esophagus	3,400	<1%
C70-C72	脳・中枢神経系	Brain, nervous system	2,500	<1%
C32	喉頭	Larynx	400	<1%
(再掲 Detailed)				
C18	結腸	Colon	43,000	10
C19-C21	直腸	Rectum	14,900	4
C54	子宮体部	Corpus uteri	17,800	4
C53	子宮頸部	Cervix uteri	12,500	3

資料：国立がん研究センターがん情報サービス「がん登録・統計」(http://ganjoho.jp/reg_stat/statistics/dl/index.html)

Source : Cancer Registry and Statistics. Cancer Information Service, National Cancer Center, Japan. (http://ganjoho.jp/en/professional/statistics/table_download.html)

2

ICD-10 三桁分類別がん死亡（死亡数・割合）（2014年）

Cancer Mortality by ICD-10 Classification (2014)

(1/4)

国際疾病分類 ICD-10	部位 Cancer site	男女計 Both Sexes		男 Males		女 Females	
		死亡数 Number of deaths	%	死亡数 Number of deaths	%	死亡数 Number of deaths	%
C00-C97	悪性新生物 Total malignant neoplasms	368,103	100.0	218,397	100.0	149,706	100.0
C00	口唇 Lip	33	0.0	17	0.0	16	0.0
C01	舌根（基底）部 Tongue	22	0.0	19	0.0	3	0.0
C02	舌のその他および部位不明 Other and unspecified parts of tongue	1,275	0.3	763	0.3	512	0.3
C03	歯肉 Gum	1,294	0.4	675	0.3	619	0.4
C04	口（腔）底 Floor of mouth	246	0.1	186	0.1	60	0.0
C05	口蓋 Palate	91	0.0	47	0.0	44	0.0
C06	その他および部位不明の口腔 Other and unspecified parts of mouth	427	0.1	203	0.1	224	0.1
C07	耳下腺 Parotid gland	397	0.1	260	0.1	137	0.1
C08	その他および部位不明の大唾液腺 Other and unspecified major salivary glands	202	0.1	130	0.1	72	0.0
C09	扁桃 Tonsil	18	0.0	12	0.0	6	0.0
C10	中咽頭 Oropharynx	995	0.3	855	0.4	140	0.1
C11	鼻（上）咽頭 Nasopharynx	312	0.1	229	0.1	83	0.1
C12	梨状陥凹（洞） Pyramiform sinus	12	0.0	12	0.0	—	—
C13	下咽頭 Hypopharynx	1,511	0.4	1 373	0.6	138	0.1
C14	その他および部位不明確の口唇、口腔および咽頭 Other and ill-defined sites in the lip, oral cavity and pharynx	580	0.2	487	0.2	93	0.1
C15	食道 Esophagus	11,576	3.1	9 629	4.4	1,947	1.3
C16	胃 Stomach	47,903	13.0	31,483	14.4	16,420	11.0
C17	小腸 Small intestine	1,250	0.3	772	0.4	478	0.3
C18	結腸 Colon	33,297	9.0	16,478	7.5	16,819	11.2
C19	直腸 S 状結腸移行部 Rectosigmoid junction	437	0.1	272	0.1	165	0.1
C20	直腸 Rectum	14,751	4.0	9,427	4.3	5,324	3.6

資料：厚生労働省大臣官房統計情報部「人口動態統計」

国際疾病 分類 ICD-10	部位 Cancer site	男女計 Both Sexes		男 Males		女 Females	
		死亡数 Number of deaths	%	死亡数 Number of deaths	%	死亡数 Number of deaths	%
C21	肛門および肛門管 Anus and anal canal	412	0.1	213	0.1	199	0.1
C22	肝および肝内胆管 Liver	29,543	8.0	19,208	8.8	10,335	6.9
C23	胆のう Gallbladder	6,295	1.7	2,541	1.2	3,754	2.5
C24	その他および部位不明の胆道 Other and unspecified parts of biliary tract	11,822	3.2	6,511	3.0	5,311	3.5
C25	膵 Pancreas	31,716	8.6	16,411	7.5	15,305	10.2
C26	その他および部位不明確の消化器 Other and ill-defined digestive organs	803	0.2	496	0.2	307	0.2
C30	鼻腔および中耳 Nasal cavity and middle ear	199	0.1	98	0.0	101	0.1
C31	副鼻腔 Accessory sinuses	363	0.1	251	0.1	112	0.1
C32	喉頭 Larynx	978	0.3	908	0.4	70	0.0
C33	気管 Trachea	26	0.0	17	0.0	9	0.0
C34	気管支および肺 Bronchus and lung	73,370	19.9	52,488	24.0	20,882	13.9
C37	胸腺 Thymus	401	0.1	241	0.1	160	0.1
C38	心臓、縦隔および胸膜 Heart, mediastinum and pleura	193	0.1	129	0.1	64	0.0
C39	その他および部位不明確の呼吸器系および胸腔内臓器 Other and ill-defined sites in the respiratory system and intrathoracic organs	3	0.0	3	0.0	—	—
C40	(四) 肢の骨および関節軟骨 Bone and articular cartilage of limbs	114	0.0	61	0.0	53	0.0
C41	その他および部位不明の骨および関節軟骨 Bone and articular cartilage of other and unspecified sites	318	0.1	174	0.1	144	0.1
C43	皮膚の悪性黒色腫 Malignant melanoma of skin	690	0.2	347	0.2	343	0.2
C44	皮膚のその他 Other malignant neoplasms of skin	967	0.3	450	0.2	517	0.3
C45	中皮腫 Mesothelioma	1,376	0.4	1,140	0.5	236	0.2
C46	カポジ肉腫 Kaposi's sarcoma	2	0.0	2	0.0	—	—
C47	末梢神経および自律神経系 Peripheral nerves and autonomic nervous system	66	0.0	33	0.0	33	0.0
C48	後腹膜および腹膜 Retroperitoneum and peritoneum	884	0.2	180	0.1	704	0.5

Source: Vital Statistics of Japan, Statistics and Information Dept., Minister's Secretariat, Ministry of Health, Labour and Welfare

国際疾病 分類 ICD-10	部位 Cancer site	男女計 Both Sexes		男 Males		女 Females	
		死亡数 Number of deaths	%	死亡数 Number of deaths	%	死亡数 Number of deaths	%
C49	その他の結合組織および軟部組織 Other connective and soft tissue	1,110	0.3	612	0.3	498	0.3
C50	乳房 Breast	13,323	3.6	83	0.0	13,240	8.8
C51	外陰（部） Vulva	257	0.1	・	・	257	0.2
C52	膣 Vagina	155	0.0	・	・	155	0.1
C53	子宮頸（部） Cervix uteri	2,902	0.8	・	・	2,902	1.9
C54	子宮体部 Corpus uteri	2,243	0.6	・	・	2,243	1.5
C55	子宮、部位不明 Uterus, part unspecified	1,284	0.3	・	・	1,284	0.9
C56	卵巣 Ovary	4,840	1.3	・	・	4,840	3.2
C57	その他および部位不明の女性生殖器 Other and unspecified female genital organs	200	0.1	・	・	200	0.1
C58	胎盤 Placenta	3	0.0	・	・	3	0.0
C60	陰茎 Penis	129	0.0	129	0.1	・	・
C61	前立腺 Prostate	11,507	3.1	11,507	5.3	・	・
C62	精巣（睾丸） Testis	82	0.0	82	0.0	・	・
C63	その他および部位不明の男性生殖器 Other and unspecified male genital organs	15	0.0	15	0.0	・	・
C64	腎盂を除く腎 Kidney, except renal pelvis	4,576	1.2	3,106	1.4	1,470	1.0
C65	腎盂 Renal pelvis	1,967	0.5	1,257	0.6	710	0.5
C66	尿管 Ureter	1,816	0.5	1,121	0.5	695	0.5
C67	膀胱 Bladder	7,760	2.1	5,308	2.4	2,452	1.6
C68	その他および部位不明の尿路 Other and unspecified urinary organs	434	0.1	237	0.1	197	0.1
C69	眼および付属器 Eye and adnexa	51	0.0	26	0.0	25	0.0
C70	髄膜 Meninges	89	0.0	44	0.0	45	0.0
C71	脳 Brain	2,177	0.6	1,267	0.6	910	0.6
C72	脊髄、脳神経およびその他の中枢神経系の部位 Spinal cord, cranial nerves and other parts of central nervous system	36	0.0	18	0.0	18	0.0

国際疾病分類 ICD-10	部位 Cancer site	男女計 Both Sexes		男 Males		女 Females	
		死亡数 Number of deaths	%	死亡数 Number of deaths	%	死亡数 Number of deaths	%
C73	甲状腺 Thyroid gland	1,762	0.5	570	0.3	1,192	0.8
C74	副腎 Adrenal gland	199	0.1	110	0.1	89	0.1
C75	その他の内分泌腺および関連組織 Other endocrine glands and related structures	33	0.0	18	0.0	15	0.0
C76	その他および部位不明確 Other and ill-defined sites	306	0.1	126	0.1	180	0.1
C77	リンパ節の続発性および部位不明 Secondary and unspecified malignant neoplasm of lymph nodes	32	0.0	21	0.0	11	0.0
C78	呼吸器および消化器の続発性 Secondary malignant neoplasm of respiratory and digestive organs	2,002	0.5	904	0.4	1,098	0.7
C79	その他の部位の続発性 Secondary malignant neoplasm of other sites	462	0.1	227	0.1	235	0.2
C80	部位の明示されない Malignant neoplasm without specification of site	4,675	1.3	2,421	1.1	2,254	1.5
C81	ホジキン病 Hodgkin's disease	177	0.0	121	0.1	56	0.0
C82	ろ胞性（結節性）非ホジキンリンパ腫 Follicular [nodular] non-Hodgkin's lymphoma	119	0.0	61	0.0	58	0.0
C83	びまん性非ホジキンリンパ腫 Diffuse non-Hodgkin's lymphoma	1,056	0.3	634	0.3	422	0.3
C84	末梢性および皮膚 T 細胞リンパ腫 Peripheral and cutaneous T-cell lymphomas	327	0.1	217	0.1	110	0.1
C85	非ホジキンリンパ腫のその他および詳細不明の型 Other and unspecified types of non-Hodgkin's lymphoma	9,801	2.7	5,394	2.5	4,407	2.9
C88	悪性免疫増殖性疾患 Malignant immunoproliferative diseases	151	0.0	111	0.1	40	0.0
C90	多発性骨髄腫および悪性形質細胞性新生物 Multiple myeloma and malignant plasma cell neoplasms	4,034	1.1	2,092	1.0	1,942	1.3
C91	リンパ性白血病 Lymphoid leukemia	1,985	0.5	1,101	0.5	884	0.6
C92	骨髄性白血病 Myeloid leukemia	5,253	1.4	3,256	1.5	1,997	1.3
C93	単球性白血病 Monocytic leukemia	46	0.0	32	0.0	14	0.0
C94	細胞型の明示されたその他の白血病 Other leukemias of specified cell type	23	0.0	18	0.0	5	0.0
C95	細胞型不明の白血病 Leukemia of unspecified cell type	889	0.2	489	0.2	400	0.3
C96	リンパ組織、造血組織および関連組織のその他および詳細不明 Other and unspecified malignant neoplasms of lymphoid, hematopoietic and related tissue	52	0.0	30	0.0	22	0.0
C97	独立した（原発性）多部位 Independent (primary) multiple sites	593	0.2	401	0.2	192	0.1

3

部位別年齢階級別がん死亡数・割合 (2014年)

Number of Cancer Deaths by Age and Site (2014)

部位 Site ICD-10	性別 Sex	全年齢 All ages		歳Age 0~4		5~9		10~14		15~19		20~24		25~29		30~34		35~39	
		数 N	%	数 N	%	数 N	%	数 N	%	数 N	%	数 N	%	数 N	%	数 N	%	数 N	%
C00-C97 全がん All cancers	総数 T	368,103	100.0	98	100.0	103	100.0	101	100.0	141	100.0	175	100.0	325	100.0	698	100.0	1,392	100.0
	男 M	218,397	100.0	53	100.0	63	100.0	65	100.0	96	100.0	96	100.0	148	100.0	306	100.0	565	100.0
	女 F	149,706	100.0	45	100.0	40	100.0	36	100.0	45	100.0	79	100.0	177	100.0	392	100.0	827	100.0
C00-C14 口腔・咽頭 Oral cavity and pharynx	総数 T	7,415	2.0	1	1.0	0	0.0	2	2.0	3	2.1	3	1.7	11	3.4	26	3.7	47	3.4
	男 M	5,268	2.4	0	0.0	0	0.0	2	3.1	1	1.0	2	2.1	8	5.4	16	5.2	34	6.0
	女 F	2,147	1.4	1	2.2	0	0.0	0	0.0	2	4.4	1	1.3	3	1.7	10	2.6	13	1.6
C15 食道 Esophagus	総数 T	11,576	3.1	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	0.6	5	0.7	6	0.4
	男 M	9,629	4.4	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	0.7	4	1.3	5	0.9
	女 F	1,947	1.3	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	0.6	1	0.3	1	0.1
C16 胃 Stomach	総数 T	47,903	13.0	0	0.0	0	0.0	1	1.0	4	2.8	13	7.4	36	11.1	93	13.3	185	13.3
	男 M	31,483	14.4	0	0.0	0	0.0	1	1.5	2	2.1	7	7.3	20	13.5	40	13.1	80	14.2
	女 F	16,420	11.0	0	0.0	0	0.0	0	0.0	2	4.4	6	7.6	16	9.0	53	13.5	105	12.7
C18 結腸 Colon	総数 T	33,297	9.0	0	0.0	0	0.0	1	1.0	2	1.4	13	7.4	15	4.6	37	5.3	112	8.0
	男 M	16,478	7.5	0	0.0	0	0.0	1	1.5	1	1.0	7	7.3	10	6.8	18	5.9	57	10.1
	女 F	16,819	11.2	0	0.0	0	0.0	0	0.0	1	2.2	6	7.6	5	2.8	19	4.8	55	6.7
C19-C20 直腸 Rectum	総数 T	15,188	4.1	0	0.0	0	0.0	0	0.0	1	0.7	1	0.6	5	1.5	29	4.2	70	5.0
	男 M	9,699	4.4	0	0.0	0	0.0	0	0.0	1	1.0	1	1.0	4	2.7	15	4.9	42	7.4
	女 F	5,489	3.7	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	0.6	14	3.6	28	3.4
C18-C20 大腸 Colon/rectum	総数 T	48,485	13.2	0	0.0	0	0.0	1	1.0	3	2.1	14	8.0	20	6.2	66	9.5	182	13.1
	男 M	26,177	12.0	0	0.0	0	0.0	1	1.5	2	2.1	8	8.3	14	9.5	33	10.8	99	17.5
	女 F	22,308	14.9	0	0.0	0	0.0	0	0.0	1	2.2	6	7.6	6	3.4	33	8.4	83	10.0
C22 肝臓 Liver	総数 T	29,543	8.0	9	9.2	0	0.0	2	2.0	3	2.1	0	0.0	8	2.5	13	1.9	42	3.0
	男 M	19,208	8.8	6	11.3	0	0.0	1	1.5	2	2.1	0	0.0	4	2.7	9	2.9	30	5.3
	女 F	10,335	6.9	3	6.7	0	0.0	1	2.8	1	2.2	0	0.0	4	2.3	4	1.0	12	1.5
C23-C24 胆のう・胆管 Gallbladder and bile ducts	総数 T	18,117	4.9	0	0.0	0	0.0	0	0.0	0	0.0	1	0.6	4	1.2	4	0.6	14	1.0
	男 M	9,052	4.1	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	0.7	0	0.0	7	1.2
	女 F	9,065	6.1	0	0.0	0	0.0	0	0.0	0	0.0	1	1.3	3	1.7	4	1.0	7	0.8
C25 膵臓 Pancreas	総数 T	31,716	8.6	0	0.0	0	0.0	1	1.0	1	0.7	0	0.0	5	1.5	18	2.6	46	3.3
	男 M	16,411	7.5	0	0.0	0	0.0	0	0.0	1	1.0	0	0.0	0	0.0	9	2.9	29	5.1
	女 F	15,305	10.2	0	0.0	0	0.0	1	2.8	0	0.0	0	0.0	5	2.8	9	2.3	17	2.1
C32 喉頭 Larynx	総数 T	978	0.3	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1	2	0.1
	男 M	908	0.4	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	0.3	2	0.4
	女 F	70	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

資料：国立がん研究センターがん情報サービス「がん登録・統計」（人口動態統計より作成） http://ganjobo.jp/reg_stat/statistics/dl/index.html

40~44		45~49		50~54		55~59		60~64		65~69		70~74		75~79		80~84		85~		Unknown (年齢不詳)	
数 N	%	数 N	%	数 N	%	数 N	%	数 N	%	数 N	%	数 N	%	数 N	%	数 N	%	数 N	%	数 N	%
2,901	100.0	4,683	100.0	7,760	100.0	13,851	100.0	27,860	100.0	42,177	100.0	51,669	100.0	59,128	100.0	65,792	100.0	89,218	100.0	31	100.0
1,210	100.0	2,133	100.0	3,948	100.0	7,962	100.0	17,837	100.0	28,346	100.0	34,920	100.0	38,619	100.0	40,053	100.0	41,955	100.0	22	100.0
1,691	100.0	2,550	100.0	3,812	100.0	5,889	100.0	10,023	100.0	13,831	100.0	16,749	100.0	20,509	100.0	25,739	100.0	47,263	100.0	9	100.0
60	2.1	106	2.3	227	2.9	399	2.9	655	2.4	964	2.3	1,172	2.3	1,080	1.8	1,107	1.7	1,550	1.7	2	6.5
43	3.6	72	3.4	174	4.4	327	4.1	539	3.0	809	2.9	965	2.8	844	2.2	730	1.8	700	1.7	2	9.1
17	1.0	34	1.3	53	1.4	72	1.2	116	1.2	155	1.1	207	1.2	236	1.2	377	1.5	850	1.8	0	0.0
58	2.0	96	2.0	287	3.7	622	4.5	1,282	4.6	1,903	4.5	2,246	4.3	1,897	3.2	1,628	2.5	1,542	1.7	2	6.5
36	3.0	69	3.2	227	5.7	529	6.6	1,122	6.3	1,684	5.9	1,966	5.6	1,632	4.2	1,330	3.3	1,022	2.4	2	9.1
22	1.3	27	1.1	60	1.6	93	1.6	160	1.6	219	1.6	280	1.7	265	1.3	298	1.2	520	1.1	0	0.0
342	11.8	478	10.2	770	9.9	1,584	11.4	3,552	12.7	5,489	13.0	6,624	12.8	7,898	13.4	8,589	13.1	12,240	13.7	5	16.1
155	12.8	270	12.7	471	11.9	1,069	13.4	2,602	14.6	4,111	14.5	5,055	14.5	5,767	14.9	5,737	14.3	6,091	14.5	5	22.7
187	11.1	208	8.2	299	7.8	515	8.7	950	9.5	1,378	10.0	1,569	9.4	2,131	10.4	2,852	11.1	6,149	13.0	0	0.0
266	9.2	389	8.3	635	8.2	1,126	8.1	2,363	8.5	3,433	8.1	4,159	8.0	4,968	8.4	5,664	8.6	10,112	11.3	2	6.5
127	10.5	206	9.7	316	8.0	618	7.8	1,421	8.0	2,104	7.4	2,526	7.2	2,820	7.3	2,901	7.2	3,343	8.0	2	9.1
139	8.2	183	7.2	319	8.4	508	8.6	942	9.4	1,329	9.6	1,633	9.7	2,148	10.5	2,763	10.7	6,769	14.3	0	0.0
146	5.0	249	5.3	467	6.0	830	6.0	1,678	6.0	2,165	5.1	2,278	4.4	2,309	3.9	2,064	3.1	2,894	3.2	2	6.5
84	6.9	147	6.9	295	7.5	555	7.0	1,202	6.7	1,605	5.7	1,650	4.7	1,580	4.1	1,269	3.2	1,247	3.0	2	9.1
62	3.7	102	4.0	172	4.5	275	4.7	476	4.7	560	4.0	628	3.7	729	3.6	795	3.1	1,647	3.5	0	0.0
412	14.2	638	13.6	1,102	14.2	1,956	14.1	4,041	14.5	5,598	13.3	6,437	12.5	7,277	12.3	7,728	11.7	13,006	14.6	4	12.9
211	17.4	353	16.5	611	15.5	1,173	14.7	2,623	14.7	3,709	13.1	4,176	12.0	4,400	11.4	4,170	10.4	4,590	10.9	4	18.2
201	11.9	285	11.2	491	12.9	783	13.3	1,418	14.1	1,889	13.7	2,261	13.5	2,877	14.0	3,558	13.8	8,416	17.8	0	0.0
98	3.4	219	4.7	450	5.8	925	6.7	2,111	7.6	3,269	7.8	4,334	8.4	5,635	9.5	6,283	9.5	6,140	6.9	2	6.5
77	6.4	181	8.5	388	9.8	770	9.7	1,727	9.7	2,528	8.9	3,079	8.8	3,687	9.5	3,805	9.5	2,913	6.9	1	4.5
21	1.2	38	1.5	62	1.6	155	2.6	384	3.8	741	5.4	1,255	7.5	1,948	9.5	2,478	9.6	3,227	6.8	1	11.1
47	1.6	61	1.3	166	2.1	367	2.6	918	3.3	1,441	3.4	2,193	4.2	2,988	5.1	3,862	5.9	6,051	6.8	0	0.0
23	1.9	40	1.9	100	2.5	211	2.7	559	3.1	922	3.3	1,341	3.8	1,730	4.5	1,980	4.9	2,138	5.1	0	0.0
24	1.4	21	0.8	66	1.7	156	2.6	359	3.6	519	3.8	852	5.1	1,258	6.1	1,882	7.3	3,913	8.3	0	0.0
168	5.8	367	7.8	592	7.6	1,226	8.9	2,574	9.2	4,208	10.0	4,876	9.4	5,259	8.9	5,508	8.4	6,866	7.7	1	3.2
104	8.6	258	12.1	368	9.3	769	9.7	1,629	9.1	2,575	9.1	2,842	8.1	2,897	7.5	2,618	6.5	2,312	5.5	0	0.0
64	3.8	109	4.3	224	5.9	457	7.8	945	9.4	1,633	11.8	2,034	12.1	2,362	11.5	2,890	11.2	4,554	9.6	1	11.1
0	0.0	2	0.0	11	0.1	22	0.2	76	0.3	149	0.4	167	0.3	157	0.3	162	0.2	229	0.3	0	0.0
0	0.0	2	0.1	10	0.3	21	0.3	70	0.4	139	0.5	155	0.4	149	0.4	148	0.4	211	0.5	0	0.0
0	0.0	0	0.0	1	0.0	1	0.0	6	0.1	10	0.1	12	0.1	8	0.0	14	0.1	18	0.0	0	0.0

Source: Cancer Registry and Statistics. Cancer Information Service, National Cancer Center, Japan. (Vital Statistics of Japan) http://ganjoho.jp/en/professional/statistics/table_download.html

部位 Site ICD-10	性別 Sex	全年齢 All ages		歳Age 0~4		5~9		10~14		15~19		20~24		25~29		30~34		35~39	
		数 N	%	数 N	%	数 N	%	数 N	%	数 N	%	数 N	%	数 N	%	数 N	%	数 N	%
C33-C34 肺・気管 Lung, trachea	総数 T	73,396	19.9	0	0.0	0	0.0	0	0.0	2	1.4	6	3.4	14	4.3	28	4.0	95	6.8
	男 M	52,505	24.0	0	0.0	0	0.0	0	0.0	1	1.0	3	3.1	7	4.7	16	5.2	62	11.0
	女 F	20,891	14.0	0	0.0	0	0.0	0	0.0	1	2.2	3	3.8	7	4.0	12	3.1	33	4.0
C43-C44 皮膚 Skin	総数 T	1,657	0.5	1	1.0	2	1.9	0	0.0	3	2.1	4	2.3	5	1.5	5	0.7	14	1.0
	男 M	797	0.4	1	1.9	1	1.6	0	0.0	3	3.1	2	2.1	2	1.4	3	1.0	7	1.2
	女 F	860	0.6	0	0.0	1	2.5	0	0.0	0	0.0	2	2.5	3	1.7	2	0.5	7	0.8
C50 乳房 Breast	女 F	13,240	8.8	0	0.0	0	0.0	0	0.0	1	2.2	1	1.3	12	6.8	69	17.6	229	27.7
C53-C55 子宮 Uterus	女 F	6,429	4.3	0	0.0	0	0.0	0	0.0	0	0.0	4	5.1	23	13.0	67	17.1	135	16.3
C53 子宮頸部 Cervix uteri	女 F	2,902	1.9	0	0.0	0	0.0	0	0.0	0	0.0	2	2.5	21	11.9	59	15.1	108	13.1
C54 子宮体部 Corpus uteri	女 F	2,243	1.5	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	1.1	8	2.0	18	2.2
C56 卵巣 Ovary	女 F	4,840	3.2	0	0.0	0	0.0	0	0.0	3	6.7	3	3.8	9	5.1	26	6.6	52	6.3
C61 前立腺 Prostate	男 M	11,507	5.3	0	0.0	0	0.0	0	0.0	0	0.0	1	1.0	0	0.0	1	0.3	2	0.4
C67 膀胱 Bladder	総数 T	7,760	2.1	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	3	0.9	4	0.6	11	0.8
	男 M	5,308	2.4	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	0.7	2	0.7	5	0.9
	女 F	2,452	1.6	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	1.1	2	0.5	6	0.7
C64-C66 C68 腎臓など Kidney and other urinary organs	総数 T	8,793	2.4	2	2.0	0	0.0	1	1.0	0	0.0	3	1.7	2	0.6	9	1.3	22	1.6
	男 M	5,721	2.6	2	3.8	0	0.0	1	1.5	0	0.0	1	1.0	0	0.0	5	1.6	15	2.7
	女 F	3,072	2.1	0	0.0	0	0.0	0	0.0	0	0.0	2	2.5	2	1.1	4	1.0	7	0.8
C70-C72 脳・中枢神経系 Brain, nervous system	総数 T	2,302	0.6	21	21.4	37	35.9	30	29.7	27	19.1	14	8.0	32	9.8	59	8.5	69	5.0
	男 M	1,329	0.6	9	17.0	22	34.9	22	33.8	19	19.8	6	6.3	14	9.5	39	12.7	40	7.1
	女 F	973	0.6	12	26.7	15	37.5	8	22.2	8	17.8	8	10.1	18	10.2	20	5.1	29	3.5
C73 甲状腺 Thyroid	総数 T	1,762	0.5	0	0.0	0	0.0	0	0.0	0	0.0	1	0.6	0	0.0	0	0.0	1	0.1
	男 M	570	0.3	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	0.2
	女 F	1,192	0.8	0	0.0	0	0.0	0	0.0	0	0.0	1	1.3	0	0.0	0	0.0	0	0.0
C81-C85 C96 悪性リンパ腫 Malignant lymphoma	総数 T	11,532	3.1	5	5.1	2	1.9	0	0.0	11	7.8	12	6.9	20	6.2	44	6.3	47	3.4
	男 M	6,457	3.0	2	3.8	0	0.0	0	0.0	7	7.3	9	9.4	12	8.1	31	10.1	32	5.7
	女 F	5,075	3.4	3	6.7	2	5.0	0	0.0	4	8.9	3	3.8	8	4.5	13	3.3	15	1.8
C88-C90 多発性骨髄腫 Multiple myeloma	総数 T	4,185	1.1	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	0.3	4	0.3
	男 M	2,203	1.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	2	0.7	4	0.7
	女 F	1,982	1.3	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C91-C95 白血病 Leukemia	総数 T	8,196	2.2	33	33.7	30	29.1	34	33.7	37	26.2	45	25.7	56	17.2	63	9.0	70	5.0
	男 M	4,896	2.2	22	41.5	18	28.6	20	30.8	25	26.0	29	30.2	32	21.6	44	14.4	36	6.4
	女 F	3,300	2.2	11	24.4	12	30.0	14	38.9	12	26.7	16	20.3	24	13.6	19	4.8	34	4.1

40~44		45~49		50~54		55~59		60~64		65~69		70~74		75~79		80~84		85~		Unknown (年齢不詳)	
数 N	%	数 N	%	数 N	%	数 N	%	数 N	%	数 N	%	数 N	%	数 N	%	数 N	%	数 N	%	数 N	%
296	10.2	592	12.6	1,078	13.9	2,272	16.4	5,317	19.1	9,115	21.6	11,360	22.0	12,481	21.1	13,967	21.2	16,766	18.8	7	22.6
194	16.0	398	18.7	796	20.2	1,690	21.2	4,065	22.8	6,982	24.6	8,712	24.9	9,379	24.3	10,055	25.1	10,140	24.2	5	22.7
102	6.0	194	7.6	282	7.4	582	9.9	1,252	12.5	2,133	15.4	2,648	15.8	3,102	15.1	3,912	15.2	6,626	14.0	2	22.2
22	0.8	24	0.5	40	0.5	63	0.5	104	0.4	130	0.3	159	0.3	200	0.3	252	0.4	629	0.7	0	0.0
15	1.2	14	0.7	20	0.5	32	0.4	57	0.3	78	0.3	96	0.3	118	0.3	146	0.4	202	0.5	0	0.0
7	0.4	10	0.4	20	0.5	31	0.5	47	0.5	52	0.4	63	0.4	82	0.4	106	0.4	427	0.9	0	0.0
415	24.5	684	26.8	997	26.2	1,328	22.6	1,749	17.4	1,753	12.7	1,545	9.2	1,277	6.2	1,159	4.5	2,020	4.3	1	11.1
257	15.2	384	15.1	462	12.1	532	9.0	665	6.6	729	5.3	693	4.1	646	3.1	737	2.9	1,092	2.3	3	33.3
202	11.9	264	10.4	254	6.7	227	3.9	258	2.6	290	2.1	261	1.6	278	1.4	273	1.1	403	0.9	2	22.2
39	2.3	87	3.4	127	3.3	218	3.7	281	2.8	324	2.3	299	1.8	242	1.2	276	1.1	322	0.7	0	0.0
143	8.5	249	9.8	348	9.1	457	7.8	587	5.9	579	4.2	590	3.5	545	2.7	560	2.2	689	1.5	0	0.0
3	0.2	9	0.4	28	0.7	90	1.1	304	1.7	724	2.6	1,358	3.9	2,043	5.3	2,775	6.9	4,169	9.9	0	0.0
11	0.4	37	0.8	75	1.0	128	0.9	320	1.1	559	1.3	796	1.5	1,195	2.0	1,575	2.4	3,046	3.4	0	0.0
6	0.5	22	1.0	59	1.5	94	1.2	261	1.5	451	1.6	630	1.8	851	2.2	1,100	2.7	1,826	4.4	0	0.0
5	0.3	15	0.6	16	0.4	34	0.6	59	0.6	108	0.8	166	1.0	344	1.7	475	1.8	1,220	2.6	0	0.0
52	1.8	71	1.5	146	1.9	295	2.1	554	2.0	977	2.3	1,155	2.2	1,442	2.4	1,763	2.7	2,298	2.6	1	3.2
43	3.6	55	2.6	109	2.8	234	2.9	429	2.4	737	2.6	853	2.4	1,000	2.6	1,092	2.7	1,144	2.7	1	4.5
9	0.5	16	0.6	37	1.0	61	1.0	125	1.2	240	1.7	302	1.8	442	2.2	671	2.6	1,154	2.4	0	0.0
92	3.2	92	2.0	107	1.4	152	1.1	196	0.7	311	0.7	321	0.6	316	0.5	250	0.4	176	0.2	0	0.0
57	4.7	56	2.6	76	1.9	84	1.1	124	0.7	203	0.7	174	0.5	168	0.4	141	0.4	75	0.2	0	0.0
35	2.1	36	1.4	31	0.8	68	1.2	72	0.7	108	0.8	147	0.9	148	0.7	109	0.4	101	0.2	0	0.0
3	0.1	15	0.3	17	0.2	42	0.3	100	0.4	160	0.4	208	0.4	290	0.5	352	0.5	573	0.6	0	0.0
2	0.2	8	0.4	8	0.2	21	0.3	37	0.2	69	0.2	88	0.3	99	0.3	110	0.3	127	0.3	0	0.0
1	0.1	7	0.3	9	0.2	21	0.4	63	0.6	91	0.7	120	0.7	191	0.9	242	0.9	446	0.9	0	0.0
64	2.2	104	2.2	201	2.6	330	2.4	674	2.4	1,009	2.4	1,459	2.8	1,988	3.4	2,371	3.6	3,191	3.6	0	0.0
40	3.3	63	3.0	125	3.2	217	2.7	431	2.4	655	2.3	917	2.6	1,165	3.0	1,307	3.3	1,444	3.4	0	0.0
24	1.4	41	1.6	76	2.0	113	1.9	243	2.4	354	2.6	542	3.2	823	4.0	1,064	4.1	1,747	3.7	0	0.0
8	0.3	33	0.7	59	0.8	104	0.8	271	1.0	428	1.0	590	1.1	768	1.3	863	1.3	1,055	1.2	0	0.0
2	0.2	20	0.9	36	0.9	64	0.8	159	0.9	242	0.9	344	1.0	422	1.1	449	1.1	459	1.1	0	0.0
6	0.4	13	0.5	23	0.6	40	0.7	112	1.1	186	1.3	246	1.5	346	1.7	414	1.6	596	1.3	0	0.0
131	4.5	161	3.4	194	2.5	313	2.3	614	2.2	926	2.2	1,258	2.4	1,368	2.3	1,421	2.2	1,440	1.6	2	6.5
83	6.9	101	4.7	124	3.1	211	2.7	398	2.2	598	2.1	812	2.3	859	2.2	807	2.0	676	1.6	1	4.5
48	2.8	60	2.4	70	1.8	102	1.7	216	2.2	328	2.4	446	2.7	509	2.5	614	2.4	764	1.6	1	11.1

4

部位別年齢階級別がん死亡率 (2014年)

Cancer Mortality Rate by Age and Site (2014)

部位 Site ICD-10	性別 Sex	歳Age 0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44
C00-C97 全がん All cancers	総数 T	1.9	2.0	1.8	2.4	2.9	5.0	9.6	16.4	30.1
	男 M	2.0	2.3	2.2	3.2	3.1	4.5	8.3	13.1	24.7
	女 F	1.8	1.6	1.3	1.6	2.7	5.6	11.0	19.8	35.6
C00-C14 口腔・咽頭 Oral cavity and pharynx	総数 T	0.0	0.0	0.0	0.1	0.1	0.2	0.4	0.6	0.6
	男 M	0.0	0.0	0.1	0.0	0.1	0.2	0.4	0.8	0.9
	女 F	0.0	0.0	0.0	0.1	0.0	0.1	0.3	0.3	0.4
C15 食道 Esophagus	総数 T	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.6
	男 M	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.7
	女 F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5
C16 胃 Stomach	総数 T	0.0	0.0	0.0	0.1	0.2	0.6	1.3	2.2	3.5
	男 M	0.0	0.0	0.0	0.1	0.2	0.6	1.1	1.8	3.2
	女 F	0.0	0.0	0.0	0.1	0.2	0.5	1.5	2.5	3.9
C18 結腸 Colon	総数 T	0.0	0.0	0.0	0.0	0.2	0.2	0.5	1.3	2.8
	男 M	0.0	0.0	0.0	0.0	0.2	0.3	0.5	1.3	2.6
	女 F	0.0	0.0	0.0	0.0	0.2	0.2	0.5	1.3	2.9
C19-C20 直腸 Rectum	総数 T	0.0	0.0	0.0	0.0	0.0	0.1	0.4	0.8	1.5
	男 M	0.0	0.0	0.0	0.0	0.0	0.1	0.4	1.0	1.7
	女 F	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.7	1.3
C18-C20 大腸 Colon/rectum	総数 T	0.0	0.0	0.0	0.1	0.2	0.3	0.9	2.1	4.3
	男 M	0.0	0.0	0.0	0.1	0.3	0.4	0.9	2.3	4.3
	女 F	0.0	0.0	0.0	0.0	0.2	0.2	0.9	2.0	4.2
C22 肝臓 Liver	総数 T	0.2	0.0	0.0	0.1	0.0	0.1	0.2	0.5	1.0
	男 M	0.2	0.0	0.0	0.1	0.0	0.1	0.2	0.7	1.6
	女 F	0.1	0.0	0.0	0.0	0.0	0.1	0.1	0.3	0.4
C23-C24 胆のう・胆管 Gallbladder and bile ducts	総数 T	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.5
	男 M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.5
	女 F	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.2	0.5
C25 膵臓 Pancreas	総数 T	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.5	1.7
	男 M	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.7	2.1
	女 F	0.0	0.0	0.0	0.0	0.0	0.2	0.3	0.4	1.3
C32 喉頭 Larynx	総数 T	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	男 M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	女 F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

率は人口10万対 Rate: Per 100,000 population.

資料: 国立がん研究センターがん情報サービス「がん登録・統計」(人口動態統計より作成) http://ganjoho.jp/reg_stat/statistics/dl/index.html

(注) 1) 年齢不詳例を除く。

Note: 1) Cases with unknown age at death were excluded in the figure.

45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~	全年齡 All ages	年齢調整 死亡率 Age-adjusted mortality rate
55.2	100.9	182.7	312.3	463.1	654.6	947.0	1,355.1	1,871.6	293.5	123.8
49.8	102.3	211.2	407.3	645.5	950.5	1,400.3	2,066.7	2,979.8	357.8	168.9
60.7	99.6	154.6	220.7	293.3	396.9	588.2	882.7	1,407.1	232.5	89.4
1.3	3.0	5.3	7.3	10.6	14.8	17.3	22.8	32.5	5.9	2.7
1.7	4.5	8.7	12.3	18.4	26.3	30.6	37.7	49.7	8.6	4.5
0.8	1.4	1.9	2.6	3.3	4.9	6.8	12.9	25.3	3.3	1.2
1.1	3.7	8.2	14.4	20.9	28.5	30.4	33.5	32.3	9.2	4.3
1.6	5.9	14.0	25.6	38.4	53.5	59.2	68.6	72.6	15.8	8.0
0.6	1.6	2.4	3.5	4.6	6.6	7.6	10.2	15.5	3.0	1.2
5.6	10.0	20.9	39.8	60.3	83.9	126.5	176.9	256.8	38.2	15.6
6.3	12.2	28.4	59.4	93.6	137.6	209.1	296.0	432.6	51.6	24.1
5.0	7.8	13.5	20.9	29.2	37.2	61.1	97.8	183.1	25.5	9.0
4.6	8.3	14.9	26.5	37.7	52.7	79.6	116.7	212.1	26.5	10.6
4.8	8.2	16.4	32.5	47.9	68.8	102.2	149.7	237.4	27.0	12.8
4.4	8.3	13.3	20.7	28.2	38.7	61.6	94.8	201.5	26.1	8.8
2.9	6.1	10.9	18.8	23.8	28.9	37.0	42.5	60.7	12.1	5.7
3.4	7.6	14.7	27.4	36.6	44.9	57.3	65.5	88.6	15.9	8.2
2.4	4.5	7.2	10.5	11.9	14.9	20.9	27.3	49.0	8.5	3.5
7.5	14.3	25.8	45.3	61.5	81.6	116.5	159.2	272.8	38.7	16.2
8.2	15.8	31.1	59.9	84.5	113.7	159.5	215.2	326.0	42.9	21.0
6.8	12.8	20.6	31.2	40.1	53.6	82.5	122.0	250.6	34.6	12.2
2.6	5.9	12.2	23.7	35.9	54.9	90.2	129.4	128.8	23.6	9.6
4.2	10.1	20.4	39.4	57.6	83.8	133.7	196.3	206.9	31.5	15.0
0.9	1.6	4.1	8.5	15.7	29.7	55.9	85.0	96.1	16.1	5.1
0.7	2.2	4.8	10.3	15.8	27.8	47.9	79.5	126.9	14.4	5.1
0.9	2.6	5.6	12.8	21.0	36.5	62.7	102.2	151.8	14.8	6.5
0.5	1.7	4.1	7.9	11.0	20.2	36.1	64.5	116.5	14.1	4.0
4.3	7.7	16.2	28.9	46.2	61.8	84.2	113.5	144.0	25.3	10.7
6.0	9.5	20.4	37.2	58.6	77.4	105.0	135.1	164.2	26.9	13.3
2.6	5.9	12.0	20.8	34.6	48.2	67.7	99.1	135.6	23.8	8.5
0.0	0.1	0.3	0.9	1.6	2.1	2.5	3.3	4.8	0.8	0.3
0.0	0.3	0.6	1.6	3.2	4.2	5.4	7.6	15.0	1.5	0.7
0.0	0.0	0.0	0.1	0.2	0.3	0.2	0.5	0.5	0.1	0.0

Source: Cancer Registry and Statistics. Cancer Information Service, National Cancer Center, Japan. (Vital Statistics of Japan) http://ganjoho.jp/en/professional/statistics/table_download.html

部位 Site ICD-10	性別 Sex	歳Age 0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44
C33-C34 肺・気管 Lung, trachea	総数 T	0.0	0.0	0.0	0.0	0.1	0.2	0.4	1.1	3.1
	男 M	0.0	0.0	0.0	0.0	0.1	0.2	0.4	1.4	4.0
	女 F	0.0	0.0	0.0	0.0	0.1	0.2	0.3	0.8	2.1
C43-C44 皮膚 Skin	総数 T	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.2	0.2
	男 M	0.0	0.0	0.0	0.1	0.1	0.1	0.1	0.2	0.3
	女 F	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.2	0.1
C50 乳房 Breast	女 F	0.0	0.0	0.0	0.0	0.0	0.4	1.9	5.5	8.7
C53-C55 子宮 Uterus	女 F	0.0	0.0	0.0	0.0	0.1	0.7	1.9	3.2	5.4
C53 子宮頸部 Cervix uteri	女 F	0.0	0.0	0.0	0.0	0.1	0.7	1.6	2.6	4.3
C54 子宮体部 Corpus uteri	女 F	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.4	0.8
C56 卵巣 Ovary	女 F	0.0	0.0	0.0	0.1	0.1	0.3	0.7	1.2	3.0
C61 前立腺 Prostate	男 M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
C67 膀胱 Bladder	総数 T	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1
	男 M	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1
	女 F	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.1
C64-C66 C68 腎臓など Kidney and other urinary organs	総数 T	0.0	0.0	0.0	0.0	0.1	0.0	0.1	0.3	0.5
	男 M	0.1	0.0	0.0	0.0	0.0	0.0	0.1	0.3	0.9
	女 F	0.0	0.0	0.0	0.0	0.1	0.1	0.1	0.2	0.2
C70-C72 脳・神経系 Brain, nervous system	総数 T	0.4	0.7	0.5	0.5	0.2	0.5	0.8	0.8	1.0
	男 M	0.3	0.8	0.8	0.6	0.2	0.4	1.1	0.9	1.2
	女 F	0.5	0.6	0.3	0.3	0.3	0.6	0.6	0.7	0.7
C73 甲状腺 Thyroid gland	総数 T	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	男 M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
	女 F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0
C81-C85 C96 悪性リンパ腫 Malignant lymphoma	総数 T	0.1	0.0	0.0	0.2	0.2	0.3	0.6	0.6	0.7
	男 M	0.1	0.0	0.0	0.2	0.3	0.4	0.8	0.7	0.8
	女 F	0.1	0.1	0.0	0.1	0.1	0.3	0.4	0.4	0.5
C88-C90 多発性骨髄腫 Multiple myeloma	総数 T	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
	男 M	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.1	0.0
	女 F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.1
C91-C95 白血病 Leukemia	総数 T	0.6	0.6	0.6	0.6	0.8	0.9	0.9	0.8	1.4
	男 M	0.8	0.7	0.7	0.8	0.9	1.0	1.2	0.8	1.7
	女 F	0.4	0.5	0.5	0.4	0.5	0.8	0.5	0.8	1.0

45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~	全年齡 All ages	年齢調整 死亡率 Age-adjusted mortality rate
7.0	14.0	30.0	59.6	100.1	143.9	199.9	287.7	351.7	58.5	23.8
9.3	20.6	44.8	92.8	159.0	237.1	340.1	518.8	720.2	86.0	39.7
4.6	7.4	15.3	27.6	45.2	62.7	89.0	134.2	197.3	32.4	11.4
0.3	0.5	0.8	1.2	1.4	2.0	3.2	5.2	13.2	1.3	0.5
0.3	0.5	0.8	1.3	1.8	2.6	4.3	7.5	14.3	1.3	0.6
0.2	0.5	0.8	1.0	1.1	1.5	2.4	3.6	12.7	1.3	0.4
16.3	26.0	34.9	38.5	37.2	36.6	36.6	39.7	60.1	20.6	11.8
9.1	12.1	14.0	14.6	15.5	16.4	18.5	25.3	32.5	10.0	5.7
6.3	6.6	6.0	5.7	6.1	6.2	8.0	9.4	12.0	4.5	2.9
2.1	3.3	5.7	6.2	6.9	7.1	6.9	9.5	9.6	3.5	1.9
5.9	9.1	12.0	12.9	12.3	14.0	15.6	19.2	20.5	7.5	4.2
0.2	0.7	2.4	6.9	16.5	37.0	74.1	143.2	296.1	18.9	7.3
0.4	1.0	1.7	3.6	6.1	10.1	19.1	32.4	63.9	6.2	2.1
0.5	1.5	2.5	6.0	10.3	17.1	30.9	56.8	129.7	8.7	3.6
0.4	0.4	0.9	1.3	2.3	3.9	9.9	16.3	36.3	3.8	1.0
0.8	1.9	3.9	6.2	10.7	14.6	23.1	36.3	48.2	7.0	2.8
1.3	2.8	6.2	9.8	16.8	23.2	36.3	56.3	81.3	9.4	4.4
0.4	1.0	1.6	2.8	5.1	7.2	12.7	23.0	34.4	4.8	1.5
1.1	1.4	2.0	2.2	3.4	4.1	5.1	5.1	3.7	1.8	1.2
1.3	2.0	2.2	2.8	4.6	4.7	6.1	7.3	5.3	2.2	1.5
0.9	0.8	1.8	1.6	2.3	3.5	4.2	3.7	3.0	1.5	0.9
0.2	0.2	0.6	1.1	1.8	2.6	4.6	7.3	12.0	1.4	0.5
0.2	0.2	0.6	0.8	1.6	2.4	3.6	5.7	9.0	0.9	0.4
0.2	0.2	0.6	1.4	1.9	2.8	5.5	8.3	13.3	1.9	0.6
1.2	2.6	4.4	7.6	11.1	18.5	31.8	48.8	66.9	9.2	3.6
1.5	3.2	5.8	9.8	14.9	25.0	42.2	67.4	102.6	10.6	4.9
1.0	2.0	3.0	5.4	7.5	12.8	23.6	36.5	52.0	7.9	2.6
0.4	0.8	1.4	3.0	4.7	7.5	12.3	17.8	22.1	3.3	1.3
0.5	0.9	1.7	3.6	5.5	9.4	15.3	23.2	32.6	3.6	1.6
0.3	0.6	1.0	2.5	3.9	5.8	9.9	14.2	17.7	3.1	1.0
1.9	2.5	4.1	6.9	10.2	15.9	21.9	29.3	30.2	6.5	3.2
2.4	3.2	5.6	9.1	13.6	22.1	31.1	41.6	48.0	8.0	4.3
1.4	1.8	2.7	4.8	7.0	10.6	14.6	21.1	22.7	5.1	2.2

5 都道府県別がん死亡率

Cancer Mortality Rate by Prefecture

(1) 全がん 75歳未満年齢調整死亡率 (2014年)

All Cancer, Age-adjusted Mortality Rate under Age 75 (2014)

ID 都道府県 Prefecture	性別 Sex	02100 全部位 All cancers	02102 食道 Esophagus	02103 胃 Stomach	02104 結腸 Colon	02105 直腸S状結腸 移行部 Rectum	02106 肝及び肝内胆管 Liver	02107 胆のう及び他の胆道 Gallbladder and bile ducts
00 全国 All	総数 T	79.0	3.2	9.6	6.4	4.1	5.6	2.5
	男 M	100.1	5.7	14.0	7.7	5.9	9.0	3.1
	女 F	59.7	0.9	5.6	5.3	2.5	2.4	1.9
01 北海道 Hokkaido	総数 T	88.2	3.0	9.6	6.9	3.6	5.9	2.8
	男 M	110.2	5.5	13.4	7.9	5.4	10.0	3.4
	女 F	69.7	0.9	6.3	6.1	2.1	2.3	2.3
02 青森県 Aomori	総数 T	98.0	3.3	11.9	8.8	6.2	7.0	3.6
	男 M	131.4	6.0	19.6	11.4	9.9	11.4	4.8
	女 F	69.8	1.1	5.3	6.5	2.9	3.2	2.7
03 岩手県 Iwate	総数 T	79.5	3.4	9.2	6.4	4.8	4.3	2.6
	男 M	100.5	6.0	13.6	8.0	7.3	7.0	3.1
	女 F	60.8	0.9	5.2	4.9	2.5	1.8	2.1
04 宮城県 Miyagi	総数 T	76.5	3.0	10.1	5.7	3.8	4.4	2.5
	男 M	96.6	5.3	14.9	6.4	5.5	6.6	3.6
	女 F	57.4	0.8	5.6	5.0	2.2	2.2	1.6
05 秋田県 Akita	総数 T	86.5	4.4	12.0	7.1	4.2	4.3	3.3
	男 M	116.6	8.2	16.8	8.8	6.3	7.7	4.6
	女 F	59.5	1.0	7.8	5.5	2.4	1.1	2.3
06 山形県 Yamagata	総数 T	78.4	3.0	13.7	6.1	3.7	3.7	2.2
	男 M	99.6	5.4	20.0	6.9	5.5	5.1	2.4
	女 F	58.9	0.7	7.7	5.3	2.1	2.4	1.9
07 福島県 Fukushima	総数 T	77.9	3.2	10.5	5.9	3.8	5.7	2.7
	男 M	95.3	5.9	15.3	6.5	5.8	8.7	3.3
	女 F	61.1	0.6	5.7	5.3	1.9	2.8	2.1
08 茨城県 Ibaraki	総数 T	81.1	2.6	12.0	6.6	4.3	5.7	2.6
	男 M	101.5	4.4	17.3	8.4	6.2	9.3	3.2
	女 F	61.5	0.9	6.9	4.8	2.4	2.1	2.2
09 栃木県 Tochigi	総数 T	80.5	3.3	11.9	6.2	4.4	6.2	2.2
	男 M	100.9	6.0	16.3	7.0	6.2	9.8	2.6
	女 F	61.1	0.7	7.6	5.4	2.7	2.5	1.9
10 群馬県 Gunma	総数 T	78.3	2.6	9.3	6.7	4.5	6.4	2.9
	男 M	99.0	4.4	13.4	8.7	7.0	10.8	3.9
	女 F	58.7	0.9	5.3	4.9	2.1	2.0	1.9
11 埼玉県 Saitama	総数 T	79.1	3.2	10.0	6.4	4.1	4.9	2.7
	男 M	98.7	5.8	15.0	7.9	5.8	7.7	3.2
	女 F	60.5	0.8	5.3	5.0	2.5	2.1	2.1
12 千葉県 Chiba	総数 T	76.6	3.2	9.0	6.6	3.9	4.9	2.5
	男 M	93.9	5.7	13.1	7.8	5.6	8.0	2.9
	女 F	60.6	0.8	5.2	5.5	2.3	1.9	2.1
13 東京都 Tokyo	総数 T	78.4	3.6	8.7	6.5	4.4	4.6	2.1
	男 M	98.2	6.1	13.0	8.3	6.4	7.4	2.7
	女 F	60.4	1.2	4.7	4.9	2.5	1.9	1.5
14 神奈川県 Kanagawa	総数 T	78.1	3.9	8.7	6.7	4.3	5.0	2.5
	男 M	98.5	7.0	13.0	8.0	6.2	8.0	3.2
	女 F	59.3	0.9	4.6	5.6	2.5	2.0	1.9
15 新潟県 Niigata	総数 T	78.5	3.3	10.4	6.5	4.5	4.2	3.0
	男 M	104.0	6.1	16.0	8.8	6.2	6.4	3.8
	女 F	54.5	0.6	5.1	4.4	3.0	2.1	2.3

率は人口10万対 Rate: Per 100,000 population.

資料: 国立がん研究センターがん情報サービス「がん登録・統計」(人口動態統計) http://ganjoho.jp/reg_stat/statistics/dl/index.html

Source: Cancer Registry and Statistics. Cancer Information Service, National Cancer Center, Japan. (Vital Statistics of Japan) http://ganjoho.jp/reg_stat/statistics/dl/index.html

02108 膵 Pancreas	02110 気管、気管支 及び肺 Lung, trachea	02112 乳房 Breast	02113 子宮 Uterus	02114 卵巣 Ovary	02115 前立腺 Prostate	02116 膀胱の悪性新生物 Bladder	02118 悪性リンパ腫 Malignant lymphoma	02119 白血病 Leukemia	02145 大腸 Colon/rectum
7.0	14.5	—	—	—	—	0.9	2.0	2.3	10.5
8.8	22.7	—	—	—	2.3	1.5	2.7	3.0	13.6
5.2	6.9	10.5	4.9	3.6	—	0.4	1.4	1.6	7.7
8.7	18.0	—	—	—	—	1.1	2.3	2.7	10.6
10.7	27.5	—	—	—	2.4	1.7	3.1	3.8	13.3
6.9	9.9	12.2	5.4	4.2	—	0.5	1.6	1.8	8.2
8.7	17.2	—	—	—	—	1.2	2.2	2.5	15.0
11.5	27.6	—	—	—	2.7	2.0	3.5	3.9	21.3
6.3	8.3	12.7	4.8	5.2	—	0.6	1.1	1.2	9.4
7.4	13.5	—	—	—	—	0.7	2.3	2.1	11.2
9.6	22.0	—	—	—	2.6	1.1	3.3	2.1	15.3
5.3	5.8	10.7	4.4	6.3	—	0.3	1.3	2.1	7.4
7.2	14.0	—	—	—	—	0.8	2.2	2.7	9.5
8.9	22.0	—	—	—	2.4	1.0	3.3	3.7	11.9
5.5	6.3	10.6	4.1	3.8	—	0.7	1.2	1.6	7.2
7.2	15.1	—	—	—	—	1.0	1.9	2.3	11.3
10.3	25.8	—	—	—	2.3	1.8	2.4	3.3	15.1
4.4	5.4	10.9	5.3	3.4	—	0.2	1.5	1.4	7.9
7.0	14.5	—	—	—	—	0.8	1.7	2.0	9.8
9.4	23.4	—	—	—	2.6	1.1	2.5	2.4	12.3
4.7	6.1	10.1	2.6	5.2	—	0.5	1.0	1.7	7.4
7.4	13.9	—	—	—	—	0.6	2.5	1.7	9.7
9.4	20.8	—	—	—	2.8	0.9	2.7	1.8	12.3
5.3	7.2	10.2	5.4	4.3	—	0.3	2.4	1.5	7.1
6.6	14.4	—	—	—	—	1.0	2.4	2.4	10.9
7.2	22.0	—	—	—	2.0	1.3	3.0	3.2	14.6
6.0	6.9	10.3	4.9	4.0	—	0.7	1.9	1.6	7.3
6.1	14.0	—	—	—	—	1.3	2.2	2.7	10.6
7.7	22.2	—	—	—	1.7	2.2	2.8	3.7	13.2
4.5	5.9	9.7	6.0	4.5	—	0.4	1.6	1.7	8.1
7.1	14.1	—	—	—	—	1.0	1.9	2.1	11.3
8.8	21.3	—	—	—	2.4	1.5	2.6	2.4	15.7
5.4	7.2	10.5	5.1	4.2	—	0.4	1.2	1.8	7.0
6.7	14.5	—	—	—	—	1.0	2.0	2.1	10.5
8.2	22.6	—	—	—	2.6	1.6	2.8	2.7	13.7
5.3	6.6	11.2	5.3	4.5	—	0.4	1.3	1.5	7.5
6.4	13.8	—	—	—	—	0.9	2.1	2.0	10.5
7.6	21.2	—	—	—	2.2	1.4	2.5	2.6	13.4
5.2	6.7	11.2	5.8	3.9	—	0.4	1.6	1.4	7.8
7.0	14.2	—	—	—	—	1.1	1.9	1.9	10.9
8.6	21.6	—	—	—	2.6	1.8	2.5	2.6	14.7
5.4	7.3	11.9	5.5	3.8	—	0.4	1.2	1.2	7.4
6.9	14.2	—	—	—	—	0.9	1.8	2.0	11.1
8.2	22.3	—	—	—	2.3	1.5	2.3	2.7	14.2
5.7	6.6	11.2	4.9	4.1	—	0.3	1.4	1.3	8.1
6.8	13.8	—	—	—	—	1.1	2.3	2.3	11.1
9.2	22.9	—	—	—	2.4	2.0	3.0	3.0	15.0
4.5	5.0	10.5	3.8	3.4	—	0.2	1.6	1.6	7.4

ID 都道府県 Prefecture	性別 Sex	02100 全部位 All cancers	02102 食道 Esophagus	02103 胃 Stomach	02104 結腸 Colon	02105 直腸S状結腸 移行部 Rectum	02106 肝及び肝内胆管 Liver	02107 胆のう及び他の胆道 Gallbladder and bile ducts
16 富山県 Toyama	総数 T	74.1	3.3	9.3	5.8	3.9	4.2	2.3
	男 M	93.1	6.1	13.6	6.7	5.1	6.4	2.5
	女 F	56.3	0.7	5.3	4.8	2.8	2.1	2.2
17 石川県 Ishikawa	総数 T	75.8	3.4	8.7	5.6	3.1	5.0	2.8
	男 M	94.3	5.5	12.4	5.4	4.2	7.5	3.6
	女 F	59.1	1.4	5.2	5.7	2.0	2.7	2.0
18 福井県 Fukui	総数 T	72.1	2.2	9.0	5.2	3.1	4.5	2.4
	男 M	90.6	3.7	12.8	5.0	4.5	6.0	3.1
	女 F	55.6	0.7	5.6	5.5	1.8	3.2	1.7
19 山梨県 Yamanashi	総数 T	74.4	2.3	8.0	7.4	4.0	6.6	2.4
	男 M	96.1	4.0	11.9	9.3	6.4	11.5	3.2
	女 F	54.3	0.6	4.2	5.7	1.6	1.8	1.7
20 長野県 Nagano	総数 T	68.3	2.4	7.7	5.5	3.8	4.4	2.1
	男 M	80.4	4.1	9.3	6.2	5.2	7.0	2.6
	女 F	57.1	0.8	6.3	4.9	2.4	1.9	1.7
21 岐阜県 Gifu	総数 T	75.6	2.4	10.6	6.4	3.6	5.2	2.1
	男 M	93.6	4.6	14.4	7.0	5.4	7.9	2.6
	女 F	59.4	0.4	7.0	5.9	2.0	2.8	1.7
22 静岡県 Shizuoka	総数 T	76.5	2.7	8.7	7.1	3.7	5.1	2.5
	男 M	92.6	4.9	12.6	7.8	5.5	8.1	3.3
	女 F	61.7	0.7	4.9	6.6	2.0	2.2	1.7
23 愛知県 Aichi	総数 T	76.9	3.0	10.3	6.4	3.8	5.0	2.3
	男 M	96.2	5.3	14.7	7.5	5.1	7.9	3.1
	女 F	58.9	0.7	6.0	5.4	2.5	2.1	1.6
24 三重県 Mie	総数 T	70.8	2.8	9.5	6.1	3.0	4.3	1.9
	男 M	92.3	5.3	13.7	7.3	4.4	7.2	2.5
	女 F	50.8	0.4	5.6	5.0	1.7	1.6	1.4
25 滋賀県 Shiga	総数 T	71.9	2.1	10.7	6.2	2.8	4.4	2.6
	男 M	90.4	3.8	14.5	7.3	3.8	7.4	2.9
	女 F	54.8	0.5	7.2	5.1	1.9	1.5	2.4
26 京都府 Kyoto	総数 T	78.9	3.4	9.5	6.7	4.0	5.3	2.5
	男 M	101.5	6.1	13.5	8.0	5.9	8.5	3.4
	女 F	59.0	1.0	6.0	5.6	2.3	2.4	1.7
27 大阪府 Osaka	総数 T	83.8	3.8	10.3	6.4	4.5	6.5	2.6
	男 M	108.8	6.7	15.5	8.0	6.2	10.8	3.3
	女 F	61.4	1.1	5.7	5.0	3.1	2.5	1.9
28 兵庫県 Hyogo	総数 T	79.0	3.1	9.6	6.0	4.4	5.8	2.5
	男 M	103.1	5.6	13.7	7.1	6.3	9.4	3.0
	女 F	57.3	0.7	5.8	5.0	2.6	2.5	2.0
29 奈良県 Nara	総数 T	75.8	3.1	10.5	6.1	3.8	5.1	2.1
	男 M	98.0	5.9	15.4	8.1	5.5	8.2	2.3
	女 F	55.8	0.6	6.2	4.2	2.3	2.4	1.9
30 和歌山県 Wakayama	総数 T	82.2	3.3	11.8	6.7	4.9	6.9	1.9
	男 M	110.9	6.4	17.8	7.6	7.6	11.7	2.0
	女 F	57.8	0.6	6.6	6.0	2.6	2.7	1.8
31 鳥取県 Tottori	総数 T	87.5	5.1	11.2	6.5	4.7	8.2	2.3
	男 M	115.6	9.3	15.4	7.2	7.3	12.9	3.4
	女 F	60.6	1.2	7.2	5.7	2.2	3.6	1.2

02108 膵 Pancreas	02110 気管、気管支 及び肺 Lung, trachea	02112 乳房 Breast	02113 子宮 Uterus	02114 卵巣 Ovary	02115 前立腺 Prostate	02116 膀胱の悪性新生物 Bladder	02118 悪性リンパ腫 Malignant lymphoma	02119 白血病 Leukemia	02145 大腸 Colon/rectum
6.8	12.9	—	—	—	—	0.7	2.5	2.2	9.7
8.6	20.4	—	—	—	1.5	1.0	3.5	3.3	11.8
5.1	5.9	11.8	4.2	3.4	—	0.3	1.4	1.0	7.6
7.6	13.9	—	—	—	—	1.1	3.3	1.8	8.6
11.2	22.5	—	—	—	1.8	1.8	4.6	2.2	9.7
4.3	6.0	12.0	4.4	3.3	—	0.4	2.0	1.4	7.7
7.4	13.8	—	—	—	—	0.9	2.0	2.8	8.3
10.7	21.8	—	—	—	2.5	1.3	2.3	4.2	9.5
4.3	6.3	10.9	3.3	3.1	—	0.5	1.8	1.4	7.3
7.3	11.6	—	—	—	—	1.6	2.5	1.3	11.4
9.5	17.6	—	—	—	1.7	2.0	3.9	1.2	15.7
5.2	6.0	10.5	4.9	2.6	—	1.2	1.1	1.5	7.3
7.2	11.0	—	—	—	—	0.9	2.1	1.5	9.3
8.5	16.8	—	—	—	2.8	1.5	2.7	2.1	11.4
6.1	5.5	9.1	4.5	3.8	—	0.3	1.4	1.0	7.4
7.0	13.3	—	—	—	—	0.9	1.6	2.5	10.0
7.9	21.6	—	—	—	2.2	1.6	2.2	3.8	12.4
6.1	5.7	9.9	4.3	4.6	—	0.4	1.1	1.2	7.8
6.7	12.8	—	—	—	—	1.1	2.3	2.4	10.8
8.2	20.1	—	—	—	2.3	1.7	3.1	2.8	13.3
5.3	6.0	12.1	5.5	3.6	—	0.6	1.5	1.9	8.6
6.9	15.0	—	—	—	—	0.8	1.8	2.1	10.2
8.7	22.8	—	—	—	2.0	1.4	2.3	2.7	12.6
5.2	7.6	10.3	4.8	3.1	—	0.3	1.3	1.5	8.0
7.7	14.2	—	—	—	—	0.9	1.6	2.2	9.1
10.6	22.6	—	—	—	1.7	1.6	2.1	2.6	11.6
5.0	6.3	7.1	3.7	3.1	—	0.4	1.1	1.8	6.8
6.7	14.7	—	—	—	—	0.7	1.8	1.8	9.0
8.0	22.4	—	—	—	1.7	1.2	2.7	2.7	11.2
5.5	7.6	8.1	3.9	3.2	—	0.3	0.9	1.1	7.0
6.2	15.1	—	—	—	—	0.9	2.3	2.3	10.7
8.0	24.6	—	—	—	1.8	1.5	3.5	2.8	13.8
4.6	6.6	11.1	4.6	3.4	—	0.4	1.1	1.8	7.9
7.0	16.7	—	—	—	—	0.9	2.1	2.4	11.0
8.9	25.6	—	—	—	2.3	1.5	2.7	3.2	14.2
5.1	8.6	9.9	4.4	3.5	—	0.3	1.6	1.7	8.0
6.9	15.6	—	—	—	—	0.8	1.8	1.9	10.4
9.4	25.3	—	—	—	2.4	1.4	2.4	2.4	13.5
4.5	6.8	10.0	4.5	3.2	—	0.3	1.4	1.5	7.6
5.9	15.4	—	—	—	—	0.8	2.3	2.1	9.9
7.1	24.1	—	—	—	1.7	1.5	3.3	2.6	13.6
4.7	7.6	10.3	3.5	2.2	—	0.2	1.4	1.8	6.6
8.2	13.3	—	—	—	—	1.2	1.8	2.4	11.6
10.5	22.3	—	—	—	2.6	2.3	2.8	3.4	15.2
6.2	5.5	8.4	4.2	2.9	—	0.4	0.8	1.6	8.6
7.3	16.3	—	—	—	—	1.6	2.2	2.2	11.1
10.2	26.7	—	—	—	1.5	2.5	2.1	2.3	14.6
4.5	6.4	8.9	2.7	5.0	—	0.8	2.2	2.0	7.9

ID 都道府県 Prefecture	性別 Sex	02100 全部位 All cancers	02102 食道 Esophagus	02103 胃 Stomach	02104 結腸 Colon	02105 直腸S状結腸 移行部 Rectum	02106 肝及び肝内胆管 Liver	02107 胆のう及び他の胆道 Gallbladder and bile ducts
32 島根県 Shimane	総数 T	81.1	3.7	10.3	6.0	4.7	7.1	2.3
	男 M	107.1	6.7	14.5	6.4	6.7	12.1	2.6
	女 F	58.0	0.8	6.5	5.9	2.8	2.3	2.1
33 岡山県 Okayama	総数 T	76.6	2.4	9.2	5.3	4.1	6.8	2.2
	男 M	100.4	4.1	13.1	6.4	5.6	10.9	2.7
	女 F	54.9	0.8	5.7	4.3	2.7	3.1	1.7
34 広島県 Hiroshima	総数 T	74.4	2.8	9.8	5.7	3.7	7.5	2.1
	男 M	96.3	4.8	14.1	6.7	5.3	12.0	2.6
	女 F	54.5	1.1	5.9	4.8	2.3	3.2	1.7
35 山口県 Yamaguchi	総数 T	77.4	3.3	9.7	6.9	4.0	6.2	2.0
	男 M	102.6	5.7	15.2	8.4	5.9	10.1	2.2
	女 F	55.1	1.1	4.7	5.5	2.2	2.7	1.8
36 徳島県 Tokushima	総数 T	76.5	2.8	9.4	5.7	3.6	6.4	2.9
	男 M	97.8	4.8	14.6	6.9	5.2	10.3	4.4
	女 F	58.0	1.0	4.7	4.5	2.2	2.8	1.5
37 香川県 Kagawa	総数 T	75.0	2.1	10.2	5.6	4.4	6.5	2.9
	男 M	104.3	3.8	15.9	6.1	6.1	11.4	4.2
	女 F	47.8	0.6	4.9	5.2	2.7	1.9	1.7
38 愛媛県 Ehime	総数 T	78.6	3.1	10.5	4.6	3.2	8.3	2.3
	男 M	102.2	5.6	14.6	4.9	4.1	13.2	3.9
	女 F	57.5	0.8	6.8	4.2	2.4	3.8	0.9
39 高知県 Kochi	総数 T	78.4	3.9	8.9	6.4	4.5	6.4	3.1
	男 M	96.7	7.5	13.7	7.1	6.7	9.8	3.4
	女 F	61.6	0.8	4.4	5.7	2.5	3.1	2.7
40 福岡県 Fukuoka	総数 T	83.9	3.4	9.3	6.8	4.3	7.7	2.5
	男 M	106.7	5.8	12.5	8.1	6.0	12.2	3.2
	女 F	63.9	1.3	6.5	5.7	2.7	3.7	1.9
41 佐賀県 Saga	総数 T	85.9	2.8	12.6	6.5	4.2	8.1	2.1
	男 M	106.4	5.6	17.9	7.8	5.1	13.2	2.4
	女 F	68.6	0.4	8.0	5.4	3.4	3.6	1.9
42 長崎県 Nagasaki	総数 T	85.3	2.8	9.7	7.4	4.4	7.9	2.4
	男 M	109.5	5.1	12.6	8.9	6.0	12.2	3.1
	女 F	63.7	0.6	7.1	6.1	2.9	3.9	1.8
43 熊本県 Kumamoto	総数 T	73.6	2.3	7.4	5.2	3.1	7.2	2.1
	男 M	93.7	4.2	11.1	7.1	4.4	11.6	3.0
	女 F	55.4	0.6	4.1	3.6	1.9	3.2	1.3
44 大分県 Oita	総数 T	75.3	2.6	8.7	6.1	3.5	6.0	3.1
	男 M	96.1	4.6	13.7	7.2	4.8	9.0	4.1
	女 F	56.9	0.9	4.2	5.1	2.3	3.2	2.1
45 宮崎県 Miyazaki	総数 T	73.1	2.8	7.5	5.8	4.3	6.7	2.9
	男 M	96.4	5.3	10.9	7.0	6.3	10.7	3.8
	女 F	52.2	0.6	4.5	4.6	2.5	3.0	2.2
46 鹿児島県 Kagoshima	総数 T	79.0	4.0	6.9	5.9	5.0	5.5	2.5
	男 M	100.1	7.6	10.0	6.9	6.1	8.3	3.6
	女 F	59.8	0.6	4.1	5.0	4.1	2.9	1.5
47 沖縄県 Okinawa	総数 T	76.5	3.3	5.7	7.8	6.4	4.9	2.0
	男 M	94.4	5.6	9.6	9.8	9.3	8.5	2.6
	女 F	59.0	0.9	1.8	5.9	3.6	1.4	1.4

02108 膵 Pancreas	02110 気管、気管支 及び肺 Lung, trachea	02112 乳房 Breast	02113 子宮 Uterus	02114 卵巣 Ovary	02115 前立腺 Prostate	02116 膀胱の悪性新生物 Bladder	02118 悪性リンパ腫 Malignant lymphoma	02119 白血病 Leukemia	02145 大腸 Colon/rectum
7.2	13.9	—	—	—	—	1.0	1.4	2.9	10.7
9.4	23.8	—	—	—	1.1	1.6	2.3	3.9	13.1
5.0	4.6	9.3	4.0	3.6	—	0.4	0.6	1.9	8.7
7.6	14.8	—	—	—	—	0.8	2.3	2.2	9.4
10.0	24.2	—	—	—	2.0	1.2	3.0	3.2	12.0
5.4	6.1	9.8	3.9	2.7	—	0.4	1.6	1.2	7.1
6.8	13.6	—	—	—	—	1.0	2.1	1.9	9.4
9.0	21.0	—	—	—	1.9	1.6	2.5	2.7	12.0
4.7	6.8	8.9	3.6	2.2	—	0.4	1.7	1.2	7.1
5.9	14.9	—	—	—	—	1.0	1.7	1.9	10.9
6.6	24.1	—	—	—	2.7	1.5	2.5	2.9	14.3
5.4	6.6	9.7	5.5	2.5	—	0.6	1.1	1.0	7.7
7.5	13.7	—	—	—	—	0.7	1.9	1.7	9.3
9.6	22.8	—	—	—	1.4	1.1	1.9	1.9	12.1
5.6	5.5	10.8	3.6	3.6	—	0.4	2.0	1.6	6.7
5.7	15.2	—	—	—	—	0.7	2.5	2.6	10.0
8.5	24.3	—	—	—	1.5	1.4	3.5	4.1	12.2
3.0	6.8	6.7	4.0	1.6	—	0.1	1.6	1.1	7.9
6.5	14.5	—	—	—	—	0.6	1.8	2.6	7.8
9.7	23.8	—	—	—	2.4	1.0	2.6	2.6	9.0
3.5	6.2	10.4	4.9	2.8	—	0.3	1.0	2.7	6.6
6.6	12.4	—	—	—	—	0.8	1.7	2.0	10.9
9.2	19.9	—	—	—	1.9	1.4	2.0	2.2	13.8
4.2	5.5	9.5	5.8	5.9	—	0.2	1.4	1.8	8.2
6.8	14.8	—	—	—	—	0.8	2.4	2.9	11.1
9.2	23.6	—	—	—	2.4	1.4	2.8	3.9	14.2
4.8	7.0	9.8	5.7	3.0	—	0.4	2.0	2.0	8.4
7.3	14.6	—	—	—	—	1.1	2.2	1.8	10.7
9.1	23.9	—	—	—	1.9	1.6	3.3	1.7	12.9
5.7	6.3	13.0	6.7	3.5	—	0.7	1.2	1.8	8.7
7.3	14.6	—	—	—	—	0.7	2.0	3.5	11.8
9.2	24.0	—	—	—	2.6	1.0	2.6	4.8	14.9
5.6	6.3	10.7	4.5	3.3	—	0.4	1.6	2.2	9.0
6.9	12.2	—	—	—	—	0.7	1.8	3.2	8.3
9.8	19.9	—	—	—	2.6	1.0	1.9	3.4	11.5
4.3	5.3	10.7	5.6	3.6	—	0.4	1.7	3.0	5.5
6.7	13.2	—	—	—	—	0.5	1.9	3.2	9.5
9.1	21.5	—	—	—	2.1	0.7	1.7	4.4	12.0
4.6	5.8	9.4	5.3	3.5	—	0.3	2.1	2.0	7.3
5.6	12.5	—	—	—	—	0.7	1.6	3.8	10.1
7.5	19.9	—	—	—	1.7	0.8	2.4	4.5	13.4
4.0	5.8	6.9	5.5	2.3	—	0.5	0.9	3.2	7.2
6.6	14.1	—	—	—	—	1.0	1.9	4.8	10.9
8.7	20.7	—	—	—	3.3	1.6	2.8	5.9	13.0
4.7	8.2	7.7	5.4	3.5	—	0.4	1.0	3.8	9.0
5.2	12.8	—	—	—	—	0.9	1.7	3.3	14.2
7.5	19.0	—	—	—	1.8	1.1	2.3	3.4	19.0
2.9	6.8	11.5	7.5	3.2	—	0.7	1.1	3.2	9.5

6

部位別年齢階級別がん罹患数・割合 (2011年)

Number of Cancer Incidence by Age and Site (2011)

部位 Site ICD-10	性別 Sex	全年齢 All ages		歳Age 0~4		5~9		10~14		15~19		20~24		25~29		30~34	
		数 N	%	数 N	%	数 N	%	数 N	%	数 N	%	数 N	%	数 N	%	数 N	%
C00-C96 全部位 All sites	総数 T	851,537	100.0	904	100.0	508	100.0	483	100.0	838	100.0	1,412	100.0	2,813	100.0	5,448	100.0
	男 M	496,304	100.0	545	100.0	318	100.0	236	100.0	441	100.0	643	100.0	935	100.0	1,548	100.0
	女 F	355,233	100.0	359	100.0	190	100.0	247	100.0	397	100.0	769	100.0	1,878	100.0	3,900	100.0
C00-C14 口腔・咽頭 Oral cavity and pharynx	総数 T	15,716	1.8	3	0.3	0	0.0	6	1.2	17	2.0	49	3.5	60	2.1	125	2.3
	男 M	10,847	2.2	3	0.6	0	0.0	5	2.1	17	3.9	36	5.6	19	2.0	74	4.8
	女 F	4,869	1.4	0	0.0	0	0.0	1	0.4	0	0.0	13	1.7	41	2.2	51	1.3
C15 食道 Esophagus	総数 T	23,119	2.7	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	8	0.1
	男 M	19,728	4.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	女 F	3,391	1.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	8	0.2
C16 胃 Stomach	総数 T	132,033	15.5	0	0.0	0	0.0	0	0.0	0	0.0	32	2.3	147	5.2	317	5.8
	男 M	90,083	18.2	0	0.0	0	0.0	0	0.0	0	0.0	16	2.5	49	5.2	128	8.3
	女 F	41,950	11.8	0	0.0	0	0.0	0	0.0	0	0.0	16	2.1	98	5.2	189	4.8
C18 結腸 Colon	総数 T	82,268	9.7	0	0.0	0	0.0	0	0.0	21	2.5	20	1.4	133	4.7	207	3.8
	男 M	43,974	8.9	0	0.0	0	0.0	0	0.0	15	3.4	12	1.9	98	10.5	108	7.0
	女 F	38,294	10.8	0	0.0	0	0.0	0	0.0	6	1.5	8	1.0	35	1.9	99	2.5
C19-C20 直腸 Rectum	総数 T	42,653	5.0	0	0.0	0	0.0	0	0.0	0	0.0	17	1.2	73	2.6	180	3.3
	男 M	28,127	5.7	0	0.0	0	0.0	0	0.0	0	0.0	7	1.1	43	4.6	81	5.2
	女 F	14,526	4.1	0	0.0	0	0.0	0	0.0	0	0.0	10	1.3	30	1.6	99	2.5
C18-C20 大腸 Colon/rectum	総数 T	124,921	14.7	0	0.0	0	0.0	0	0.0	21	2.5	37	2.6	206	7.3	387	7.1
	男 M	72,101	14.5	0	0.0	0	0.0	0	0.0	15	3.4	19	3.0	141	15.1	189	12.2
	女 F	52,820	14.9	0	0.0	0	0.0	0	0.0	6	1.5	18	2.3	65	3.5	198	5.1
C22 肝臓 Liver	総数 T	43,840	5.1	44	4.9	13	2.6	4	0.8	5	0.6	15	1.1	6	0.2	30	0.6
	男 M	29,192	5.9	39	7.2	0	0.0	4	1.7	0	0.0	5	0.8	6	0.6	28	1.8
	女 F	14,648	4.1	5	1.4	13	6.8	0	0.0	5	1.3	10	1.3	0	0.0	2	0.1
C23-C24 胆のう・胆管 Gallbladder and bile ducts	総数 T	23,606	2.8	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	0.0
	男 M	12,250	2.5	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	1	0.1
	女 F	11,356	3.2	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C25 膵臓 Pancreas	総数 T	33,095	3.9	0	0.0	0	0.0	11	2.3	0	0.0	0	0.0	0	0.0	21	0.4
	男 M	17,173	3.5	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	10	0.6
	女 F	15,922	4.5	0	0.0	0	0.0	11	4.5	0	0.0	0	0.0	0	0.0	11	0.3
C32 喉頭 Larynx	総数 T	4,466	0.5	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	男 M	4,106	0.8	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	女 F	360	0.1	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0

資料：国立がん研究センターがん情報サービス「がん登録・統計」（地域がん登録全国推計値）http://ganjoho.jp/reg_stat/statistics/dl/index.html

35~39		40~44		45~49		50~54		55~59		60~64		65~69		70~74		75~79		80~84		85~	
数 N	%	数 N	%	数 N	%	数 N	%	数 N	%	数 N	%	数 N	%	数 N	%	数 N	%	数 N	%	数 N	%
10,681	100.0	18,329	100.0	25,148	100.0	34,099	100.0	57,001	100.0	10,739	100.0	109,913	100.0	129,366	100.0	134,693	100.0	109,393	100.0	103,117	100.0
3,088	100.0	4,999	100.0	7,903	100.0	15,247	100.0	30,804	100.0	66,102	100.0	72,859	100.0	87,655	100.0	88,731	100.0	67,816	100.0	46,434	100.0
7,593	100.0	13,330	100.0	17,245	100.0	18,852	100.0	26,197	100.0	41,289	100.0	37,054	100.0	41,711	100.0	45,962	100.0	41,577	100.0	56,683	100.0
248	2.3	375	2.0	600	2.4	836	2.5	1,321	2.3	2,514	2.3	2,133	1.9	2,027	1.6	2,259	1.7	1,597	1.5	1,546	1.5
164	5.3	249	5.0	361	4.6	625	4.1	1,084	3.5	1,982	3.0	1,667	2.3	1,468	1.7	1,558	1.8	929	1.4	606	1.3
84	1.1	126	0.9	239	1.4	211	1.1	237	0.9	532	1.3	466	1.3	559	1.3	701	1.5	668	1.6	940	1.7
23	0.2	95	0.5	358	1.4	811	2.4	1,865	3.3	4,077	3.8	4,246	3.9	4,290	3.3	3,527	2.6	2,270	2.1	1,549	1.5
23	0.7	63	1.3	241	3.0	670	4.4	1,568	5.1	3,628	5.5	3,759	5.2	3,814	4.4	3,071	3.5	1,886	2.8	1,005	2.2
0	0.0	32	0.2	117	0.7	141	0.7	297	1.1	449	1.1	487	1.3	476	1.1	456	1.0	384	0.9	544	1.0
682	6.4	1,205	6.6	2,281	9.1	4,143	12.1	8,265	14.5	16,506	15.4	17,263	15.7	22,024	17.0	23,542	17.5	18,942	17.3	16,684	16.2
267	8.6	682	13.6	1,323	16.7	2,848	18.7	6,026	19.6	12,316	18.6	12,863	17.7	16,422	18.7	16,501	18.6	12,526	18.5	8,116	17.5
415	5.5	523	3.9	958	5.6	1,295	6.9	2,239	8.5	4,190	10.1	4,400	11.9	5,602	13.4	7,041	15.3	6,416	15.4	8,568	15.1
611	5.7	906	4.9	1,601	6.4	2,448	7.2	5,182	9.1	10,138	9.4	10,364	9.4	12,764	9.9	13,932	10.3	11,203	10.2	12,738	12.4
365	11.8	419	8.4	794	10.0	1,284	8.4	3,015	9.8	6,250	9.5	6,319	8.7	7,556	8.6	7,708	8.7	5,709	8.4	4,322	9.3
246	3.2	487	3.7	807	4.7	1,164	6.2	2,167	8.3	3,888	9.4	4,045	10.9	5,208	12.5	6,224	13.5	5,494	13.2	8,416	14.8
362	3.4	761	4.2	1,541	6.1	2,299	6.7	3,763	6.6	6,727	6.3	6,003	5.5	6,509	5.0	5,952	4.4	4,226	3.9	4,240	4.1
216	7.0	482	9.6	889	11.2	1,563	10.3	2,608	8.5	4,928	7.5	4,226	5.8	4,633	5.3	4,064	4.6	2,584	3.8	1,803	3.9
146	1.9	279	2.1	652	3.8	736	3.9	1,155	4.4	1,799	4.4	1,777	4.8	1,876	4.5	1,888	4.1	1,642	3.9	2,437	4.3
973	9.1	1,667	9.1	3,142	12.5	4,747	13.9	8,945	15.7	16,865	15.7	16,367	14.9	19,273	14.9	19,884	14.8	15,429	14.1	16,978	16.5
581	18.8	901	18.0	1,683	21.3	2,847	18.7	5,623	18.3	11,178	16.9	10,545	14.5	12,189	13.9	11,772	13.3	8,293	12.2	6,125	13.2
392	5.2	766	5.7	1,459	8.5	1,900	10.1	3,322	12.7	5,687	13.8	5,822	15.7	7,084	17.0	8,112	17.6	7,136	17.2	10,853	19.1
147	1.4	275	1.5	529	2.1	1,089	3.2	2,238	3.9	4,957	4.6	5,994	5.5	7,370	5.7	8,860	6.6	6,929	6.3	5,335	5.2
105	3.4	248	5.0	450	5.7	888	5.8	1,813	5.9	3,905	5.9	4,415	6.1	5,066	5.8	5,716	6.4	4,193	6.2	2,311	5.0
42	0.6	27	0.2	79	0.5	201	1.1	425	1.6	1,052	2.5	1,579	4.3	2,304	5.5	3,144	6.8	2,736	6.6	3,024	5.3
50	0.5	92	0.5	129	0.5	427	1.3	778	1.4	1,849	1.7	2,197	2.0	3,262	2.5	4,222	3.1	4,554	4.2	6,045	5.9
31	1.0	50	1.0	85	1.1	246	1.6	507	1.6	1,183	1.8	1,360	1.9	1,999	2.3	2,361	2.7	2,383	3.5	2,044	4.4
19	0.3	42	0.3	44	0.3	181	1.0	271	1.0	666	1.6	837	2.3	1,263	3.0	1,861	4.0	2,171	5.2	4,001	7.1
99	0.9	271	1.5	417	1.7	851	2.5	1,827	3.2	3,760	3.5	4,198	3.8	5,105	3.9	5,818	4.3	5,026	4.6	5,691	5.5
52	1.7	145	2.9	289	3.7	496	3.3	1,169	3.8	2,341	3.5	2,464	3.4	3,033	3.5	3,063	3.5	2,353	3.5	1,758	3.8
47	0.6	126	0.9	128	0.7	355	1.9	658	2.5	1,419	3.4	1,734	4.7	2,072	5.0	2,755	6.0	2,673	6.4	3,933	6.9
2	0.0	23	0.1	63	0.3	150	0.4	342	0.6	704	0.7	850	0.8	708	0.5	681	0.5	542	0.5	401	0.4
0	0.0	21	0.4	63	0.8	127	0.8	309	1.0	655	1.0	782	1.1	652	0.7	644	0.7	524	0.8	329	0.7
2	0.0	2	0.0	0	0.0	23	0.1	33	0.1	49	0.1	68	0.2	56	0.1	37	0.1	18	0.0	72	0.1

Source: Cancer Registry and Statistics. Cancer Information Service, National Cancer Center, Japan. (Estimates based on population-based cancer registry) http://ganjoho.jp/en/professional/statistics/table_download.html

部位 Site ICD-10	性別 Sex	全年齢 All ages		歳Age 0~4		5~9		10~14		15~19		20~24		25~29		30~34	
		数 N	%	数 N	%	数 N	%	数 N	%	数 N	%	数 N	%	数 N	%	数 N	%
C33-C34 肺・気管 Lung, trachea	総数 T	111,858	13.1	0	0.0	0	0.0	8	1.7	0	0.0	32	2.3	85	3.0	146	2.7
	男 M	75,433	15.2	0	0.0	0	0.0	8	3.4	0	0.0	17	2.6	43	4.6	67	4.3
	女 F	36,425	10.3	0	0.0	0	0.0	0	0.0	0	0.0	15	2.0	42	2.2	79	2.0
C43-C44 皮膚 Skin	総数 T	17,429	2.0	8	0.9	5	1.0	11	2.3	25	3.0	49	3.5	100	3.6	154	2.8
	男 M	8,949	1.8	0	0.0	5	1.6	6	2.5	7	1.6	24	3.7	60	6.4	54	3.5
	女 F	8,480	2.4	8	2.2	0	0.0	5	2.0	18	4.5	25	3.3	40	2.1	100	2.6
C50 乳房 Breast	女 F	72,472	20.4	0	0.0	0	0.0	0	0.0	0	0.0	17	2.2	261	13.9	991	25.4
C50・D05 乳房 Breast ¹⁾	女 F	81,319	22.9	0	0.0	0	0.0	0	0.0	0	0.0	40	5.2	313	16.7	1,138	29.2
C53-C55 子宮 Uterus	女 F	26,741	7.5	0	0.0	0	0.0	8	3.2	0	0.0	87	11.3	516	27.5	1,141	29.3
C53-C55 D06 子宮 Uterus ¹⁾	女 F	47,766	13.4	0	0.0	0	0.0	8	3.2	54	13.6	833	108.3	3414	181.8	5,722	146.7
C53 子宮頸部 Cervix uteri	女 F	11,378	3.2	0	0.0	0	0.0	8	3.2	0	0.0	71	9.2	447	23.8	975	25.0
C54 子宮体部 Corpus uteri	女 F	14,763	4.2	0	0.0	0	0.0	0	0.0	0	0.0	16	2.1	69	3.7	166	4.3
C56 卵巣 Ovary	女 F	9,314	2.6	0	0.0	16	8.4	22	8.9	38	9.6	92	12.0	238	12.7	227	5.8
C61 前立腺 Prostate	男 M	78,728	15.9	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
C67 膀胱 Bladder	総数 T	20,307	2.4	7	0.8	0	0.0	0	0.0	11	1.3	0	0.0	0	0.0	41	0.8
	男 M	15,345	3.1	0	0.0	0	0.0	0	0.0	10	2.3	0	0.0	0	0.0	28	1.8
	女 F	4,962	1.4	7	1.9	0	0.0	0	0.0	1	0.3	0	0.0	0	0.0	13	0.3
C64-C66 C68 腎臓など Kidney and other urinary organs	総数 T	23,082	2.7	36	4.0	9	1.8	3	0.6	1	0.1	2	0.1	14	0.5	91	1.7
	男 M	15,846	3.2	22	4.0	9	2.8	3	1.3	0	0.0	1	0.2	12	1.3	79	5.1
	女 F	7,236	2.0	14	3.9	0	0.0	0	0.0	1	0.3	1	0.1	2	0.1	12	0.3
C70-C72 脳・中枢神経系 Brain, nervous system	総数 T	4,467	0.5	128	14.2	77	15.2	91	18.8	72	8.6	87	6.2	131	4.7	142	2.6
	男 M	2,322	0.5	56	10.3	48	15.1	68	28.8	38	8.6	55	8.6	85	9.1	89	5.7
	女 F	2,145	0.6	72	20.1	29	15.3	23	9.3	34	8.6	32	4.2	46	2.4	53	1.4
C73 甲状腺 Thyroid	総数 T	13,740	1.6	0	0.0	3	0.6	28	5.8	57	6.8	302	21.4	272	9.7	546	10.0
	男 M	3,490	0.7	0	0.0	3	0.9	10	4.2	10	2.3	88	13.7	27	2.9	74	4.8
	女 F	10,250	2.9	0	0.0	0	0.0	18	7.3	47	11.8	214	27.8	245	13.0	472	12.1
C81-C85 C96 悪性リンパ腫 Malignant lymphoma	総数 T	24,778	2.9	63	7.0	78	15.4	55	11.4	180	21.5	134	9.5	204	7.3	276	5.1
	男 M	13,766	2.8	51	9.4	66	20.8	40	16.9	105	23.8	84	13.1	131	14.0	137	8.9
	女 F	11,012	3.1	12	3.3	12	6.3	15	6.1	75	18.9	50	6.5	73	3.9	139	3.6
C88-C90 多発性骨髄腫 Multiple myeloma	総数 T	6,860	0.8	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	7	0.2	16	0.3
	男 M	3,416	0.7	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0
	女 F	3,444	1.0	0	0.0	0	0.0	0	0.0	0	0.0	0	0.0	7	0.4	16	0.4
C91-C95 白血病 Leukemia	総数 T	12,269	1.4	327	36.2	201	39.6	120	24.8	207	24.7	215	15.2	259	9.2	210	3.9
	男 M	7,060	1.4	185	33.9	132	41.5	46	19.5	136	30.8	106	16.5	135	14.4	112	7.2
	女 F	5,209	1.5	142	39.6	69	36.3	74	30.0	71	17.9	109	14.2	124	6.6	98	2.5

(注) 1) 上皮内がんを含む
Note: 1) Carcinoma in situ (CIS) was included.

35~39		40~44		45~49		50~54		55~59		60~64		65~69		70~74		75~79		80~84		85~	
数 N	%	数 N	%	数 N	%	数 N	%	数 N	%	数 N	%	数 N	%	数 N	%	数 N	%	数 N	%	数 N	%
411	3.8	762	4.2	1,365	5.4	2,853	8.4	5,772	10.1	13,777	12.8	15,176	13.8	17,827	13.8	20,436	15.2	17,767	16.2	15,441	15.0
188	6.1	419	8.4	751	9.5	1,797	11.8	3,704	12.0	9,123	13.8	10,961	15.0	12,310	14.0	14,426	16.3	12,731	18.8	8,888	19.1
223	2.9	343	2.6	614	3.6	1,056	5.6	2,068	7.9	4,654	11.3	4,215	11.4	5,517	13.2	6,010	13.1	5,036	12.1	6,553	11.6
254	2.4	207	1.1	330	1.3	528	1.5	679	1.2	1,289	1.2	1,497	1.4	2,002	1.5	2,833	2.1	3,098	2.8	4,360	4.2
140	4.5	104	2.1	166	2.1	301	2.0	347	1.1	716	1.1	830	1.1	1,248	1.4	1,636	1.8	1,676	2.5	1,629	3.5
114	1.5	103	0.8	164	1.0	227	1.2	332	1.3	573	1.4	667	1.8	754	1.8	1,197	2.6	1,422	3.4	2,731	4.8
2,955	38.9	6,299	47.3	8,042	46.6	6,938	36.8	8,435	32.2	11,083	26.8	7,821	21.1	6,740	16.2	5,032	10.9	4,079	9.8	3,779	6.7
3,388	44.6	7,401	55.5	9,483	55.0	8,024	42.6	9,342	35.7	12,430	30.1	8,584	23.2	7,447	17.9	5,444	11.8	4,335	10.4	3,950	7.0
1,760	23.2	2,647	19.9	2,486	14.4	2,901	15.4	3,139	12.0	3,621	8.8	2,200	5.9	2,071	5.0	1,664	3.6	1,259	3.0	1,241	2.2
6,490	85.5	6,056	45.4	4,420	25.6	3,660	19.4	3,674	14.0	4,179	10.1	2,577	7.0	2,317	5.6	1,778	3.9	1,324	3.2	1,260	2.2
1,327	17.5	1,637	12.3	1,085	6.3	789	4.2	863	3.3	1,185	2.9	709	1.9	671	1.6	673	1.5	435	1.0	503	0.9
426	5.6	996	7.5	1,378	8.0	2,093	11.1	2,255	8.6	2,422	5.9	1,448	3.9	1,361	3.3	914	2.0	739	1.8	480	0.8
289	3.8	684	5.1	891	5.2	884	4.7	1,040	4.0	1,274	3.1	897	2.4	671	1.6	696	1.5	585	1.4	770	1.4
0	0.0	27	0.5	162	2.0	934	6.1	3,037	9.9	9,403	14.2	13,867	19.0	18,173	20.7	16,729	18.9	10,340	15.2	6,056	13.0
56	0.5	120	0.7	236	0.9	448	1.3	942	1.7	2,035	1.9	2,139	1.9	3,145	2.4	3,376	2.5	3,725	3.4	4,026	3.9
30	1.0	97	1.9	183	2.3	357	2.3	756	2.5	1,736	2.6	1,833	2.5	2,505	2.9	2,629	3.0	2,756	4.1	2,425	5.2
26	0.3	23	0.2	53	0.3	91	0.5	186	0.7	299	0.7	306	0.8	640	1.5	747	1.6	969	2.3	1,601	2.8
190	1.8	577	3.1	661	2.6	1,136	3.3	1,889	3.3	3,170	3.0	2,800	2.5	3,580	2.8	3,543	2.6	2,911	2.7	2,469	2.4
159	5.1	454	9.1	517	6.5	852	5.6	1,455	4.7	2,307	3.5	2,055	2.8	2,591	3.0	2,442	2.8	1,752	2.6	1,136	2.4
31	0.4	123	0.9	144	0.8	284	1.5	434	1.7	863	2.1	745	2.0	989	2.4	1,101	2.4	1,159	2.8	1,333	2.4
138	1.3	185	1.0	174	0.7	212	0.6	282	0.5	575	0.5	475	0.4	553	0.4	405	0.3	404	0.4	336	0.3
87	2.8	82	1.6	92	1.2	113	0.7	135	0.4	282	0.4	239	0.3	295	0.3	212	0.2	220	0.3	126	0.3
51	0.7	103	0.8	82	0.5	99	0.5	147	0.6	293	0.7	236	0.6	258	0.6	193	0.4	184	0.4	210	0.4
887	8.3	1,032	5.6	1,018	4.0	1,097	3.2	1,403	2.5	1,811	1.7	1,613	1.5	1,382	1.1	1,063	0.8	594	0.5	632	0.6
271	8.8	308	6.2	185	2.3	281	1.8	334	1.1	503	0.8	381	0.5	411	0.5	304	0.3	169	0.2	131	0.3
616	8.1	724	5.4	833	4.8	816	4.3	1,069	4.1	1,308	3.2	1,232	3.3	971	2.3	759	1.7	425	1.0	501	0.9
372	3.5	571	3.1	795	3.2	1,232	3.6	1,738	3.0	3,221	3.0	2,956	2.7	3,393	2.6	3,723	2.8	2,943	2.7	2,844	2.8
201	6.5	355	7.1	433	5.5	690	4.5	1,032	3.4	1,853	2.8	1,688	2.3	2,027	2.3	2,111	2.4	1,629	2.4	1,133	2.4
171	2.3	216	1.6	362	2.1	542	2.9	706	2.7	1,368	3.3	1,268	3.4	1,366	3.3	1,612	3.5	1,314	3.2	1,711	3.0
28	0.3	64	0.3	75	0.3	149	0.4	405	0.7	682	0.6	932	0.8	1,001	0.8	1,293	1.0	1,237	1.1	971	0.9
14	0.5	33	0.7	36	0.5	75	0.5	239	0.8	384	0.6	474	0.7	519	0.6	613	0.7	623	0.9	406	0.9
14	0.2	31	0.2	39	0.2	74	0.4	166	0.6	298	0.7	458	1.2	482	1.2	680	1.5	614	1.5	565	1.0
394	3.7	362	2.0	456	1.8	533	1.6	828	1.5	1,295	1.2	1,195	1.1	1,295	1.0	1,569	1.2	1,467	1.3	1,336	1.3
227	7.4	190	3.8	288	3.6	346	2.3	475	1.5	813	1.2	738	1.0	776	0.9	927	1.0	842	1.2	586	1.3
167	2.2	172	1.3	168	1.0	187	1.0	353	1.3	482	1.2	457	1.2	519	1.2	642	1.4	625	1.5	750	1.3

7

部位別年齢階級別がん罹患率 (2011年)

Cancer Incidence Rate by Age and Site (2011)

部位 Site ICD-10	性別 Sex	歳Age 0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44
C00-C96 全がん All cancers	総数 T	17.0	9.3	8.2	13.8	22.2	39.0	67.3	110.0	196.8
	男 M	20.1	11.3	7.8	14.1	19.8	25.5	37.7	62.7	106.3
	女 F	13.9	7.1	8.6	13.4	24.7	52.9	97.8	158.7	289.2
C00-C14 口腔・咽頭 Oral cavity and pharynx	総数 T	0.1	0.0	0.1	0.3	0.8	0.8	1.5	2.6	4.0
	男 M	0.1	0.0	0.2	0.5	1.1	0.5	1.8	3.3	5.3
	女 F	0.0	0.0	0.0	0.0	0.4	1.2	1.3	1.8	2.7
C15 食道 Esophagus	総数 T	0.0	0.0	0.0	0.0	0.0	0.0	0.1	0.2	1.0
	男 M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	1.3
	女 F	0.0	0.0	0.0	0.0	0.0	0.0	0.2	0.0	0.7
C16 胃 Stomach	総数 T	0.0	0.0	0.0	0.0	0.5	2.0	3.9	7.0	12.9
	男 M	0.0	0.0	0.0	0.0	0.5	1.3	3.1	5.4	14.5
	女 F	0.0	0.0	0.0	0.0	0.5	2.8	4.7	8.7	11.3
C18 結腸 Colon	総数 T	0.0	0.0	0.0	0.3	0.3	1.8	2.6	6.3	9.7
	男 M	0.0	0.0	0.0	0.5	0.4	2.7	2.6	7.4	8.9
	女 F	0.0	0.0	0.0	0.2	0.3	1.0	2.5	5.1	10.6
C19-C20 直腸 Rectum	総数 T	0.0	0.0	0.0	0.0	0.3	1.0	2.2	3.7	8.2
	男 M	0.0	0.0	0.0	0.0	0.2	1.2	2.0	4.4	10.2
	女 F	0.0	0.0	0.0	0.0	0.3	0.8	2.5	3.1	6.1
C18-C20 大腸 Colon/rectum	総数 T	0.0	0.0	0.0	0.3	0.6	2.9	4.8	10.0	17.9
	男 M	0.0	0.0	0.0	0.5	0.6	3.8	4.6	11.8	19.2
	女 F	0.0	0.0	0.0	0.2	0.6	1.8	5.0	8.2	16.6
C22 肝臓 Liver	総数 T	0.8	0.2	0.1	0.1	0.2	0.1	0.4	1.5	3.0
	男 M	1.4	0.0	0.1	0.0	0.2	0.2	0.7	2.1	5.3
	女 F	0.2	0.5	0.0	0.2	0.3	0.0	0.1	0.9	0.6
C23-C24 胆のう・胆管 Gallbladder and bile ducts	総数 T	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.5	1.0
	男 M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6	1.1
	女 F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4	0.9
C25 膵臓 Pancreas	総数 T	0.0	0.0	0.2	0.0	0.0	0.0	0.3	1.0	2.9
	男 M	0.0	0.0	0.0	0.0	0.0	0.0	0.2	1.1	3.1
	女 F	0.0	0.0	0.4	0.0	0.0	0.0	0.3	1.0	2.7
C32 喉頭 Larynx	総数 T	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.2
	男 M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.4
	女 F	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0

率は人口10万対 Rate: Per 100,000 population.

資料: 国立がん研究センターがん情報サービス「がん登録・統計」(地域がん登録全国推計値) http://ganjoho.jp/reg_stat/statistics/dl/index.html

45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~	全年齡 All ages	年齢調整 罹患率 Age-adjusted incidence rate
315.7	446.4	685.1	1,010.1	1,398.2	1,800.8	2,192.6	2,434.2	2,533.0	666.3	365.8
197.4	399.2	746.2	1,266.8	1,938.8	2,628.3	3,312.1	3,846.6	4,051.8	798.1	449.0
435.3	493.4	624.9	762.6	903.1	1,084.0	1,326.8	1,522.4	1,937.9	541.4	305.5
7.5	10.9	15.9	23.6	27.1	28.2	36.8	35.5	38.0	12.3	7.2
9.0	16.4	26.3	38.0	44.4	44.0	58.2	52.7	52.9	17.4	10.9
6.0	5.5	5.7	9.8	11.4	14.5	20.2	24.5	32.1	7.4	3.9
4.5	10.6	22.4	38.3	54.0	59.7	57.4	50.5	38.0	18.1	9.9
6.0	17.5	38.0	69.5	100.0	114.4	114.6	107.0	87.7	31.7	18.2
3.0	3.7	7.1	8.3	11.9	12.4	13.2	14.1	18.6	5.2	2.6
28.6	54.2	99.3	155.2	219.6	306.6	383.2	421.5	409.8	103.3	52.6
33.0	74.6	146.0	236.0	342.3	492.4	615.9	710.5	708.2	144.9	80.4
24.2	33.9	53.4	77.4	107.2	145.6	203.3	234.9	292.9	63.9	29.5
20.1	32.0	62.3	95.4	131.8	177.7	226.8	249.3	312.9	64.4	32.5
19.8	33.6	73.0	119.8	168.1	226.6	287.7	323.8	377.1	70.7	39.7
20.4	30.5	51.7	71.8	98.6	135.3	179.7	201.2	287.7	58.4	26.5
19.3	30.1	45.2	63.3	76.4	90.6	96.9	94.0	104.2	33.4	19.1
22.2	40.9	63.2	94.4	112.5	138.9	151.7	146.6	157.3	45.2	27.4
16.5	19.3	27.6	33.2	43.3	48.8	54.5	60.1	83.3	22.1	11.8
39.4	62.1	107.5	158.6	208.2	268.3	323.7	343.3	417.0	97.7	51.6
42.0	74.5	136.2	214.2	280.6	365.5	439.4	470.4	534.5	115.9	67.2
36.8	49.7	79.2	105.0	141.9	184.1	234.2	261.3	371.0	80.5	38.3
6.6	14.3	26.9	46.6	76.2	102.6	144.2	154.2	131.0	34.3	16.9
11.2	23.3	43.9	74.8	117.5	151.9	213.4	237.8	201.7	46.9	26.1
2.0	5.3	10.1	19.4	38.5	59.9	90.8	100.2	103.4	22.3	9.0
1.6	5.6	9.4	17.4	27.9	45.4	68.7	101.3	148.5	18.5	7.8
2.1	6.4	12.3	22.7	36.2	59.9	88.1	135.2	178.4	19.7	10.0
1.1	4.7	6.5	12.3	20.4	32.8	53.7	79.5	136.8	17.3	6.0
5.2	11.1	22.0	35.4	53.4	71.1	94.7	111.8	139.8	25.9	12.4
7.2	13.0	28.3	44.9	65.6	90.9	114.3	133.5	153.4	27.6	15.3
3.2	9.3	15.7	26.2	42.3	53.8	79.5	97.9	134.5	24.3	10.0
0.8	2.0	4.1	6.6	10.8	9.9	11.1	12.1	9.9	3.5	1.9
1.6	3.3	7.5	12.6	20.8	19.6	24.0	29.7	28.7	6.6	3.7
0.0	0.6	0.8	0.9	1.7	1.5	1.1	0.7	2.5	0.5	0.3

Source: Cancer Registry and Statistics. Cancer Information Service, National Cancer Center, Japan. (Estimates based on population-based cancer registry) http://ganjoho.jp/en/professional/statistics/table_download.html

部位 Site ICD-10	性別 Sex	歳Age 0~4	5~9	10~14	15~19	20~24	25~29	30~34	35~39	40~44
C33-C34 肺・気管 Lung, trachea	総数 T	0.0	0.0	0.1	0.0	0.5	1.2	1.8	4.2	8.2
	男 M	0.0	0.0	0.3	0.0	0.5	1.2	1.6	3.8	8.9
	女 F	0.0	0.0	0.0	0.0	0.5	1.2	2.0	4.7	7.4
C43-C44 皮膚 Skin	総数 T	0.2	0.1	0.2	0.4	0.8	1.4	1.9	2.6	2.2
	男 M	0.0	0.2	0.2	0.2	0.7	1.6	1.3	2.8	2.2
	女 F	0.3	0.0	0.2	0.6	0.8	1.1	2.5	2.4	2.2
C50 乳房 Breast	女 F	0.0	0.0	0.0	0.0	0.5	7.4	24.9	61.7	136.6
C50・D05 乳房 Breast ¹⁾	女 F	0.0	0.0	0.0	0.0	1.3	8.8	28.5	70.8	160.5
C53-C55 子宮 Uterus	女 F	0.0	0.0	0.3	0.0	2.8	14.5	28.6	36.8	57.4
C53-C55 D06 子宮 Uterus ¹⁾	女 F	0.0	0.0	0.3	1.8	26.7	96.3	143.5	135.6	131.4
C53 子宮頸部 Cervix uteri	女 F	0.0	0.0	0.3	0.0	2.3	12.6	24.5	27.7	35.5
C54 子宮体部 Corpus uteri	女 F	0.0	0.0	0.0	0.0	0.5	1.9	4.2	8.9	21.6
C56 卵巣 Ovary	女 F	0.0	0.6	0.8	1.3	3.0	6.7	5.7	6.0	14.8
C61 前立腺 Prostate	男 M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.6
C67 膀胱 Bladder	総数 T	0.1	0.0	0.0	0.2	0.0	0.0	0.5	0.6	1.3
	男 M	0.0	0.0	0.0	0.3	0.0	0.0	0.7	0.6	2.1
	女 F	0.3	0.0	0.0	0.0	0.0	0.0	0.3	0.5	0.5
C64-C66 C68 腎臓など Kidney and other urinary organs	総数 T	0.7	0.2	0.1	0.0	0.0	0.2	1.1	2.0	6.2
	男 M	0.8	0.3	0.1	0.0	0.0	0.3	1.9	3.2	9.7
	女 F	0.5	0.0	0.0	0.0	0.0	0.1	0.3	0.6	2.7
C70-C72 脳・中枢神経系 Brain, nervous system	総数 T	2.4	1.4	1.5	1.2	1.4	1.8	1.8	1.4	2.0
	男 M	2.1	1.7	2.2	1.2	1.7	2.3	2.2	1.8	1.7
	女 F	2.8	1.1	0.8	1.1	1.0	1.3	1.3	1.1	2.2
C73 甲状腺 Thyroid	総数 T	0.0	0.1	0.5	0.9	4.7	3.8	6.7	9.1	11.1
	男 M	0.0	0.1	0.3	0.3	2.7	0.7	1.8	5.5	6.5
	女 F	0.0	0.0	0.6	1.6	6.9	6.9	11.8	12.9	15.7
C81-C85 C96 悪性リンパ腫 Malignant lymphoma	総数 T	1.2	1.4	0.9	3.0	2.1	2.8	3.4	3.8	6.1
	男 M	1.9	2.3	1.3	3.4	2.6	3.6	3.3	4.1	7.5
	女 F	0.5	0.4	0.5	2.5	1.6	2.1	3.5	3.6	4.7
C88-C90 多発性骨髄腫 Multiple myeloma	総数 T	0.0	0.0	0.0	0.0	0.0	0.1	0.2	0.3	0.7
	男 M	0.0	0.0	0.0	0.0	0.0	0.0	0.0	0.3	0.7
	女 F	0.0	0.0	0.0	0.0	0.0	0.2	0.4	0.3	0.7
C91-C95 白血病 Leukemia	総数 T	6.2	3.7	2.0	3.4	3.4	3.6	2.6	4.1	3.9
	男 M	6.8	4.7	1.5	4.4	3.3	3.7	2.7	4.6	4.0
	女 F	5.5	2.6	2.6	2.4	3.5	3.5	2.5	3.5	3.7

(注) 1) 上皮内がんを含む

Note: 1) Carcinoma in situ (CIS) was included.

45~49	50~54	55~59	60~64	65~69	70~74	75~79	80~84	85~	全年齡 All ages	年齢調整 罹患率 Age-adjusted incidence rate
17.1	37.3	69.4	129.6	193.1	248.1	332.7	395.3	379.3	87.5	42.9
18.8	47.1	89.7	174.8	291.7	369.1	538.5	722.1	775.6	121.3	64.6
15.5	27.6	49.3	86.0	102.7	143.4	173.5	184.4	224.0	55.5	25.9
4.1	6.9	8.2	12.1	19.0	27.9	46.1	68.9	107.1	13.6	6.4
4.1	7.9	8.4	13.7	22.1	37.4	61.1	95.1	142.1	14.4	7.8
4.1	5.9	7.9	10.6	16.3	19.6	34.6	52.1	93.4	12.9	5.5
203.0	181.6	201.2	204.7	190.6	175.2	145.3	149.4	129.2	110.5	82.2
239.3	210.0	222.9	229.6	209.2	193.5	157.2	158.7	135.0	123.9	93.6
62.7	75.9	74.9	66.9	53.6	53.8	48.0	46.1	42.4	40.8	32.7
111.6	95.8	87.6	77.2	62.8	60.2	51.3	48.5	43.1	72.8	69.3
27.4	20.6	20.6	21.9	17.3	17.4	19.4	15.9	17.2	17.3	15.2
34.8	54.8	53.8	44.7	35.3	35.4	26.4	27.1	16.4	22.5	17.2
22.5	23.1	24.8	23.5	21.9	17.4	20.1	21.4	26.3	14.2	10.6
4.0	24.5	73.6	180.2	369.0	544.9	624.4	586.5	528.4	126.6	66.8
3.0	5.9	11.3	19.1	27.2	43.8	55.0	82.9	98.9	15.9	7.3
4.6	9.3	18.3	33.3	48.8	75.1	98.1	156.3	211.6	24.7	12.9
1.3	2.4	4.4	5.5	7.5	16.6	21.6	35.5	54.7	7.6	2.8
8.3	14.9	22.7	29.8	35.6	49.8	57.7	64.8	60.6	18.1	10.1
12.9	22.3	35.2	44.2	54.7	77.7	91.2	99.4	99.1	25.5	15.5
3.6	7.4	10.4	15.9	18.2	25.7	31.8	42.4	45.6	11.0	5.2
2.2	2.8	3.4	5.4	6.0	7.7	6.6	9.0	8.3	3.5	2.6
2.3	3.0	3.3	5.4	6.4	8.8	7.9	12.5	11.0	3.7	2.9
2.1	2.6	3.5	5.4	5.8	6.7	5.6	6.7	7.2	3.3	2.3
12.8	14.4	16.9	17.0	20.5	19.2	17.3	13.2	15.5	10.8	8.3
4.6	7.4	8.1	9.6	10.1	12.3	11.3	9.6	11.4	5.6	4.2
21.0	21.4	25.5	24.2	30.0	25.2	21.9	15.6	17.1	15.6	12.3
10.0	16.1	20.9	30.3	37.6	47.2	60.6	65.5	69.9	19.4	11.4
10.8	18.1	25.0	35.5	44.9	60.8	78.8	92.4	98.9	22.1	13.9
9.1	14.2	16.8	25.3	30.9	35.5	46.5	48.1	58.5	16.8	9.2
0.9	2.0	4.9	6.4	11.9	13.9	21.0	27.5	23.9	5.4	2.6
0.9	2.0	5.8	7.4	12.6	15.6	22.9	35.3	35.4	5.5	3.0
1.0	1.9	4.0	5.5	11.2	12.5	19.6	22.5	19.3	5.2	2.4
5.7	7.0	10.0	12.2	15.2	18.0	25.5	32.6	32.8	9.6	6.6
7.2	9.1	11.5	15.6	19.6	23.3	34.6	47.8	51.1	11.4	8.0
4.2	4.9	8.4	8.9	11.1	13.5	18.5	22.9	25.6	7.9	5.3

8

地域がん登録における5年生存率(2003～2005年診断例)

5-year Survival Rate in Population-based Cancer Registry (Diagnosed in 2003-2005)

(1) 5年相対生存率(7登録) 男女計
5-year Relative Survival Rate (7 Registries), Both Sexes

	部位 Site		5年相対生存率(%) 5-year relative survival
(C00-C96)	全がん	All cancers	58.6
(C00-C14)	口腔・咽頭	Oral cavity and pharynx	54.3
(C15)	食道	Esophagus	33.7
(C16)	胃	Stomach	63.3
(C18)	結腸	Colon	70.1
(C19-C20)	直腸	Rectum	67.5
(C22)	肝臓	Liver	27.9
(C23-C24)	胆のう・胆管	Gallbladder & bile duct	21.1
(C25)	膵臓	Pancreas	7.0
(C32)	喉頭	Larynx	75.9
(C33-C34)	肺	Lung	29.7
(C50)	乳房	Breast (females)	89.1
(C53)	子宮頸部	Cervix uteri	72.2
(C54)	子宮体部	Corpus uteri	79.8
(C56)	卵巣	Ovary	55.0
(C61)	前立腺	Prostate	93.8
(C67)	膀胱	Bladder	73.5
(C64-C66, C68)	腎・尿路(膀胱除く)	Kidney and other urinary organs	65.7
(C70-C72)	脳・中枢神経系	Brain, nervous system	32.6
(C73)	甲状腺	Thyroid	92.2
(C81-C85 C96)	悪性リンパ腫	Lymphoma	58.7
(C88-C90)	多発性骨髄腫	Multiple myeloma	32.6
(C91-C95)	白血病	Leukemia	37.3

資料：国立がん研究センターがん情報サービス「がん登録・統計」(生存率データより作成) http://ganjoho.jp/reg_stat/statistics/dl/index.html
 Source: Cancer Registry and Statistics. Cancer Information Service, National Cancer Center, Japan.(Survival) http://ganjoho.jp/en/professional/statistics/table_download.html

※ グラフは26～27ページ参照。See p.26-27 for figures.

(2) 臨床進行度別5年相対生存率（7登録）男女計
5-year Relative Survival Rate by Clinical Stage (7 Registries), Both Sexes

部位 Site		臨床進行度 Clinical stage		対象者数 N	(割合) (%)	5年相対生存率 (%) 5-year relative survival
全がん	All cancers	限局	Localized	81,127	42.6	88.9
		領域	Regional	49,256	25.9	49.4
		遠隔	Distant	32,096	16.9	11.8
		不明	Unknown	—	14.7	—
胃	Stomach	限局	Localized	18,418	50.6	96.0
		領域	Regional	9,054	24.9	44.8
		遠隔	Distant	5,905	16.2	5.1
		不明	Unknown	—	8.3	—
結腸	Colon	限局	Localized	9,599	46.9	97.3
		領域	Regional	5,797	28.3	67.7
		遠隔	Distant	3,584	17.5	11.9
		不明	Unknown	—	7.3	—
直腸	Rectum	限局	Localized	4,923	44.5	95.0
		領域	Regional	3,477	31.4	62.4
		遠隔	Distant	1,707	15.4	12.0
		不明	Unknown	—	8.7	—
肝臓	Liver	限局	Localized	5,837	52.9	40.8
		領域	Regional	1,510	13.7	13.0
		遠隔	Distant	941	8.5	2.0
		不明	Unknown	—	24.9	—
肺・気管	Lung, trachea	限局	Localized	5,965	25.7	77.2
		領域	Regional	6,904	29.8	23.1
		遠隔	Distant	7,318	31.6	3.7
		不明	Unknown	—	12.9	—
乳房(女性)	Breast (females)	限局	Localized	9,813	56.8	98.2
		領域	Regional	5,313	30.8	84.5
		遠隔	Distant	831	4.8	28.2
		不明	Unknown	—	7.6	—
子宮頸部	Cervix uteri	限局	Localized	1,449	49.5	92.9
		領域	Regional	970	33.1	55.2
		遠隔	Distant	177	6.0	8.3
		不明	Unknown	—	11.3	—
子宮体部	Corpus uteri	限局	Localized	1,561	64.3	94.0
		領域	Regional	496	20.4	64.6
		遠隔	Distant	198	8.2	25.9
		不明	Unknown	—	7.1	—
前立腺	Prostate	限局	Localized	6,204	50.8	100.0
		領域	Regional	1,667	13.7	94.8
		遠隔	Distant	1,520	12.5	45.2
		不明	Unknown	—	23.0	—

(1) 全症例 男女計 All Cases, Both Sexes

部位 Site	臨床病期 Clinical stage (UICC)	例数 N	割合 (%)	5年実測生存率 (%) 5-year observed survival	5年相対生存率 (%) 5-year relative survival
全がん All cancers C00-C96	I	54,622	37.3	84.7	96.2
	II	31,681	21.6	75.8	83.2
	III	25,602	17.5	47.6	52.7
	IV	27,809	19.0	18.1	20.0
	不明 Unknown	6,693	4.6	57.6	64.0
	計 Total	146,407	100.0	62.5	68.8
食道 Esophagus C15	I	1,444	24.0	75.9	85.5
	II	1,221	20.3	45.6	51.5
	III	1,762	29.2	23.7	26.6
	IV	1,457	24.2	10.6	11.7
	不明 Unknown	140	2.3	35.4	40.9
	計 Total	6,024	100.0	37.9	42.3
胃 Stomach C16	I	14,721	62.0	86.7	97.2
	II	1,938	8.2	58.9	66.0
	III	2,445	10.3	42.0	47.2
	IV	4,135	17.4	6.5	7.2
	不明 Unknown	490	2.1	52.7	60.6
	計 Total	23,729	100.0	65.2	73.1
結腸 Colon C18	I	2,624	27.2	89.6	100.0
	II	2,108	21.8	81.0	92.0
	III	2,577	26.7	74.5	83.4
	IV	2,043	21.2	16.2	17.9
	不明 Unknown	297	3.1	70.5	80.4
	計 Total	9,649	100.0	67.7	75.8
直腸 Rectum C19-20	I	1,721	27.3	88.4	97.0
	II	1,429	22.7	80.6	89.3
	III	1,840	29.2	72.6	79.3
	IV	1,109	17.6	17.2	18.8
	不明 Unknown	201	3.2	79.3	86.6
	計 Total	6,300	100.0	69.3	76.0
大腸 Colon/rectum C18-20	I	4,345	27.2	89.1	99.0
	II	3,537	22.2	80.8	90.9
	III	4,417	27.7	73.7	81.6
	IV	3,152	19.8	16.6	18.2
	不明 Unknown	498	3.1	74.0	83.0
	計 Total	15,949	100.0	68.3	75.9
肝臓 Liver C22	I	1,664	34.0	50.4	57.0
	II	1,272	26.0	34.3	38.9
	III	1,173	23.9	13.9	15.6
	IV	582	11.9	3.6	4.0
	不明 Unknown	207	4.2	22.6	25.3
	計 Total	4,898	100.0	30.9	34.8
胆のう・胆道 Gallbladder and bile ducts C23-24	I	681	26.7	51.9	60.0
	II	588	23.0	23.9	27.5
	III	330	12.9	16.6	19.1
	IV	705	27.6	2.5	2.8
	不明 Unknown	247	9.7	27.9	33.3
	計 Total	2,551	100.0	25.0	28.9
膵臓 Pancreas C25	I	279	6.8	36.0	40.3
	II	792	19.4	16.1	18.0
	III	804	19.7	5.7	6.3
	IV	2,050	50.2	1.4	1.6
	不明 Unknown	156	3.8	19.5	22.2
	計 Total	4,081	100.0	8.2	9.1
喉頭 Larynx C32	I	532	35.2	85.8	97.9
	II	381	25.2	73.8	85.7
	III	222	14.7	71.2	81.9
	IV	361	23.9	40.6	46.6
	不明 Unknown	16	1.1	56.3	62.1
	計 Total	1,512	100.0	69.5	80.0
肺腺がん Lung Adeno C33-C34	I	5,931	50.0	80.3	88.2
	II	585	4.9	44.0	49.0
	III	2,100	17.7	21.5	23.9
	IV	3,100	26.1	5.9	6.4
	不明 Unknown	147	1.2	58.5	65.5
	計 Total	11,863	100.0	48.6	53.5
肺扁平上皮がん Lung Squamous C33-C34	I	1,444	32.3	58.7	70.1
	II	627	14.0	44.0	51.2
	III	1,550	34.6	18.1	20.7
	IV	813	18.2	2.5	2.9
	不明 Unknown	41	0.9	26.2	32.4
	計 Total	4,475	100.0	32.2	37.5

資料：厚生労働科学研究(第三次対がん総合戦略研究)「院内がん登録の標準化と普及に関する研究」による共同調査
研究協力施設

北海道がんセンター、青森県立中央病院、岩手県立中央病院、宮城県立がんセンター、山形県立中央病院、栃木県立がんセンター、茨城県立中央病院、群馬県立がんセンター、埼玉県立がんセンター、国立がん研究センター東病院、千葉県がんセンター、国立がん研究センター中央病院、がん研究会有明病院、東京都立駒込病院、神奈川県立がんセンター、新潟県立がんセンター新潟病院、富山県立中央病院、石川県立中央病院、静岡県立静岡がんセンター、福井県立病院、愛知県がんセンター中央病院、名古屋医療センター、滋賀県立成人病センター、国立病院機構大阪医療センター、大阪府立成人病センター、兵庫県立がんセンター、呉医療センター・中国がんセンター、山口県立総合医療センター、四国がんセンター、九州がんセンター、佐賀県医療センター好生館、大分県立病院

部位 Site	臨床病期 Clinical stage (UICC)	例数 N	割合 (%)	5年実測生存率 (%) 5-year observed survival	5年相対生存率 (%) 5-year relative survival
肺小細胞がん Lung small cell C33-C34	I	275	12.6	50.0	58.1
	II	144	6.6	29.4	33.7
	III	846	38.9	17.5	19.8
	IV	892	41.0	2.6	3.0
	不明 Unknown	20	0.9	20.0	24.4
	計 Total		2,177	100.0	16.4
肺・気管 Lung, trachea C33-C34	I	8,627	39.4	73.9	82.9
	II	1,585	7.2	42.3	48.2
	III	5,453	24.9	19.7	22.2
	IV	5,935	27.1	4.4	5.0
	不明 Unknown	318	1.5	45.5	53.2
	計 Total		21,918	100.0	39.1
乳房 Breast C50 女 Females	I	8,930	42.3	96.8	99.9
	II	9,041	42.8	92.4	95.2
	III	2,115	10.0	77.0	79.7
	IV	878	4.2	31.6	32.6
	不明 Unknown	166	0.8	71.1	75.4
	計 Total		21,130	100.0	90.1
乳房 Breast C50 男 Males	I	32	39.5	93.8	98.4
	II	27	33.3	74.6	100.0
	III	16	19.8	62.5	71.7
	IV	-	-	-	-
	不明 Unknown	-	-	-	-
	計 Total		81	100.0	78.9
子宮頸部 Cervix uteri C53 女 Females	I	2,101	47.1	90.7	92.3
	II	876	19.6	74.2	77.6
	III	901	20.2	55.1	57.9
	IV	475	10.7	20.8	21.9
	不明 Unknown	107	2.4	83.8	86.0
	計 Total		4,460	100.0	72.7
子宮体部 Corpus Uteri C54 女 Females	I	2,603	68.1	91.9	94.8
	II	233	6.1	88.0	90.6
	III	484	12.7	63.8	66.0
	IV	238	6.2	17.8	18.6
	不明 Unknown	267	7.0	72.9	75.8
	計 Total		3,825	100.0	82.2
卵巣 Ovary C56 女 Females	I	759	36.5	85.6	87.7
	II	175	8.4	64.0	66.0
	III	723	34.8	41.6	43.2
	IV	300	14.4	27.6	28.7
	不明 Unknown	122	5.9	67.5	69.3
	計 Total		2,079	100.0	59.1
前立腺 Prostate C61 男 Males	I	332	3.8	92.1	100.0
	II	5,834	66.9	93.1	100.0
	III	1,260	14.5	85.7	100.0
	IV	1,158	13.3	51.1	62.0
	不明 Unknown	132	1.5	80.8	96.3
	計 Total		8,716	100.0	86.2
腎・尿管 Kidney and Ureter C64-66	I	1,338	49.2	88.9	97.7
	II	333	12.2	73.5	81.9
	III	305	11.2	63.6	71.6
	IV	640	23.5	16.5	18.5
	不明 Unknown	105	3.9	53.9	61.6
	計 Total		2,721	100.0	65.9
膀胱 Bladder C67	I	1,112	54.1	76.7	91.9
	II	383	18.6	63.1	73.2
	III	259	12.6	49.8	59.0
	IV	210	10.2	14.7	17.4
	不明 Unknown	92	4.5	55.0	65.4
	計 Total		2,056	100.0	63.5
甲状腺 Thyroid gland C73	I	793	35.3	98.0	100.0
	II	289	12.9	95.8	100.0
	III	370	16.5	93.0	98.9
	IV	661	29.4	65.5	71.5
	不明 Unknown	135	6.0	88.7	93.9
	計 Total		2,248	100.0	86.8

Source: "Standardization and Dissemination of Hospital Cancer Registration" (Third-Term Comprehensive 10-Year Strategy for Cancer Control), a joint survey by the Health Sciences Division of the Ministry of Health, Labour and Welfare

Collaborating facility: Hokkaido Cancer Center, Aomori prefectural central hospital, Iwate prefectural central hospital, Miyagi cancer center, Yamagata prefectural central hospital, Tochigi cancer center, Ibaraki prefectural central hospital, Gunma prefectural cancer center, Saitama cancer center, National Cancer Center Hospital East., Chiba cancer center, National Cancer Center Hospital, Cancer institute hospital of JFCR, Tokyo Metropolitan Komagome Hospital, Kanagawa Cancer Center, Niigata cancer center hospital, Toyama prefectural central hospital, Ishikawa Prefectural Central Hospital, Shizuoka Cancer Center, Fukui Prefectural Hospital, Aichi Cancer Center Hospital, National Hospital Organization Nagoya Medical Center, Shiga Medical Center for Adults, National Hospital Organization Osaka National Hospital, Osaka Medical Center for Cancer and Cardiovascular Diseases, Hyogo Cancer Center, National Hospital Organization Kure Medical Center/Chugoku Cancer Center, Yamaguchi Grand Medical Center, Shikoku Cancer Center, National Hospital Organization Kyushu Cancer Center, Saga Medical Center Koseikan, Oita Prefectural Hospital

(2) 手術症例のみ 男女計 Surgical Cases Only, Both Sexes

部位 Site	臨床病期 Clinical stage (UICC)	例数 N	割合 (%)	5年実測生存率 (%) 5-year observed survival	5年相対生存率 (%) 5-year relative survival
全がん All cancers C00-C96	I	49,922	48.7	87.4	95.1
	II	24,200	23.6	79.5	85.7
	III	15,380	15.0	60.2	65.6
	IV	8,898	8.7	29.4	32.2
	不明 Unknown	4,054	4.0	76.5	83.3
	計 Total	102,454	100.0	76.0	82.6
食道 Esophagus C15	I	475	20.7	78.5	85.9
	II	737	32.1	53.6	58.8
	III	792	34.5	32.8	36.0
	IV	262	11.4	28.4	30.7
	不明 Unknown	32	1.4	59.4	62.7
	計 Total	2,298	100.0	48.8	53.4
胃 Stomach C16	I	9,342	61.4	87.1	96.0
	II	1,870	12.3	60.2	67.2
	III	2,301	15.1	43.0	48.1
	IV	1,516	10.0	14.0	15.6
	不明 Unknown	175	1.2	71.4	78.1
	計 Total	15,204	100.0	69.7	77.3
結腸 Colon C18	I	2,195	25.7	90.6	100.0
	II	2,097	24.6	81.2	92.2
	III	2,553	29.9	74.9	83.7
	IV	1,530	17.9	21.1	23.2
	不明 Unknown	161	1.9	72.0	81.2
	計 Total	8,536	100.0	70.8	79.3
直腸 Rectum C19-20	I	1,485	26.2	88.5	97.0
	II	1,410	24.8	81.3	90.0
	III	1,799	31.7	73.3	80.0
	IV	878	15.5	20.8	22.7
	不明 Unknown	105	1.8	83.7	89.8
	計 Total	5,677	100.0	71.4	78.3
大腸 Colon/rectum C18-20	I	3,680	25.9	89.7	99.4
	II	3,507	24.7	81.2	91.3
	III	4,352	30.6	74.2	82.2
	IV	2,408	16.9	21.0	23.0
	不明 Unknown	266	1.9	76.6	84.7
	計 Total	14,213	100.0	71.1	78.9
肝臓 Liver C22	I	592	41.5	66.4	74.1
	II	399	28.0	56.6	62.7
	III	354	24.8	29.8	32.9
	IV	43	3.0	20.5	22.0
	不明 Unknown	37	2.6	48.6	54.7
	計 Total	1,425	100.0	52.8	58.7
胆のう・胆道 Gallbladder and bile ducts C23-24	I	562	39.3	56.6	63.7
	II	450	31.5	29.0	32.7
	III	192	13.4	25.5	28.3
	IV	105	7.3	6.9	7.6
	不明 Unknown	121	8.5	43.9	50.3
	計 Total	1,430	100.0	39.0	43.9
膵臓 Pancreas C25	I	232	16.2	41.0	45.2
	II	606	42.4	19.0	20.9
	III	323	22.6	12.1	13.2
	IV	216	15.1	8.1	8.9
	不明 Unknown	52	3.6	46.2	51.0
	計 Total	1,429	100.0	20.4	22.4
喉頭 Larynx C32	I	119	20.8	89.8	100.0
	II	90	15.7	76.5	87.2
	III	136	23.7	74.8	85.7
	IV	222	38.7	50.8	57.1
	不明 Unknown	6	1.0	66.7	70.9
	計 Total	573	100.0	68.9	78.0
肺腺がん Lung Adeno C33-C34	I	5,602	81.8	82.6	90.1
	II	485	7.1	49.8	54.7
	III	465	6.8	41.9	45.8
	IV	201	2.9	17.9	19.3
	不明 Unknown	99	1.4	81.8	88.7
	計 Total	6,852	100.0	75.7	82.5
肺扁平上皮がん Lung Squamous C33-C34	I	1,196	58.4	64.2	75.4
	II	468	22.9	54.4	62.1
	III	328	16.0	44.8	50.0
	IV	44	2.1	7.3	8.4
	不明 Unknown	12	0.6	58.3	68.5
	計 Total	2,048	100.0	57.6	66.7

部位 Site	臨床病期 Clinical stage (UICC)	例数 N	割合 (%)	5年実測生存率 (%) 5-year observed survival	5年相対生存率 (%) 5-year relative survival
肺小細胞がん Lung small cell C33-C34	I	226	62.4	57.3	66.1
	II	52	14.4	46.2	50.9
	III	44	12.2	47.7	54.4
	IV	33	9.1	6.1	6.6
	不明 Unknown	7	1.9	28.6	33.8
	計 Total	362	100.0	49.3	56.2
肺・気管 Lung, trachea C33-C34	I	7,767	74.3	78.2	86.4
	II	1,162	11.1	51.9	57.9
	III	1,041	10.0	43.5	47.9
	IV	327	3.1	14.4	15.7
	不明 Unknown	161	1.5	77.6	85.1
	計 Total	10,458	100.0	69.8	77.2
乳房 Breast C50 女 Females	I	8,846	44.3	96.9	100.0
	II	8,828	44.2	92.6	95.4
	III	1,894	9.5	79.5	82.1
	IV	300	1.5	45.2	46.8
	不明 Unknown	112	0.6	84.3	89.0
	計 Total	19,980	100.0	92.5	95.4
乳房 Breast C50 男 Males	I	32	42.7	93.8	98.4
	II	26	34.7	77.6	100.0
	III	16	21.3	62.5	71.7
	IV	-	-	-	-
	不明 Unknown	-	-	-	-
	計 Total	75	100.0	83.9	95.2
子宮頸部 Cervix uteri C53 女 Females	I	1,909	68.3	92.1	93.3
	II	503	18.0	79.9	81.6
	III	234	8.4	58.5	59.5
	IV	60	2.1	31.7	32.3
	不明 Unknown	88	3.1	88.4	89.5
	計 Total	2,794	100.0	85.7	87.0
子宮体部 Corpus Uteri C54 女 Females	I	2,525	70.6	92.5	95.3
	II	228	6.4	88.6	91.1
	III	451	12.6	66.6	68.6
	IV	134	3.7	27.6	28.4
	不明 Unknown	241	6.7	77.9	80.7
	計 Total	3,579	100.0	85.6	88.2
卵巣 Ovary C56 女 Females	I	751	40.2	86.1	88.1
	II	164	8.8	67.7	69.6
	III	633	33.9	44.5	46.0
	IV	214	11.5	31.8	32.9
	不明 Unknown	106	5.7	74.0	75.8
	計 Total	1,868	100.0	63.5	65.3
前立腺 Prostate C61 男 Males	I	198	5.7	97.5	100.0
	II	2,717	77.8	97.3	100.0
	III	402	11.5	92.5	100.0
	IV	108	3.1	55.6	65.5
	不明 Unknown	66	1.9	89.2	100.0
	計 Total	3,491	100.0	95.3	100.0
腎・尿管 Kidney and Ureter C64-66	I	1,267	55.7	90.3	98.7
	II	312	13.7	77.2	85.0
	III	287	12.6	66.9	74.5
	IV	338	14.9	27.6	30.3
	不明 Unknown	71	3.1	73.2	80.9
	計 Total	2,275	100.0	75.7	83.1
膀胱 Bladder C67	I	1,085	57.7	76.8	92.0
	II	366	19.4	64.4	74.4
	III	220	11.7	53.7	62.2
	IV	135	7.2	18.3	21.4
	不明 Unknown	76	4.0	60.0	86.2
	計 Total	1,882	100.0	66.8	79.0
甲状腺 Thyroid gland C73	I	756	36.9	98.8	100.0
	II	281	13.7	97.5	100.0
	III	359	17.5	93.9	99.7
	IV	555	27.1	74.5	80.5
	不明 Unknown	96	4.7	91.5	96.5
	計 Total	2,047	100.0	90.8	95.3

全国がん(成人病)センター協議会加盟施設における10年生存率 (1999~2002年診断例)

10-year Survival Rate in the Member Hospitals of the Association of Clinical Cancer Centers (Diagnosed in 1999-2002)

(1) 全症例 男女計 All Cases, Both Sexes

部位 Site	臨床病期 Clinical stage (UICC)	例数 N	割合 (%)	10年実測生存率(%) 10-year observed survival	10年相対生存率(%) 10-year relative survival
全がん All cancers C00-C96	I	12,065	34.2	70.4	86.3
	II	7,131	20.2	57.0	69.6
	III	6,320	17.9	30.7	39.2
	IV	6,683	18.9	9.6	12.2
	不明 Unknown	3,087	8.7	43.0	54.1
	計 Total	35,286	100.0	46.7	58.2
食道 Esophagus C15	I	312	21.7	49.0	64.1
	II	335	23.3	27.8	36.9
	III	402	27.9	12.1	15.4
	IV	269	18.7	3.7	4.8
	不明 Unknown	122	8.5	19.2	25.5
	計 Total	1,440	100.0	22.8	29.7
胃 Stomach C16	I	3,706	57.8	75.2	95.1
	II	519	8.1	49.7	62.7
	III	661	10.3	29.9	38.9
	IV	1,128	17.6	6.0	7.5
	不明 Unknown	399	6.2	46.0	58.6
	計 Total	6,413	100.0	54.5	69.0
結腸 Colon C18	I	539	28.9	78.6	98.6
	II	451	24.2	65.0	85.2
	III	426	22.8	59.2	74.8
	IV	358	19.2	7.3	8.7
	不明 Unknown	92	4.9	48.3	63.6
	計 Total	1,866	100.0	55.7	70.6
直腸 Rectum C19-20	I	365	29.2	76.1	94.1
	II	319	25.5	67.0	83.3
	III	328	26.3	51.6	63.0
	IV	196	15.7	4.8	6.0
	不明 Unknown	41	3.3	50.6	61.0
	計 Total	1,249	100.0	55.4	68.5
大腸 Colon/rectum C18-20	I	904	29.0	77.6	96.8
	II	770	24.7	65.8	84.4
	III	754	24.2	55.9	69.6
	IV	554	17.8	6.4	8.0
	不明 Unknown	133	4.3	49.0	62.7
	計 Total	3,115	100.0	55.6	69.8
肝臓 Liver C22	I	388	22.8	22.4	29.3
	II	498	29.3	12.9	16.9
	III	426	25.1	7.4	9.8
	IV	285	16.8	2.1	2.5
	不明 Unknown	103	6.1	9.3	12.4
	計 Total	1,700	100.0	11.7	15.3
胆のう・胆道 Gallbladder and bile ducts C23-24	I	85	15.1	39.7	53.6
	II	88	15.7	14.9	20.6
	III	66	11.7	6.1	8.6
	IV	183	32.6	2.2	2.9
	不明 Unknown	140	24.9	17.8	25.6
	計 Total	562	100.0	14.2	19.7
膵臓 Pancreas C25	I	57	6.4	24.2	29.6
	II	99	11.1	9.1	11.2
	III	126	14.1	2.4	3.1
	IV	513	57.3	0.8	0.9
	不明 Unknown	100	11.2	4.6	6.2
	計 Total	895	100.0	3.8	4.9
喉頭 Larynx C32	I	166	36.8	70.8	93.9
	II	114	25.3	46.8	63.0
	III	59	13.1	37.3	53.0
	IV	58	12.9	40.4	54.1
	不明 Unknown	54	12.0	47.2	61.1
	計 Total	451	100.0	53.6	71.9

資料：厚生労働科学研究（第三次対がん総合戦略研究）「院内がん登録の標準化と普及に関する研究」による共同調査
研究協力施設

岩手県立中央病院、栃木県立がんセンター、群馬県立がんセンター、埼玉県立がんセンター、国立がん研究センター東病院、千葉県がんセンター、がん研究会有明病院、新潟県立がんセンター新潟病院、福井県立病院、愛知県がんセンター中央病院、滋賀県立成人病センター、国立病院機構大阪医療センター、兵庫県立がんセンター、呉医療センター・中国がんセンター、四国がんセンター、佐賀県医療センター好生館、大分県立病院

部位 Site	臨床病期 Clinical stage (UICC)	例数 N	割合 (%)	10年実測生存率(%) 10-year observed survival	10年相対生存率(%) 10-year relative survival
肺・気管 Lung, trachea C33-C34	I	2,117	34.7	52.6	69.3
	II	521	8.5	23.3	31.4
	III	1,688	27.7	12.1	16.1
	IV	1,559	25.6	2.9	3.7
	不明 Unknown	215	3.5	22.2	31.5
	計 Total	6,100	100.0	25.2	33.2
乳房 Breast C50 女 Females	I	1,412	32.1	86.6	93.5
	II	2,133	48.5	79.3	85.5
	III	492	11.2	50.3	53.8
	IV	227	5.2	14.5	15.6
	不明 Unknown	137	3.1	64.7	69.3
	計 Total	4,401	100.0	74.6	80.4
子宮頸部 Cervix uteri C53 女 Females	I	579	51.9	88.0	91.3
	II	216	19.4	57.9	63.7
	III	177	15.9	42.6	50.0
	IV	100	9.0	14.0	16.5
	不明 Unknown	44	3.9	79.5	82.5
	計 Total	1,116	100.0	68.0	73.6
子宮体部 Corpus Uteri C54 女 Females	I	500	67.3	87.5	94.4
	II	53	7.1	78.8	84.2
	III	121	16.3	52.0	55.6
	IV	29	3.9	13.8	14.4
	不明 Unknown	39	5.2	59.0	64.4
	計 Total	743	100.0	76.7	83.1
卵巣 Ovary C56 女 Females	I	134	36.0	80.5	84.6
	II	43	11.6	58.1	63.2
	III	118	31.7	22.9	25.2
	IV	57	15.3	17.9	19.5
	不明 Unknown	20	5.4	35.0	36.7
	計 Total	372	100.0	47.7	51.7
前立腺 Prostate C61 男 Males	I	71	5.4	59.8	90.3
	II	503	38.5	69.8	100.0
	III	306	23.4	60.3	95.6
	IV	329	25.2	22.4	37.8
	不明 Unknown	97	7.4	58.4	96.1
	計 Total	1,306	100.0	54.3	84.4
腎・尿管 Kidney and Ureter C64-66	I	269	41.4	74.5	91.3
	II	88	13.5	59.1	76.4
	III	86	13.2	40.5	51.8
	IV	175	26.9	10.4	13.8
	不明 Unknown	32	4.9	46.9	56.5
	計 Total	650	100.0	49.4	62.8
膀胱 Bladder C67	I	258	51.3	56.2	81.4
	II	103	20.5	51.9	78.9
	III	60	11.9	21.2	32.3
	IV	46	9.1	11.2	15.6
	不明 Unknown	36	7.2	62.0	83.7
	計 Total	503	100.0	47.4	70.3
甲状腺 Thyroid gland C73	I	121	24.0	92.5	97.9
	II	128	25.3	93.7	100.0
	III	126	25.0	80.9	94.2
	IV	89	17.6	43.8	52.8
	不明 Unknown	41	8.1	85.0	95.0
	計 Total	505	100.0	80.7	90.9

Source: "Standardization and Dissemination of Hospital Cancer Registration" (Third-Term Comprehensive 10-Year Strategy for Cancer Control), a joint survey by the Health Sciences Division of the Ministry of Health, Labour and Welfare

Collaborating facility: Iwate prefectural central hospital, Tochigi cancer center, Gunma prefectural cancer center, Saitama cancer center, National Cancer Center Hospital East., Chiba cancer center, Cancer institute hospital of JFCR, Niigata cancer center hospital, Fukui Prefectural Hospital, Aichil Cancer Center Hospital, Shiga Medical Center for Adults, National Hospital Organization Osaka National Hospital, Hyogo Cancer Center, National Hospital Organization Kure Medical Center/Chugoku Cancer Center, Shikoku Cancer Center, Saga Medical Center Koseikan, Oita Prefectural Hospital

(2) 手術症例のみ 男女計 Surgical Cases Only, Both Sexes

部位 Site	臨床病期 Clinical stage (UICC)	例数 N	割合 (%)	10年実測生存率(%) 10-year observed survival	10年相対生存率(%) 10-year relative survival
全がん All cancers C00-C96	I	10,919	44.1	73.6	89.2
	II	5,693	23.0	64.0	75.9
	III	3,842	15.5	40.4	49.5
	IV	2,344	9.5	15.0	18.6
	不明 Unknown	1,940	7.8	55.7	67.9
	計 Total	24,738	100.0	59.3	71.8
食道 Esophagus C15	I	112	18.7	50.3	61.6
	II	202	33.8	35.5	44.2
	III	180	30.1	18.2	21.8
	IV	57	9.5	5.3	6.5
	不明 Unknown	47	7.9	24.2	29.1
	計 Total	598	100.0	29.3	35.8
胃 Stomach C16	I	2,779	58.8	77.2	95.2
	II	507	10.7	50.7	63.9
	III	632	13.4	31.2	40.3
	IV	561	11.9	8.8	11.2
	不明 Unknown	247	5.2	54.5	67.0
	計 Total	4,726	100.0	58.9	73.6
結腸 Colon C18	I	412	25.2	80.5	100.0
	II	446	27.3	65.3	85.4
	III	424	25.9	59.5	75.0
	IV	292	17.9	8.9	10.7
	不明 Unknown	60	3.7	48.3	62.7
	計 Total	1,634	100.0	57.0	72.0
直腸 Rectum C19-20	I	303	26.6	75.2	93.4
	II	315	27.7	67.5	83.8
	III	325	28.5	51.5	62.7
	IV	169	14.8	4.9	6.2
	不明 Unknown	27	2.4	43.5	51.7
	計 Total	1,139	100.0	55.2	68.2
大腸 Colon/rectum C18-20	I	715	25.8	78.3	97.3
	II	761	27.4	66.2	84.7
	III	749	27.0	56.0	69.6
	IV	461	16.6	7.5	9.3
	不明 Unknown	87	3.1	46.8	59.1
	計 Total	2,773	100.0	56.2	70.4
肝臓 Liver C22	I	113	24.4	38.8	50.8
	II	143	30.9	27.4	34.6
	III	120	25.9	14.4	18.8
	IV	39	8.4	5.1	6.1
	不明 Unknown	48	10.4	10.4	13.8
	計 Total	463	100.0	23.1	29.8
胆のう・胆道 Gallbladder and bile ducts C23-24	I	77	24.6	41.2	54.3
	II	61	19.5	21.5	27.9
	III	39	12.5	10.3	13.7
	IV	43	13.7	9.3	11.2
	不明 Unknown	93	29.7	24.5	34.7
	計 Total	313	100.0	24.1	32.2
膵臓 Pancreas C25	I	41	12.3	33.7	38.5
	II	76	22.8	10.5	12.6
	III	67	20.1	4.5	5.5
	IV	106	31.7	1.9	2.1
	不明 Unknown	44	13.2	8.4	10.6
	計 Total	334	100.0	9.0	11.1
喉頭 Larynx C32	I	25	14.8	72.0	91.6
	II	28	16.6	55.8	72.4
	III	44	26.0	38.6	55.3
	IV	41	24.3	45.0	58.7
	不明 Unknown	31	18.3	48.4	62.0
	計 Total	169	100.0	49.8	66.3

部位 Site	臨床病期 Clinical stage (UICC)	例数 N	割合 (%)	10年実測生存率(%) 10-year observed survival	10年相対生存率(%) 10-year relative survival
肺・気管 Lung, trachea C33-C34	I	1,954	66.1	55.7	71.9
	II	368	12.5	29.2	37.8
	III	460	15.6	21.0	26.4
	IV	101	3.4	5.0	6.4
	不明 Unknown	71	2.4	43.6	53.5
	計 Total	2,954	100.0	45.0	57.8
乳房 Breast C50 女 Females	I	1,407	33.2	86.7	93.6
	II	2,124	50.1	79.4	85.6
	III	468	11.0	50.7	54.2
	IV	119	2.8	22.8	24.7
	不明 Unknown	122	2.9	71.0	75.7
	計 Total	4,240	100.0	76.8	82.8
子宮頸部 Cervix uteri C53 女 Females	I	544	69.3	89.1	92.1
	II	128	16.3	71.6	75.1
	III	60	7.6	49.5	51.5
	IV	21	2.7	14.3	14.8
	不明 Unknown	32	4.1	87.5	88.8
	計 Total	785	100.0	81.1	84.2
子宮体部 Corpus Uteri C54 女 Females	I	497	69.7	88.0	94.9
	II	53	7.4	78.8	84.2
	III	116	16.3	54.2	57.9
	IV	14	2.0	21.4	21.9
	不明 Unknown	32	4.5	68.8	72.2
	計 Total	713	100.0	79.7	85.8
卵巣 Ovary C56 女 Females	I	133	40.5	81.1	85.2
	II	42	12.8	59.5	64.8
	III	102	31.1	26.5	28.5
	IV	38	11.6	23.7	24.8
	不明 Unknown	13	4.0	46.2	47.2
	計 Total	328	100.0	53.3	56.8
前立腺 Prostate C61 男 Males	I	26	5.1	72.2	100.0
	II	256	50.1	83.0	100.0
	III	135	26.4	76.7	100.0
	IV	48	9.4	37.5	54.3
	不明 Unknown	46	9.0	73.8	98.1
	計 Total	511	100.0	75.7	100.0
腎・尿管 Kidney and Ureter C64-66	I	262	49.2	74.7	91.1
	II	82	15.4	63.4	79.7
	III	80	15.0	43.5	54.8
	IV	90	16.9	20.4	25.5
	不明 Unknown	18	3.4	66.7	77.8
	計 Total	532	100.0	58.9	73.0
膀胱 Bladder C67	I	252	53.3	56.0	81.3
	II	99	20.9	53.0	79.3
	III	58	12.3	21.9	32.6
	IV	32	6.8	16.2	22.3
	不明 Unknown	32	6.8	63.4	85.4
	計 Total	473	100.0	49.0	72.1
甲状腺 Thyroid gland C73	I	117	24.6	93.9	99.2
	II	126	26.5	94.4	100.0
	III	124	26.1	81.4	94.1
	IV	71	14.9	50.7	60.6
	不明 Unknown	38	8.0	86.4	95.9
	計 Total	476	100.0	83.7	93.6

臨床病期（UICC TNM 分類治療前ステージ）別5年相対生存率 男女計（主要5部位）
5-year Relative Survival Rates by Clinical Stage (UICC TNM classification), Both Sexes (5 major sites)

部位 Site	臨床病期 Clinical stage (UICC)	例数 N	割合 (%)	5年相対生存率 (%) 5-year relative survival	95% 信頼区間 95% Confidence interval
全がん (C00-C96)	I	58,209	34.5	88.3	(88.0-88.7)
	II	34,236	20.3	79.4	(78.9-80.0)
	III	26,519	15.7	49.6	(48.9-50.3)
	IV	30,341	18.0	19.2	(18.7-19.7)
	不明 Unknown	9,619	5.7	61.1	(60.0-62.3)
	計 Total	168,514	100.0	64.3	(64.1-64.6)
胃 (C16)	I	16,707	62.3	93.6	(92.9-94.3)
	II	2,150	8.0	61.9	(59.5-64.3)
	III	2,378	8.9	42.0	(39.7-44.2)
	IV	4,359	16.2	7.1	(6.3-8.0)
	不明 Unknown	1,095	4.1	61.2	(57.6-64.6)
	計 Total	26,835	100.0	71.2	(70.6-71.9)
大腸 (C18-C20)	I	5,832	27.4	95.0	(93.9-96.0)
	II	4,452	20.9	83.3	(81.8-84.8)
	III	5,580	26.2	77.4	(76.0-78.8)
	IV	3,863	18.1	16.9	(15.7-18.2)
	不明 Unknown	1,348	6.3	69.1	(66.0-72.2)
	計 Total	21,296	100.0	72.1	(71.4-72.9)
肝臓 (C22)	I	3,399	37.9	56.2	(54.2-58.1)
	II	2,525	28.2	37.5	(35.4-39.6)
	III	1,971	22.0	14.0	(12.4-15.8)
	IV	732	8.2	2.0	(1.1-3.3)
	不明 Unknown	334	3.7	18.2	(13.8-23.1)
	計 Total	8,964	100.0	35.9	(34.8-37.0)
肺、気管 (C33-C34)	I	7,836	36.9	78.2	(77.0-79.4)
	II	1,361	6.4	44.1	(41.1-47.1)
	III	5,113	24.1	19.5	(18.3-20.7)
	IV	6,253	29.4	3.9	(3.4-4.4)
	不明 Unknown	609	2.9	45.3	(40.8-49.8)
	計 Total	21,252	100.0	39.4	(38.7-40.1)
乳房 (女性) (C50)	I	6,554	43.4	99.7	(99.2-100.0)
	II	6,072	40.2	94.7	(93.9-95.5)
	III	1,465	9.7	77.9	(75.5-80.2)
	IV	770	5.1	37.5	(33.9-41.0)
	不明 Unknown	214	1.4	85.6	(78.5-91.3)
	計 Total	15,088	100.0	92.2	(91.7-92.8)

計には、ステージ空欄の者を含む The total includes those whose stages are left blank.

- (注) 1) 本集計では、平成26年5月時点のがん診療連携拠点病院で、院内がん登録2007年診断例の通年データを持ち、死亡日、最終生存確認日、生存期間等の生存状況情報を含めたデータ提出が可能と考えられる全国のがん診療連携拠点病院293施設を対象にデータ提出を依頼した。
2) 2007年1年間の症例について234施設からデータ提供を受けた
3) 自施設で診断、又は他施設で診断された後自施設で初回治療が行われた悪性新生物<腫瘍>の症例の5年後の生存状況把握割合が90%以上であった177施設のデータを用いて集計した
4) 初発、再発ともに含まれる
5) 1腫瘍1登録の原則に基づいて、同一患者であっても別の癌腫と判断される場合は多重がんとして別々に登録される
6) 同一患者、同一がん種で複数のがん診療連携拠点病院を受診した場合は重複して登録されている可能性がある
7) ステージはUICC TNM分類第6版に基づいて登録（但し、病期分類の正確さには課題がある）

Note: 1) 293 Designated Cancer Care Hospitals (as of May 2014) were asked to participate in the study, in case they were supposed to have all the data of cases diagnosed in 2007, including the data of the death date, the last contact date, and the follow-up days. 2) 234 Designated Cancer Care Hospitals provided the data of cancer cases diagnosed in 2007. 3) The data of cases which patients were diagnosed in the hospital and/or patients were provided the first treatment for malignant at 177 Designated Cancer Care Hospitals, which traced more than 90% of malignant (primary site) cases for the vital status at 5 years after the diagnosis, were used for the analysis. 4) Both primary and recurrent cases were included. 5) Based on the policy of one registration for one tumor, multiple tumors of a patient, if diagnosed with different tumors, were registered as multiple primaries. 6) They may be cases that an identical tumor of a patient to be registered at the multiple hospitals, if the patient visited more than one Designated Cancer Care Hospitals. 7) Clinical stages were defined on the basis of the UICC TNM classification 6th ed. (The accuracy of the data of UICC TNM classification at each hospital was not adjusted.)

資料：がん診療連携拠点病院院内がん登録2007年生生存率集計報告書

Source: The Hospital-based Cancer Registries in Japan: Cancer Survival at the Designated Cancer Care Hospitals in 2007
(http://ganjoho.jp/reg_stat/statistics/brochure/hosp_c_reg_surv.html)

(1) 地域がん登録全国推計値における40歳未満のがん罹患数の部位内訳 (2007-2011年合計)
Cancer incidence under age 40 in the population-based cancer registry (2007-2011)

男性 Males

部位 Site		歳 Age 0～4	5～14	15～24	25～39
胃 Stomach	C16	10	5	106	2,878
大腸 Colon/rectum	C18-C20	11	2	148	3,935
肝臓 Liver	C22	140	16	37	711
腎・尿路(膀胱除く) Kidney and other urinary organs	C64-C66, C68	107	37	55	1,227
脳・中枢神経系 Brain, nervous system	C70-C72	239	550	548	1,409
甲状腺 Thyroid	C73	0	25	303	1,631
悪性リンパ腫 Malignant lymphoma	C81-C85, C96	104	405	746	2,213
白血病 Leukemia	C91-C95	853	953	1,134	2,062
その他 Others		680	672	2,108	11,657

女性 Females

部位 Site		歳 Age 0～4	5～14	15～24	25～39
胃 Stomach	C16	0	14	136	3,224
大腸 Colon/rectum	C18-C20	9	2	119	3,150
肝臓 Liver	C22	87	32	40	322
乳房 Breast	C50	0	1	216	19,674
子宮頸部 Cervix uteri	C53	2	8	327	12,141
卵巣 Ovary	C56	5	176	739	3,359
腎・尿路(膀胱除く) Kidney and other urinary organs	C64-C66, C68	74	15	25	518
脳・中枢神経系 Brain, nervous system	C70-C72	298	477	382	1,011
甲状腺 Thyroid	C73	0	48	915	5,734
悪性リンパ腫 Malignant lymphoma	C81-C85, C96	96	206	589	1,919
白血病 Leukemia	C91-C95	606	738	758	1,590
その他 Others		637	584	1,252	9,440

(2) 主要がん種別サバイバー生存率 (2002～2006年追跡例 男女計 %)
Conditional survival rates (2002-2006 follow-up cases; males and females %)

0～14歳 Age 0-14 yrs.

がん種 Cancer type		診断時 From diagnosis	1年サバイバー 1-year survivors	2年サバイバー 2-year survivors	3年サバイバー 3-year survivors	4年サバイバー 4-year survivors	5年サバイバー 5-year survivors
白血病 Leukemia	C91-C95	79.6	83.9	88	92.3	95.3	96.1
急性リンパ性白血病 Acute lymphoid leukemia		82.3	84.6	87.7	91.7	94.7	95.5
悪性リンパ腫 Malignant lymphoma	C81-C85, C96	90.2	94.1	95.7	96.6	98.3	98.3
脳・中枢神経系 Brain, nervous system	C70-C72	64.7	74.2	85.1	89.5	88.8	89.7

15～29歳 Age 15-29 yrs.

がん種 Cancer type		診断時 From diagnosis	1年サバイバー 1-year survivors	2年サバイバー 2-year survivors	3年サバイバー 3-year survivors	4年サバイバー 4-year survivors	5年サバイバー 5-year survivors
白血病 Leukemia	C91-C95	56.9	64.6	75.3	84.9	89.2	92.3
急性リンパ性白血病 Acute lymphoid leukemia		42.2	48	61.6	74.7	84.8	87.4
悪性リンパ腫 Malignant lymphoma	C81-C85, C96	78.4	85.9	90.4	92.1	93	93.6
脳・中枢神経系 Brain, nervous system	C70-C72	70.5	78.5	82.2	81.6	82	83.5

サバイバー生存率: 診断から一定年数後生存している者(サバイバー)の、その後の生存率。英語では「conditional survival rate」(条件付き生存率)と表現される。例えば1年サバイバーの5年生存率は、診断から1年後に生存している者に限って算出した、その後の5年生存率(診断から合計6年後)。http://ganjoho.jp/reg_stat/statistics/dl/index.html

ConditionaI survival rate: the probability of surviving a given additional years, given that the person has already survived a certain years.
http://ganjoho.jp/reg_stat/statistics/dl/index.html

※ グラフは35～36ページ参照。See p.35-36 for figures.

年 Year	全死亡 All causes		悪性新生物 Malignant neoplasms		心疾患 Heart diseases	
	死亡数 N	死亡率 Rate	死亡数 N	死亡率 Rate	死亡数 N	死亡率 Rate
1910	1,064,234	2,163.8	32,998	67.1	31,976	65.0
15	1,093,793	2,073.5	37,789	71.6	33,586	63.7
20	1,422,096	2,541.1	40,648	72.6	35,540	63.5
25	1,210,706	2,026.7	42,177	70.6	39,895	66.8
30	1,170,867	1,816.7	45,488	70.6	41,138	63.8
35	1,161,936	1,677.8	50,080	72.3	39,902	57.6
40	1,186,595	1,649.6	51,879	72.1	45,542	63.3
45
50	904,876	1,087.6	64,428	77.4	53,377	64.2
55	693,523	776.8	77,721	87.1	54,351	60.9
60	706,599	756.4	93,773	100.4	68,400	73.2
61	695,644	737.8	96,442	102.3	68,017	72.1
62	710,265	746.2	98,224	103.2	72,493	76.2
63	670,770	697.6	101,426	105.5	67,672	70.4
64	673,067	692.6	104,324	107.3	68,328	70.3
65	700,438	712.7	106,536	108.4	75,672	77.0
66	670,342	676.7	109,805	110.9	71,188	71.9
67	675,006	677.5	112,593	113.0	75,424	75.7
68	686,555	681.1	115,462	114.6	80,866	80.2
69	693,787	680.0	118,559	116.2	83,357	81.7
70	712,962	691.4	119,977	116.3	89,411	86.7
71	684,521	656.0	122,850	117.7	85,529	82.0
72	683,751	646.6	127,299	120.4	85,885	81.2
73	709,416	656.4	130,964	121.2	94,324	87.3
74	710,510	649.4	133,751	122.2	98,251	89.8
75	702,275	631.2	136,383	122.6	99,226	89.2
76	703,270	625.6	140,893	125.3	103,638	92.2
77	690,074	608.0	145,772	128.4	103,564	91.2
78	695,821	607.6	150,336	131.3	106,786	93.3
79	689,664	597.3	156,661	135.7	111,938	96.9
80	722,801	621.4	161,764	139.1	123,505	106.2
81	720,262	614.5	166,399	142.0	126,012	107.5
82	711,883	603.2	170,130	144.2	125,905	106.7
83	740,038	623.0	176,206	148.3	132,244	111.3
84	740,247	619.3	182,280	152.5	136,162	113.9
85	752,283	625.5	187,714	156.1	141,097	117.3
86	750,620	620.6	191,654	158.5	142,581	117.9
87	751,172	618.1	199,563	164.2	143,909	118.4
88	793,014	649.9	205,470	168.4	157,920	129.4
89	788,594	644.0	212,625	173.6	156,831	128.1
90	820,305	668.4	217,413	177.2	165,478	134.8
91	829,797	674.1	223,727	181.7	168,878	137.2
92	856,643	693.8	231,917	187.8	175,546	142.2
93	878,532	709.7	235,707	190.4	180,297	145.6
94	875,933	706.0	243,670	196.4	159,579	128.6
95	922,139	741.9	263,022	211.6	139,206	112.0
96	896,211	718.6	271,183	217.5	138,229	110.8
97	913,402	730.9	275,413	220.4	140,174	112.2
98	936,484	747.7	283,921	226.7	143,120	114.3
99	982,031	782.9	290,556	231.6	151,079	120.4
2000	961,653	765.6	295,484	235.2	146,741	116.8
01	970,331	770.7	300,658	238.8	148,292	117.8
02	982,379	779.6	304,568	241.7	152,518	121.0
03	1,014,951	804.6	309,543	245.4	159,545	126.5
04	1,028,602	815.2	320,358	253.9	159,625	126.5
05	1,083,796	858.8	325,941	258.3	173,125	137.2
06	1,084,450	859.6	329,314	261.0	173,024	137.2
07	1,108,334	879.0	336,468	266.9	175,539	139.2
08	1,142,407	907.1	342,963	272.3	181,928	144.4
09	1,141,865	907.5	344,105	273.5	180,745	143.7
10	1,197,012	947.1	353,499	279.7	189,360	149.8
11	1,253,066	993.1	357,305	283.2	194,926	154.5
12	1,256,359	997.5	360,963	286.6	198,836	157.9
13	1,268,436	1,009.1	364,872	290.3	196,723	156.5
14	1,273,004	1,014.9	368,103	293.5	196,925	157.0

率は人口10万対

N: Number of deaths. Rate: Crude death rate per 100,000 population.

資料: 厚生労働省大臣官房統計情報部「人口動態統計」

Source: Vital Statistics of Japan, Statistics and Information Dept., Minister's Secretariat, Ministry of Health, Labour and Welfare

脳血管疾患 Cerebrovascular diseases		肺炎 Pneumonia		結核 Tuberculosis	
死亡数 N	死亡率 Rate	死亡数 N	死亡率 Rate	死亡数 N	死亡率 Rate
64,888	131.9	128,877	262.0	113,203	230.2
67,921	128.8	137,730	261.1	115,913	219.7
88,186	157.6	228,330	408.0	125,165	223.7
96,293	161.2	164,649	275.6	115,956	194.1
104,942	162.8	128,976	200.1	119,635	185.6
114,554	165.4	129,318	186.7	132,151	190.8
127,847	177.7	133,649	185.8	153,154	212.9
.....
105,728	127.1	54,169	65.1	121,769	146.4
121,504	136.1	34,309	38.4	46,735	52.3
150,109	160.7	37,534	49.3	31,959	34.2
155,966	165.4	31,839	41.6	27,916	29.6
161,228	169.4	34,839	45.0	27,852	29.3
164,818	171.4	26,109	33.2	23,302	24.2
166,901	171.7	25,547	32.1	22,929	23.6
172,773	175.8	29,868	37.3	22,366	22.8
172,186	173.8	27,942	28.2	20,064	20.3
172,464	173.1	28,640	28.7	17,708	17.8
174,905	173.5	32,049	31.8	16,922	16.8
177,894	174.4	32,283	31.6	16,392	16.1
181,315	175.8	35,142	34.1	15,899	15.4
176,952	169.6	29,649	28.4	13,608	13.0
176,228	166.7	29,670	28.1	12,565	11.9
180,332	166.9	33,779	31.3	11,965	11.1
178,365	163.0	35,692	32.6	11,418	10.4
174,367	156.7	37,462	33.7	10,567	9.5
173,745	154.5	36,616	32.6	9,578	8.5
170,029	149.8	32,430	28.6	8,803	7.8
167,452	146.2	34,682	30.3	8,261	7.2
158,974	137.7	32,859	28.5	6,738	5.8
162,317	139.5	39,241	33.7	6,439	5.5
157,351	134.3	39,448	33.7	5,698	4.9
147,537	125.0	41,335	35.0	5,343	4.5
145,880	122.8	46,687	39.3	5,329	4.5
140,093	117.2	44,982	37.6	4,950	4.1
134,994	112.2	51,366	42.7	4,692	3.9
129,289	106.9	53,065	43.9	4,170	3.4
123,626	101.7	54,523	44.9	4,022	3.3
128,695	105.5	62,914	51.6	3,872	3.2
120,652	98.5	64,534	52.7	3,527	2.9
121,944	99.4	74,535	60.7	3,664	3.0
118,448	96.2	76,351	62.0	3,325	2.7
118,058	95.6	80,306	65.0	3,347	2.7
118,794	96.0	87,409	70.6	3,249	2.6
120,239	96.9	89,834	72.4	3,094	2.5
146,552	117.9	79,629	64.1	3,178	2.6
140,366	112.6	70,971	56.9	2,858	2.3
138,697	111.0	78,904	63.1	2,742	2.2
137,819	110.0	79,952	63.8	2,795	2.2
138,989	110.8	93,994	74.9	2,935	2.3
132,529	105.5	86,938	69.2	2,656	2.1
131,856	104.7	85,305	67.8	2,491	2.0
130,257	103.4	87,421	69.4	2,317	1.8
132,067	104.7	94,942	75.3	2,337	1.9
129,055	102.3	95,534	75.7	2,330	1.8
132,847	105.3	107,241	85.0	2,296	1.8
128,268	101.7	107,242	85.0	2,269	1.8
127,041	100.8	110,159	87.4	2,194	1.7
127,023	100.9	115,317	91.6	2,220	1.8
122,350	97.2	112,004	89.0	2,159	1.7
123,461	97.7	118,888	94.1	2,129	1.7
123,867	98.2	124,749	98.9	2,166	1.7
121,602	96.5	123,925	98.4	2,110	1.7
118,347	94.1	122,969	97.8	2,087	1.7
114,207	91.1	119,650	95.4	2,100	1.7

(注) 1) 表頭の死因名はICD-10による。 2) 平成6年までの数値は旧分類によるものである。「肺炎」←「肺炎及び気管支炎」(分類変更) 3) 心疾患は高血圧性を除く。

Note: 1) The names of the causes of death in the table headings are according to ICD-10.

2) The numerical data before 1995 are according to the old classification: "pneumonia & bronchitis" → "pneumonia" (change in classification).

3) Hypertensive heart disease is excluded from the classification of heart disease.

年 Year	全死亡 All causes		悪性新生物 Malignant neoplasms		心疾患 Heart diseases	
	男 M	女 F	男 M	女 F	男 M	女 F
1947	2,363.3	1,826.3	127.4	110.3	113.3	97.8
50	1,858.6	1,457.8	148.2	121.4	126.2	105.4
55	1,482.0	1,099.3	167.9	125.4	125.4	96.8
60	1,476.1	1,042.3	188.2	132.0	153.3	111.9
61	1,432.5	1,000.5	188.8	132.3	149.6	109.2
62	1,464.6	1,004.2	188.4	130.6	160.7	112.4
63	1,344.6	927.5	192.6	131.2	145.0	104.0
64	1,324.6	906.9	195.9	130.0	142.9	101.9
65	1,369.9	931.5	195.6	130.3	156.0	111.1
66	1,273.2	867.3	197.2	130.5	142.3	101.8
67	1,256.2	849.3	197.9	130.8	148.0	104.6
68	1,254.8	839.6	200.0	129.7	155.6	109.0
69	1,237.2	815.3	202.1	129.1	156.4	108.4
70	1,234.6	823.3	199.2	126.9	161.7	114.5
71	1,146.0	758.3	198.2	126.5	149.9	104.3
72	1,120.9	735.4	202.3	126.4	146.6	102.8
73	1,118.5	740.0	201.9	125.2	154.6	108.4
74	1,087.7	724.3	202.8	123.4	154.5	110.9
75	1,036.5	685.1	198.9	121.1	150.0	106.3
76	1,012.5	664.0	202.0	120.6	152.0	106.9
77	959.9	624.2	203.4	120.0	147.1	101.2
78	939.9	604.8	203.8	120.0	146.0	100.0
79	902.5	574.4	208.6	119.6	147.2	98.5
80	923.5	579.8	210.9	118.8	158.0	103.9
81	889.2	556.3	211.6	117.8	153.1	103.3
82	849.6	523.4	210.7	115.7	147.5	97.5
83	855.3	520.1	213.3	114.8	148.5	98.1
84	831.1	498.4	215.0	114.6	148.3	96.2
85	812.9	482.9	214.8	113.1	146.9	94.6
86	785.0	461.7	213.8	110.9	142.4	91.6
87	758.2	439.1	216.9	110.1	137.3	87.6
88	770.8	445.9	215.5	110.5	143.8	92.4
89	744.7	424.4	217.8	109.4	137.6	87.7
90	747.9	423.0	215.6	107.7	139.1	88.5
91	735.5	410.1	215.6	107.1	137.6	86.0
92	735.2	404.5	216.8	107.0	137.1	85.5
93	729.0	398.9	214.1	105.0	135.4	84.2
94	705.7	380.3	214.7	105.1	116.7	70.7
95	719.6	384.7	226.1	108.3	99.7	58.4
96	677.4	357.2	225.7	107.7	95.1	55.2
97	667.2	348.4	221.3	106.4	92.8	53.1
98	664.7	342.2	221.0	105.9	91.4	51.7
99	673.7	344.8	219.0	105.2	92.2	53.0
2000	634.2	323.9	214.0	103.5	85.8	48.5
01	615.9	313.9	209.4	102.5	83.6	46.9
02	602.5	304.9	205.1	99.7	83.2	45.9
03	601.6	302.5	201.7	98.1	83.7	45.8
04	588.3	297.1	202.0	99.2	80.6	44.2
05	593.2	298.6	197.7	97.3	83.7	45.3
06	571.3	289.8	193.6	95.8	79.7	43.6
07	561.9	284.7	191.5	94.5	77.0	42.3
08	557.4	283.0	188.9	94.2	77.1	41.7
09	541.0	272.5	183.3	92.2	74.2	39.6
10	544.3	274.9	182.4	92.2	74.2	39.7
11	547.6	286.4	179.4	91.8	73.9	39.5
12	524.1	270.6	175.7	90.3	72.4	38.7
13	510.3	265.4	172.5	89.7	69.1	37.0
14	496.6	259.7	168.9	89.4	67.7	35.5

率は人口10万対 Rate: Per 100,000 population.

(注) 1) 年齢調整死亡率の基準人口は、昭和60年のモデル人口である。 2) 表頭の死因名はICD-10による。

3) 平成6年までの死亡率は旧分類によるものである。「肺炎」←「肺炎及び気管支炎」(分類変更) 4) 心疾患は高血圧性を除く。

Note: 1) The standard population for age-adjusted death rate is the population in 1985.

2) The names of the causes of death in the table headings are according to ICD-10.

3) The numerical data before 1995 are according to the old classification: "pneumonia & bronchitis" → "pneumonia"(change in classification)

4) Hypertensive heart disease is excluded from the classification of heart disease.

腦血管疾患 Cerebrovascular diseases		肺炎 Pneumonia		結核 Tuberculosis	
男 M	女 F	男 M	女 F	男 M	女 F
318.7	235.3	238.0	162.0	236.5	167.2
297.9	236.3	73.7	56.0	192.5	141.6
302.1	224.8	54.2	39.5	84.3	52.9
341.1	242.7	92.0	62.2	64.5	32.2
349.0	242.2	76.5	52.4	56.5	27.2
355.0	244.1	87.9	58.2	57.3	26.4
356.1	244.4	62.2	41.5	48.1	21.6
353.6	241.4	61.6	40.9	47.5	20.7
361.0	243.8	57.0	36.3	46.9	19.3
349.1	237.7	57.1	36.3	41.1	17.1
342.1	232.1	56.7	36.6	37.0	14.8
340.6	227.5	63.1	41.1	35.4	13.6
338.7	223.3	61.8	38.7	33.5	12.7
333.8	222.6	50.5	32.2	32.3	11.7
314.5	209.1	54.8	33.6	27.7	9.5
304.7	203.9	54.1	32.8	25.0	8.6
297.7	202.4	58.5	36.5	23.6	7.6
283.9	194.9	61.0	36.8	21.8	7.3
265.0	183.0	49.3	30.0	19.6	6.5
254.4	176.8	60.2	34.8	17.6	5.5
237.9	166.2	51.4	29.5	15.7	4.8
226.1	156.8	53.9	29.6	14.5	4.3
204.3	143.9	49.7	26.5	11.5	3.3
202.0	140.9	48.5	25.2	10.8	3.0
187.7	131.8	56.2	28.8	9.5	2.5
168.1	118.2	56.5	28.4	8.4	2.3
158.6	112.4	61.3	30.4	8.1	2.3
146.1	103.9	57.7	27.3	7.5	1.9
134.0	95.3	54.4	26.2	6.8	1.8
122.4	88.0	61.9	29.2	5.9	1.5
111.6	80.1	61.1	27.9	5.4	1.4
111.4	79.5	67.5	30.5	5.3	1.2
100.5	71.2	66.6	29.8	4.6	1.1
97.9	68.6	67.1	30.1	4.6	1.1
91.5	64.0	72.8	31.9	4.0	1.0
87.7	60.9	73.7	31.6	3.9	0.9
84.6	59.1	76.3	33.2	3.7	0.9
82.0	57.1	69.9	29.7	3.4	0.8
99.3	64.0	60.6	28.5	3.2	0.9
91.3	58.5	52.6	23.5	2.8	0.7
87.1	54.8	55.4	24.9	2.6	0.7
83.7	51.9	53.6	23.9	2.5	0.7
82.2	49.9	60.4	27.0	2.6	0.6
74.2	45.7	53.1	23.3	2.2	0.5
71.4	42.8	49.6	21.4	2.0	0.5
67.7	40.6	48.7	20.7	1.7	0.5
66.5	39.2	50.2	21.6	1.7	0.4
62.5	37.0	48.8	20.4	1.6	0.4
61.9	36.1	51.8	21.6	1.5	0.4
57.8	33.4	48.8	20.9	1.4	0.4
55.4	31.6	48.2	20.2	1.3	0.4
53.6	30.3	48.2	20.3	1.3	0.4
50.4	28.1	44.8	18.6	1.1	0.4
49.5	26.9	46.0	18.9	1.0	0.3
47.3	26.3	46.1	19.2	1.0	0.3
44.8	24.6	43.7	18.1	0.9	0.3
42.0	23.3	41.8	17.3	0.8	0.3
39.8	21.9	39.3	16.3	0.8	0.3

資料：厚生労働省大臣官房統計情報部「人口動態統計」

Source: Vital Statistics of Japan, Statistics and Information Dept., Minister's Secretariat, Ministry of Health, Labour and Welfare

(1) ①男女別、年齢階級別、年次別喫煙率の推移 (20歳以上) (1989年～2013年)

Trends in Sex and Age-specific Adult Smoking Prevalence (1989-2013)

(%)

		20～29歳	30～39歳	40～49歳	50～59歳	60～69歳	70歳以上	総数
男 Males	1989	62.3	65.4	59.5	53.3	50.4	34.5	55.3
	1990	52.9	63.3	56.6	50.1	51.8	38.8	53.1
	1991	48.3	57.2	55.6	47.0	52.4	36.6	50.6
	1992	47.8	56.9	55.6	47.2	48.1	38.4	50.1
	1993	44.4	48.7	47.3	47.4	41.8	34.4	44.8
	1994	45.1	51.2	46.4	41.9	40.8	34.3	43.8
	1995	60.9	60.8	58.4	54.2	47.0	31.1	52.7
	1996	53.6	61.6	56.9	53.1	43.8	38.4	51.2
	1997	62.5	62.3	60.5	56.6	42.2	35.3	52.7
	1998	60.3	61.9	60.5	52.5	41.8	32.4	50.8
	1999	56.3	58.1	57.7	52.9	42.1	33.8	49.2
	2000	60.8	56.6	55.1	54.1	37.0	29.4	47.4
	2001	58.9	58.1	58.4	49.6	35.9	29.0	45.9
	2002	53.3	57.1	54.3	48.1	34.7	28.3	43.3
	2003	55.8	56.8	55.4	54.4	35.7	26.6	46.8
	2004	51.3	57.3	51.4	47.7	33.3	24.0	43.3
	2005	48.9	54.4	44.1	42.5	34.0	20.0	39.3
	2006	45.1	53.3	46.5	46.2	34.8	19.9	39.9
	2007	47.5	55.6	49.1	42.3	32.8	18.6	39.4
	2008	41.2	48.6	51.9	41.2	32.6	19.1	36.8
2009	40.1	51.2	49.1	44.0	33.7	19.3	38.2	
2010	34.2	42.1	42.4	40.3	27.4	15.6	32.2	
2011	39.2	43.9	40.2	37.3	29.3	16.6	32.4	
2012	37.6	43.2	43.2	41.0	31.9	16.9	34.1	
2013	36.3	44.0	39.5	41.5	33.2	14.5	32.2	
女 Females	1989	8.9	11.7	10.6	9.1	6.8	8.2	9.4
	1990	11.9	11.0	11.3	8.0	8.5	7.2	9.7
	1991	11.2	13.5	11.8	8.0	7.0	5.1	9.7
	1992	9.7	11.8	11.1	6.6	6.9	7.0	9.0
	1993	10.7	10.2	11.7	7.9	6.1	5.6	8.9
	1994	12.7	11.0	9.9	8.6	5.6	6.3	9.1
	1995	16.9	13.2	11.1	9.1	7.6	6.3	10.6
	1996	12.8	15.3	9.9	8.9	7.2	6.0	9.8
	1997	21.3	15.6	13.7	10.0	5.8	5.7	11.6
	1998	19.1	13.8	12.7	9.6	7.9	5.4	10.9
	1999	16.0	14.9	14.2	8.3	7.9	3.5	10.3
	2000	20.9	18.8	13.6	10.4	6.6	4.0	11.5
	2001	16.1	16.0	11.7	9.7	6.5	3.4	9.9
	2002	17.4	17.2	14.4	9.4	7.5	2.9	10.2
	2003	19.2	18.1	15.5	10.7	6.4	4.2	11.3
	2004	18.0	18.0	13.7	13.7	7.6	4.5	12.0
	2005	18.9	19.4	15.1	12.4	7.3	2.6	11.3
	2006	17.9	16.4	13.8	9.2	6.4	2.8	10.0
	2007	16.7	17.2	17.9	9.3	7.3	3.7	11.0
	2008	14.3	18.0	13.4	9.5	4.9	3.2	9.1
2009	16.2	17.5	15.2	11.7	7.4	4.9	10.9	
2010	12.8	14.2	13.6	10.4	4.5	2.0	8.4	
2011	12.8	16.6	16.5	10.2	6.4	3.0	9.7	
2012	12.3	11.9	12.7	11.9	8.0	2.9	9.0	
2013	12.7	12.0	12.4	11.8	6.4	2.3	8.2	

2002年までは国民栄養調査。2003年からは国民健康・栄養調査。

※国民栄養調査と国民健康・栄養調査では喫煙の定義及び調査方法が異なるため、その単純比較は困難である。

②総数、年次別喫煙率の推移 (20歳以上) (2003～2013)

Trends in Adult Smoking Prevalence (2003-2013)

(%)

2003年	2004年	2005年	2006年	2007年	2008年	2009年	2010年	2011年	2012年	2013年
27.7	26.4	24.2	23.8	24.1	21.8	23.4	19.5	20.1	20.7	19.3

(2) 成人1日喫煙本数分布の推移 (2003年～2011年)

Trends in the Distribution of Number of Cigarettes Smoked per Day among Adults (2003-2011)

	男性 Males			女性 Females		
	1-10本 (%)	11-20本 (%)	21本以上 (%)	1-10本 (%)	11-20本 (%)	21本以上 (%)
2003年	15.5	51.8	32.7	43.4	47.0	9.5
2004年	14.7	55.4	29.9	43.3	48.7	8.0
2005年	16.9	55.1	27.9	36.2	53.6	10.2
2006年	19.4	52.8	27.8	41.1	49.4	9.6
2007年	18.4	53.5	28.1	37.7	51.8	10.6
2008年	22.7	52.0	25.3	46.0	44.8	9.1
2009年	22.3	53.5	24.2	41.0	50.6	8.4
2010年	26.3	56.6	17.1	47.6	45.6	6.9
2011年	30.3	55.0	14.7	51.2	43.3	5.4

(3) 都道府県別喫煙率

Adult Smoking Prevalence by Prefecture

都道府県 番号	都道府県	性別	2001年 (20歳以上)			2004年 (20歳以上)			2007年 (20歳以上)			2010年 (20歳以上)			2013年 (20歳以上)		
			総数	「毎日吸っている」 または 「時々吸う日がある」		総数	「毎日吸っている」 または 「時々吸う日がある」		総数	「毎日吸っている」 または 「時々吸う日がある」		総数	「毎日吸っている」 または 「時々吸う日がある」		総数	「毎日吸っている」 または 「時々吸う日がある」	
				人数	%		人数	%		人数	%		人数	%		人数	%
00	全国	男女計	97,308	29,638	30.5	96,896	27,581	28.5	97,847	25,061	25.6	97,760	20,761	21.2	99,563	21,502	21.6
01	北海道	男女計	4,441	1,688	38.0	4,391	1,542	35.1	4,354	1,370	31.5	4,319	1,073	24.8	4,383	1,211	27.6
02	青森	男女計	1,140	354	31.1	1,098	351	32.0	1,107	320	28.9	1,072	265	24.7	1,058	274	25.9
03	岩手	男女計	1,064	313	29.4	1,081	292	27.0	1,047	269	25.7	1,027	230	22.4	1,047	245	23.4
04	宮城	男女計	1,811	578	31.9	1,807	539	29.8	1,784	493	27.6	1,788	410	22.9	1,818	439	24.1
05	秋田	男女計	929	265	28.5	888	250	28.2	900	226	25.1	865	195	22.5	854	201	23.5
06	山形	男女計	954	273	28.6	934	261	27.9	929	227	24.4	906	187	20.6	905	189	20.9
07	福島	男女計	1,615	485	30.0	1,595	471	29.5	1,596	429	26.9	1,579	363	23.0	1,537	386	25.1
08	茨城	男女計	2,235	711	31.8	2,247	669	29.8	2,276	592	26.0	2,266	486	21.4	2,276	531	23.3
09	栃木	男女計	1,523	502	33.0	1,508	447	29.6	1,535	416	27.1	1,537	350	22.8	1,561	355	22.7
10	群馬	男女計	1,542	484	31.4	1,513	445	29.4	1,533	413	26.9	1,529	348	22.8	1,554	362	23.3
11	埼玉	男女計	5,305	1,807	34.1	5,387	1,639	30.4	5,458	1,469	26.9	5,482	1,246	22.7	5,628	1,302	23.1
12	千葉	男女計	4,528	1,422	31.4	4,583	1,338	29.2	4,699	1,260	26.8	4,725	1,078	22.8	4,800	1,044	21.8
13	東京	男女計	9,518	3,049	32.0	9,510	2,728	28.7	9,835	2,507	25.5	9,975	2,024	20.3	10,444	2,186	20.9
14	神奈川	男女計	6,537	2,059	31.5	6,560	1,937	29.5	6,819	1,804	26.5	6,864	1,519	22.1	7,077	1,398	19.8
15	新潟	男女計	1,923	576	30.0	1,897	516	27.2	1,893	493	26.0	1,876	394	21.0	1,847	400	21.7
16	富山	男女計	878	246	28.0	875	229	26.2	865	207	23.9	862	176	20.4	858	169	19.7
17	石川	男女計	913	247	27.1	895	250	27.9	885	232	26.2	883	175	19.8	905	193	21.3
18	福井	男女計	621	176	28.3	622	165	26.5	617	150	24.3	615	115	18.7	611	125	20.5
19	山梨	男女計	661	197	29.8	660	184	27.9	658	175	26.6	663	144	21.7	661	154	23.3
20	長野	男女計	1,720	468	27.2	1,654	438	26.5	1,670	395	23.7	1,643	323	19.7	1,678	336	20.0
21	岐阜	男女計	1,607	459	28.6	1,595	442	27.7	1,623	384	23.7	1,587	310	19.5	1,584	325	20.5
22	静岡	男女計	2,900	925	31.9	2,874	831	28.9	2,908	698	24.0	2,903	607	20.9	2,903	629	21.7
23	愛知	男女計	5,397	1,675	31.0	5,354	1,568	29.3	5,452	1,493	27.4	5,552	1,206	21.7	5,775	1,224	21.2
24	三重	男女計	1,399	394	28.2	1,406	353	25.1	1,409	349	24.8	1,426	289	20.3	1,405	272	19.4
25	滋賀	男女計	991	299	30.2	1,011	278	27.5	1,028	254	24.7	1,077	206	19.1	1,060	210	19.8
26	京都	男女計	2,038	537	26.3	2,023	540	26.7	1,973	473	24.0	2,031	388	19.1	2,044	378	18.5
27	大阪	男女計	6,692	2,071	30.9	6,725	1,985	29.5	6,741	1,756	26.0	6,650	1,480	22.3	6,882	1,537	22.3
28	兵庫	男女計	4,316	1,230	28.5	4,208	1,116	26.5	4,244	987	23.3	4,234	803	19.0	4,295	825	19.2
29	奈良	男女計	1,107	321	29.0	1,069	259	24.2	1,105	242	21.9	1,070	195	18.2	1,097	186	17.0
30	和歌山	男女計	830	235	28.3	812	218	26.8	792	189	23.9	778	150	19.3	793	157	19.8
31	鳥取	男女計	473	124	26.2	472	113	23.9	459	108	23.5	456	87	19.1	462	91	19.7
32	島根	男女計	604	151	25.0	581	141	24.3	563	118	21.0	556	96	17.3	539	106	19.7
33	岡山	男女計	1,502	419	27.9	1,507	396	26.3	1,469	357	24.3	1,477	289	19.6	1,496	294	19.7
34	広島	男女計	2,198	612	27.8	2,199	555	25.2	2,190	547	25.0	2,213	432	19.5	2,209	453	20.5
35	山口	男女計	1,199	330	27.5	1,171	291	24.9	1,166	270	23.2	1,126	208	18.5	1,122	222	19.8
36	徳島	男女計	635	172	27.1	629	156	24.8	631	153	24.2	624	115	18.4	610	110	18.0
37	香川	男女計	799	226	28.3	784	211	26.9	778	185	23.8	783	158	20.2	784	152	19.4
38	愛媛	男女計	1,140	299	26.2	1,127	279	24.8	1,136	254	22.4	1,087	205	18.9	1,130	206	18.2
39	高知	男女計	633	180	28.4	622	166	26.7	608	147	24.2	603	120	19.9	588	129	21.9
40	福岡	男女計	3,765	1,130	30.0	3,806	1,125	29.6	3,823	969	25.3	3,859	876	22.7	3,975	938	23.6
41	佐賀	男女計	636	181	28.5	635	177	27.9	660	167	25.3	648	138	21.3	654	151	23.1
42	長崎	男女計	1,143	320	28.0	1,119	298	26.6	1,117	251	22.5	1,077	222	20.6	1,081	241	22.3
43	熊本	男女計	1,395	380	27.2	1,385	370	26.7	1,407	332	23.6	1,399	275	19.7	1,437	300	20.9
44	大分	男女計	938	248	26.4	921	247	26.8	932	217	23.3	918	181	19.7	912	198	21.7
45	宮崎	男女計	875	241	27.5	873	231	26.5	891	203	22.8	859	181	21.1	879	187	21.3
46	鹿児島	男女計	1,312	322	24.5	1,343	321	23.9	1,318	284	21.5	1,295	238	18.4	1,312	259	19.7
47	沖縄	男女計	914	251	27.5	936	239	25.5	964	224	23.2	995	203	20.4	1,034	213	20.6

資料：国立がん研究センターがん対策情報センター (http://ganjoho.jp/reg_stat/statistics/dl/index.html)Source: Center for Cancer Control and Information Services, National Cancer Center, Japan (http://ganjoho.jp/reg_stat/statistics/dl/index.html)

都道府県 番号	都道府県	性別	2001年 (20歳以上)			2004年 (20歳以上)			2007年 (20歳以上)			2010年 (20歳以上)			2013年 (20歳以上)		
			総数	「毎日吸っている」 または 「時々吸う日がある」		総数	「毎日吸っている」 または 「時々吸う日がある」		総数	「毎日吸っている」 または 「時々吸う日がある」		総数	「毎日吸っている」 または 「時々吸う日がある」		総数	「毎日吸っている」 または 「時々吸う日がある」	
				人数	%		人数	%		人数	%		人数	%		人数	%
00	全国	男	46,525	22,541	48.4	46,218	20,730	44.9	46,839	18,593	39.7	46,564	15,423	33.1	47,255	15,912	33.7
01	北海道	男	2,084	1,115	53.5	2,039	1,018	49.9	2,034	892	43.9	2,011	704	35.0	2,018	792	39.2
02	青森	男	524	266	50.8	511	260	50.9	508	230	45.3	497	192	38.6	477	192	40.3
03	岩手	男	502	250	49.8	507	231	45.6	497	205	41.2	486	172	35.4	497	189	38.0
04	宮城	男	864	441	51.0	864	405	46.9	842	356	42.3	851	301	35.4	860	321	37.3
05	秋田	男	433	216	49.9	412	196	47.6	420	173	41.2	404	151	37.4	393	150	38.2
06	山形	男	457	224	49.0	443	208	47.0	443	178	40.2	431	143	33.2	424	146	34.4
07	福島	男	771	381	49.4	772	367	47.5	766	328	42.8	763	276	36.2	751	292	38.9
08	茨城	男	1,088	565	51.9	1,106	509	46.0	1,124	458	40.7	1,113	379	34.1	1,111	396	35.6
09	栃木	男	732	384	52.5	738	342	46.3	747	317	42.4	745	266	35.7	757	269	35.5
10	群馬	男	733	364	49.7	733	339	46.2	749	316	42.2	743	253	34.1	773	277	35.8
11	埼玉	男	2,624	1,350	51.4	2,663	1,213	45.6	2,691	1,075	39.9	2,695	915	34.0	2,724	921	33.8
12	千葉	男	2,238	1,100	49.2	2,238	984	44.0	2,347	932	39.7	2,317	798	34.4	2,336	784	33.6
13	東京	男	4,662	2,201	47.2	4,623	1,943	42.0	4,796	1,760	36.7	4,697	1,425	30.3	4,971	1,554	31.3
14	神奈川	男	3,211	1,515	47.2	3,253	1,415	43.5	3,366	1,295	38.5	3,399	1,111	32.7	3,476	1,048	30.1
15	新潟	男	925	469	50.7	900	402	44.7	895	375	41.9	900	297	33.0	884	309	35.0
16	富山	男	417	196	47.0	412	183	44.4	408	162	39.7	404	144	35.6	406	135	33.3
17	石川	男	443	158	35.7	424	193	45.5	420	178	42.4	421	131	31.1	427	147	34.4
18	福井	男	295	144	48.8	303	131	43.2	296	116	39.2	291	87	29.9	291	97	33.3
19	山梨	男	312	152	48.7	321	142	44.2	317	132	41.6	316	108	34.2	326	120	36.8
20	長野	男	826	380	46.0	793	350	44.1	808	315	39.0	788	258	32.7	816	260	31.9
21	岐阜	男	767	368	48.0	765	350	45.8	778	304	39.1	754	246	32.6	756	245	32.4
22	静岡	男	1,407	712	50.6	1,379	628	45.5	1,421	539	37.9	1,407	463	32.9	1,395	469	33.6
23	愛知	男	2,709	1,323	48.8	2,604	1,208	46.4	2,700	1,143	42.3	2,703	926	34.3	2,812	949	33.7
24	三重	男	658	316	48.0	665	288	43.3	675	269	39.9	674	222	32.9	671	212	31.6
25	滋賀	男	479	241	50.3	489	220	45.0	502	199	39.6	517	159	30.8	517	169	32.7
26	京都	男	959	360	37.5	945	396	41.9	934	342	36.6	949	284	29.9	968	286	29.5
27	大阪	男	3,148	1,513	48.1	3,158	1,443	45.7	3,186	1,267	39.8	3,147	1,056	33.6	3,219	1,064	33.1
28	兵庫	男	2,014	961	47.7	1,958	857	43.8	1,977	751	38.0	1,968	615	31.3	2,000	624	31.2
29	奈良	男	530	255	48.1	502	204	40.6	527	184	34.9	508	151	29.7	507	143	28.2
30	和歌山	男	390	187	47.9	373	171	45.8	362	142	39.2	358	112	31.3	368	118	32.1
31	鳥取	男	221	104	47.1	217	95	43.8	216	81	37.5	212	64	30.2	211	70	33.2
32	島根	男	278	130	46.8	268	115	42.9	260	93	35.8	259	76	29.3	258	84	32.6
33	岡山	男	711	346	48.7	712	319	44.8	687	276	40.2	708	232	32.8	698	233	33.4
34	広島	男	1,027	482	46.9	1,036	442	42.7	1,040	416	40.0	1,051	344	32.7	1,028	345	33.6
35	山口	男	550	260	47.3	547	232	42.4	529	206	38.9	514	157	30.5	519	165	31.8
36	徳島	男	299	142	47.5	293	122	41.6	294	118	40.1	291	91	31.3	284	85	29.9
37	香川	男	378	185	48.9	365	167	45.8	368	145	39.4	368	126	34.2	364	115	31.6
38	愛媛	男	521	240	46.1	517	221	42.7	516	199	38.6	505	157	31.1	530	163	30.8
39	高知	男	296	141	47.6	288	121	42.0	280	110	39.3	278	89	32.0	271	96	35.4
40	福岡	男	1,723	861	50.0	1,753	845	48.2	1,748	704	40.3	1,804	633	35.1	1,798	678	37.7
41	佐賀	男	291	145	49.8	294	141	48.0	301	126	41.9	297	103	34.7	298	118	39.6
42	長崎	男	520	252	48.5	517	235	45.5	509	195	38.3	490	171	34.9	496	183	36.9
43	熊本	男	647	301	46.5	639	283	44.3	646	260	40.2	641	210	32.8	662	235	35.5
44	大分	男	427	194	45.4	420	190	45.2	431	166	38.5	422	135	32.0	415	147	35.4
45	宮崎	男	404	193	47.8	404	181	44.8	406	160	39.4	396	139	35.1	402	143	35.6
46	鹿児島	男	594	260	43.8	613	261	42.6	608	228	37.5	589	190	32.3	609	204	33.5
47	沖縄	男	439	191	43.5	449	183	40.8	463	173	37.4	479	154	32.2	497	159	32.0

都道府県 番号			2001年 (20歳以上)			2004年 (20歳以上)			2007年 (20歳以上)			2010年 (20歳以上)			2013年 (20歳以上)		
			総数	「毎日吸っている」 または 「時々吸う日がある」		総数	「毎日吸っている」 または 「時々吸う日がある」		総数	「毎日吸っている」 または 「時々吸う日がある」		総数	「毎日吸っている」 または 「時々吸う日がある」		総数	「毎日吸っている」 または 「時々吸う日がある」	
				人数	%		人数	%		人数	%		人数	%		人数	%
00	全国	女	50,781	7,095	14.0	50,676	6,852	13.5	51,006	6,467	12.7	51,195	5,340	10.4	52,310	5,589	10.7
01	北海道	女	2,358	574	24.3	2,353	523	22.2	2,320	479	20.6	2,309	373	16.2	2,365	422	17.8
02	青森	女	617	87	14.1	584	90	15.4	598	88	14.7	575	73	12.7	579	83	14.3
03	岩手	女	562	64	11.4	574	59	10.3	550	56	10.2	544	55	10.1	548	56	10.2
04	宮城	女	947	136	14.4	946	136	14.4	938	134	14.3	938	105	11.2	956	114	11.9
05	秋田	女	496	50	10.1	478	52	10.9	479	53	11.1	460	45	9.8	463	49	10.6
06	山形	女	495	53	10.7	491	53	10.8	487	48	9.9	474	42	8.9	483	44	9.1
07	福島	女	843	106	12.6	823	105	12.8	831	101	12.2	817	86	10.5	788	95	12.1
08	茨城	女	1,148	147	12.8	1,142	155	13.6	1,151	136	11.8	1,157	105	9.1	1,162	135	11.6
09	栃木	女	791	119	15.0	769	107	13.9	790	100	12.7	795	85	10.7	805	90	11.2
10	群馬	女	809	118	14.6	778	105	13.5	784	97	12.4	782	88	11.3	785	82	10.4
11	埼玉	女	2,680	455	17.0	2,727	424	15.5	2,763	397	14.4	2,788	330	11.8	2,905	381	13.1
12	千葉	女	2,292	322	14.0	2,343	354	15.1	2,353	329	14.0	2,407	278	11.5	2,464	263	10.7
13	東京	女	4,857	845	17.4	4,887	783	16.0	5,039	749	14.9	5,275	599	11.4	5,475	632	11.5
14	神奈川	女	3,327	543	16.3	3,308	520	15.7	3,457	509	14.7	3,464	411	11.9	3,601	351	9.7
15	新潟	女	999	105	10.5	996	115	11.5	994	113	11.4	978	95	9.7	963	88	9.1
16	富山	女	464	50	10.8	461	45	9.8	458	44	9.6	456	34	7.5	452	36	8.0
17	石川	女	468	88	18.8	471	57	12.1	463	58	12.5	463	43	9.3	479	43	9.0
18	福井	女	328	31	9.5	320	31	9.7	322	26	8.1	325	20	6.2	317	23	7.3
19	山梨	女	349	42	12.0	340	43	12.6	340	43	12.6	344	32	9.3	337	37	11.0
20	長野	女	892	87	9.8	857	88	10.3	862	75	8.7	852	70	8.2	862	75	8.7
21	岐阜	女	840	90	10.7	831	92	11.1	842	81	9.6	835	63	7.5	829	80	9.7
22	静岡	女	1,494	214	14.3	1,496	204	13.6	1,489	160	10.7	1,496	145	9.7	1,508	160	10.6
23	愛知	女	2,691	350	13.0	2,750	359	13.1	2,753	351	12.7	2,850	281	9.9	2,964	277	9.3
24	三重	女	740	80	10.8	744	69	9.3	735	75	10.2	755	69	9.1	735	58	7.9
25	滋賀	女	513	58	11.3	523	59	11.3	523	48	9.2	561	42	7.5	545	42	7.7
26	京都	女	1,079	177	16.4	1,079	146	13.5	1,040	132	12.7	1,079	105	9.7	1,075	91	8.5
27	大阪	女	3,544	556	15.7	3,567	542	15.2	3,556	490	13.8	3,502	430	12.3	3,663	472	12.9
28	兵庫	女	2,302	265	11.5	2,247	259	11.5	2,264	238	10.5	2,265	185	8.2	2,293	200	8.7
29	奈良	女	577	67	11.6	568	53	9.3	579	55	9.5	562	44	7.8	587	42	7.2
30	和歌山	女	444	48	10.8	436	48	11.0	434	49	11.3	420	36	8.6	430	32	7.4
31	鳥取	女	251	21	8.4	256	17	6.6	243	20	8.2	244	16	6.6	247	17	6.9
32	島根	女	325	22	6.8	313	24	7.7	300	21	7.0	297	16	5.4	286	18	6.3
33	岡山	女	793	75	9.5	793	76	9.6	783	79	10.1	769	59	7.7	798	62	7.8
34	広島	女	1,171	130	11.1	1,163	113	9.7	1,152	130	11.3	1,163	88	7.6	1,182	106	9.0
35	山口	女	649	73	11.2	624	61	9.8	639	63	9.9	608	49	8.1	602	49	8.1
36	徳島	女	338	33	9.8	337	31	9.2	335	33	9.9	329	25	7.6	326	20	6.1
37	香川	女	420	40	9.5	421	42	10.0	410	38	9.3	412	35	8.5	419	33	7.9
38	愛媛	女	617	58	9.4	608	58	9.5	620	61	9.8	585	45	7.7	600	46	7.7
39	高知	女	339	40	11.8	336	37	11.0	329	35	10.6	326	29	8.9	317	33	10.4
40	福岡	女	2,041	273	13.4	2,052	277	13.5	2,074	261	12.6	2,055	242	11.8	2,176	259	11.9
41	佐賀	女	345	35	10.1	343	36	10.5	357	38	10.6	350	27	7.7	356	37	10.4
42	長崎	女	625	66	10.6	603	62	10.3	607	58	9.6	587	52	8.9	583	55	9.4
43	熊本	女	748	80	10.7	749	88	11.7	766	73	9.5	757	65	8.6	772	63	8.2
44	大分	女	513	51	9.9	501	58	11.6	501	50	10.0	497	38	7.6	497	46	9.3
45	宮崎	女	470	49	10.4	470	52	11.1	483	44	9.1	464	39	8.4	476	43	9.0
46	鹿児島	女	719	61	8.5	731	57	7.8	710	56	7.9	704	48	6.8	702	56	8.0
47	沖縄	女	476	56	11.8	488	57	11.7	504	53	10.5	514	48	9.3	537	51	9.5

男女別がん検診受診率(%) (40~69歳)
National Cancer Screening Rate (%) (40-69 years old)

	胃がん検診 Stomach Cancer	大腸がん検診 Colorectal Cancer	肺がん検診 Lung Cancer	乳がん検診 Breast Cancer	子宮がん検診(20~69歳) Uterine Cancer (20-69 years old)
男性 2007年 Male	33.8	27.9	26.7	—	—
男性 2010年 Male	36.6	28.1	26.4	—	—
男性 2013年 Male	45.8	41.4	47.5	—	—
女性 2007年 Female	26.8	23.7	22.9	24.7	24.5
女性 2010年 Female	28.3	23.9	23.0	30.6	28.7
女性 2013年 Female	33.8	34.5	37.4	34.2	32.7

がん検診受診率(%) (40~69歳 男女計)
Cancer Screening Rate (%) (40-69 years old, males and females)

(1/2)

都道府県 番号	都道府県	胃がん検診 Stomach Cancer			大腸がん検診 Colorectal Cancer			肺がん検診 Lung Cancer			乳がん検診 Breast Cancer			子宮がん検診(20~69歳) Uterine Cancer (20-69 years old)		
		2007年	2010年	2013年	2007年	2010年	2013年	2007年	2010年	2013年	2007年	2010年	2013年	2007年	2010年	2013年
00	全 国	30.2	32.3	39.6	25.8	26.0	37.9	24.8	24.7	42.3	24.7	30.6	34.2	24.5	28.7	32.7
01	北海道	27.7	27.7	35.4	22.8	22.5	32.7	22.0	20.5	35.7	21.2	26.9	28.6	24.3	27.3	29.5
02	青 森	31.7	35.4	40.0	27.2	30.1	38.8	29.5	30.1	44.7	25.3	29.0	31.7	25.7	29.1	33.2
03	岩 手	35.1	39.0	42.8	30.8	33.7	43.9	33.0	32.5	52.3	29.3	33.7	38.2	26.2	31.0	36.1
04	宮 城	42.0	44.8	51.5	33.8	35.3	47.6	35.9	34.9	55.1	37.6	40.4	44.8	34.0	37.1	42.6
05	秋 田	38.7	37.3	47.1	34.9	31.2	45.5	32.8	28.8	50.9	33.5	32.1	38.0	32.7	32.5	37.0
06	山 形	48.9	51.6	60.2	38.4	40.5	54.9	37.6	39.2	60.0	38.8	44.1	48.1	36.2	42.1	45.8
07	福 島	41.1	41.8	50.4	30.8	30.9	43.9	31.3	30.3	50.8	29.7	32.8	36.7	29.4	31.9	36.3
08	茨 城	30.4	32.6	39.5	25.8	25.6	36.8	26.7	26.6	44.2	24.0	32.3	37.4	24.1	29.4	33.8
09	栃 木	33.9	35.4	42.5	29.4	28.4	41.6	33.3	31.2	47.7	31.4	33.0	37.6	26.5	29.8	35.2
10	群 馬	34.3	35.8	41.8	27.9	27.8	38.5	28.3	28.5	48.8	29.7	32.0	34.1	28.2	31.7	34.1
11	埼 玉	28.7	31.2	37.7	27.6	27.4	37.9	23.1	24.9	40.2	22.6	27.8	32.8	21.7	25.5	29.4
12	千 葉	31.1	33.3	40.9	28.6	27.8	40.0	27.8	26.3	45.2	31.0	35.6	39.6	27.3	31.2	34.4
13	東 京	27.9	30.7	38.9	25.1	26.4	39.9	21.7	21.9	40.7	23.4	32.6	37.1	23.9	29.8	34.3
14	神奈川	28.9	31.7	39.5	24.3	24.1	38.5	23.2	23.3	41.8	22.9	31.1	33.7	23.9	29.9	33.8
15	新 潟	43.2	46.4	51.9	33.4	34.2	45.0	33.2	33.4	54.5	29.7	33.9	39.5	27.4	31.4	35.9
16	富 山	39.5	42.4	49.9	29.9	29.6	43.3	31.7	32.0	51.2	31.2	36.9	39.5	27.7	32.2	36.7
17	石 川	34.0	36.4	43.7	27.7	27.4	39.0	28.5	29.4	47.5	25.4	30.3	31.7	22.8	27.4	31.2
18	福 井	30.7	36.0	45.1	24.5	27.8	43.2	25.8	28.7	47.9	23.9	32.3	35.8	23.6	29.6	36.6

資料：国立がん研究センターがん情報サービス「がん登録・統計」(http://ganjoho.jp/reg_stat/statistics/dl/index.html)

都道府県 番号	都道府県	胃がん検診 Stomach Cancer			大腸がん検診 Colorectal Cancer			肺がん検診 Lung Cancer			乳がん検診 Breast Cancer			子宮がん検診(20~69歳) Uterine Cancer(20-69 years old)		
		2007年	2010年	2013年	2007年	2010年	2013年	2007年	2010年	2013年	2007年	2010年	2013年	2007年	2010年	2013年
19	山梨	37.3	37.4	49.0	30.1	29.0	45.8	32.8	31.9	54.5	36.7	40.9	48.6	30.2	31.3	40.2
20	長野	36.9	39.4	46.7	31.0	30.9	44.3	30.4	30.2	50.2	31.3	34.3	39.2	28.3	33.1	38.2
21	岐阜	31.2	31.6	37.2	26.8	26.1	37.2	22.9	24.3	40.9	25.5	32.0	34.2	23.1	29.0	32.3
22	静岡	32.8	34.7	41.5	27.5	28.0	40.2	29.0	29.6	48.1	25.4	31.2	33.6	25.0	28.7	33.8
23	愛知	26.6	30.7	39.0	24.6	25.6	37.8	22.7	23.2	40.9	22.6	29.3	32.3	21.9	26.9	29.6
24	三重	29.7	32.9	40.0	24.4	25.5	39.3	24.6	24.6	40.4	25.8	34.3	37.4	26.4	31.3	36.4
25	滋賀	29.3	31.2	39.8	27.8	26.0	39.4	19.7	17.8	39.6	22.8	28.7	33.5	22.3	25.6	29.6
26	京都	27.1	30.6	36.8	24.2	25.1	35.0	21.6	21.6	37.8	23.5	28.5	31.6	22.3	25.5	29.5
27	大阪	23.5	23.0	30.2	21.3	19.5	29.8	18.6	16.4	32.3	18.3	24.7	26.6	21.1	23.7	27.3
28	兵庫	26.5	28.6	34.9	22.4	23.4	34.8	21.0	20.4	37.0	17.8	24.3	28.8	19.7	24.2	29.2
29	奈良	28.4	29.3	37.2	26.3	24.7	35.8	20.5	20.2	35.5	21.2	26.9	31.2	21.0	26.3	29.7
30	和歌山	25.4	28.5	37.1	18.6	20.5	33.7	20.1	21.3	40.0	21.4	28.0	30.5	21.3	23.7	28.6
31	鳥取	35.7	34.6	43.5	29.1	28.2	40.5	30.4	29.1	48.7	26.9	28.9	32.2	25.5	27.5	32.6
32	島根	32.5	34.1	41.8	31.4	29.7	43.3	30.3	27.8	47.8	21.3	26.6	30.7	25.7	26.2	28.1
33	岡山	38.0	38.6	45.3	30.9	31.3	41.0	36.3	35.6	52.1	32.5	35.3	38.9	29.3	34.8	38.1
34	広島	31.1	32.6	40.5	23.9	23.3	37.2	23.5	23.3	41.3	23.9	28.0	33.5	27.2	30.2	33.4
35	山口	27.4	29.5	36.4	22.0	21.3	32.8	23.5	23.0	40.9	17.2	24.8	26.4	20.2	25.2	28.6
36	徳島	24.8	27.5	35.1	19.7	20.7	33.5	22.1	22.2	39.5	21.1	27.3	33.1	22.0	26.9	31.9
37	香川	33.5	33.5	40.4	27.5	28.3	39.6	31.4	28.5	46.3	30.2	30.0	37.1	27.0	29.9	36.9
38	愛媛	28.8	33.1	36.3	24.0	26.9	35.8	27.0	29.5	43.4	23.2	31.9	30.8	23.0	31.0	30.5
39	高知	30.9	33.3	41.5	23.1	23.7	35.5	27.7	29.8	46.5	27.2	32.9	35.7	26.7	29.5	35.9
40	福岡	27.1	28.5	36.4	20.9	21.1	32.1	17.9	19.1	36.2	21.7	26.1	30.9	22.8	25.8	30.7
41	佐賀	31.2	33.6	43.2	23.5	25.8	37.8	26.5	27.3	45.3	21.5	29.9	34.1	23.8	30.2	33.2
42	長崎	23.8	26.1	35.5	20.7	20.4	32.3	19.4	21.1	37.3	20.2	26.2	27.6	23.0	25.9	29.7
43	熊本	33.5	38.2	45.5	29.0	29.3	40.7	30.5	29.9	47.1	32.6	38.8	40.2	27.4	33.9	35.7
44	大分	32.6	33.7	40.0	26.1	27.5	35.9	24.2	25.2	41.8	29.6	36.1	36.9	28.7	34.3	36.7
45	宮崎	29.4	30.8	39.1	23.6	23.4	34.5	23.2	22.3	42.1	26.6	31.3	36.8	24.5	28.8	31.7
46	鹿児島	29.7	33.1	40.7	25.3	26.8	36.3	28.8	29.0	46.4	27.5	32.4	40.2	26.7	31.1	36.0
47	沖縄	27.6	30.9	40.4	20.6	23.1	33.1	22.1	24.3	40.8	30.1	34.4	41.1	27.3	31.7	37.0

Source : Cancer Registry and Statistics. Cancer Information Service, National Cancer Center, Japan. (http://ganjoho.jp/reg_stat/statistics/dl/index.html)

I 日本のモルヒネ・フェンタニル・オキシコドン消費量の推移について [厚生労働省調べ (2014年)]
Trends in usage of morphine, fentanyl, and oxycodone in Japan [Ministry of Health, Labour and Welfare (2014)]

	1990	1995	1999	2000	2001	2002	2003	2004	2005	2006	2007	2008	2009	2010	2011	2012	2013	2014
モルヒネ (kg) Morphine	175	528	733	775	841	775	699	562	511	436	382	341	341	331	283	262	238	218
フェンタニル (g) Fentanyl	156	1,069	1,021	694	1,468	3,926	11,822	12,132	14,677	18,607	18,155	19,758	29,758	29,011	25,877	25,794	25,469	25,147
オキシコドン (g) Oxycodone					157	251	15,959	84,114	185,490	234,831	284,669	344,648	397,346	427,641	437,596	454,457	495,219	493,229
モルヒネ換算 (kg)* Morphine equivalent	201	706	903	891	1,086	1,430	2,691	2,696	3,204	3,850	3,787	4,094	5,830	5,736	5,179	5,167	5,143	5,066

* 国際麻薬統制委員会 (INCB)・統計のために定義された1日投与量 (S-DDD: フェンタニル 0.6mg = オキシコドン 75mg = モルヒネ 100mg) で換算
Fentanyl 0.6mg = Oxycodone 75mg = morphine 100mg (INCB, defined daily doses for statistical purposes)

II 医療用麻薬消費量国際比較*

International Comparisons of Usage of Medical Narcotics

1 モルヒネ (100万人1日あたり消費量換算 (g))
Morphine (g/day/a million population)

	2000-02	2001-03	2002-04	2003-05	2004-06	2005-07	2006-08	2007-09	2008-10	2009-11	2010-12	2011-13
オーストリア Austria	161.2	204.0	256.3	303.6	362.2	397.8	439.8	459.3	430.3	482.4	503.1	576.8
カナダ Canada	167.3	180.7	186.9	186.6	186.9	192.9	193.0	208.0	191.8	206.1	228.6	269.5
オーストラリア Australia	147.9	149.0	152.3	153.3	152.5	148.0	143.3	138.1	135.5	133.9	128.8	118.6
アメリカ USA	105.7	121.0	132.8	140.0	150.3	175.9	188.8	206.0	204.5	209.2	209.8	214.7
フランス France	104.8	112.2	117.0	117.3	117.9	114.2	110.9	102.4	99.8	94.3	92.1	90.0
イギリス UK	51.8	51.8	52.1	61.3	69.9	71.9	75.2	111.4	144.9	151.1	134.2	112.0
ドイツ Germany	45.3	46.1	47.7	53.9	51.1	57.5	55.6	61.9	61.1	61.3	57.9	51.8
日本 Japan	18.4	17.8	15.6	13.1	11.1	9.5	8.3	7.6	7.2	7.0	7.5	6.8
イタリア Italy	8.9	8.4	8.8	10.1	10.4	7.3	7.6	7.8	9.8	10.0	22.5	23.7
韓国 Korea	6.7	7.7	7.7	4.9	4.4	3.6	5.6	5.0	5.1	3.8	3.9	3.8

2 フェンタニル (100万人1日あたりモルヒネ消費量換算 (g))
Fentanyl (morphine equivalent g/day/a million population)

	2000-02	2001-03	2002-04	2003-05	2004-06	2005-07	2006-08	2007-09	2008-10	2009-11	2010-12	2011-13
オーストリア Austria	308.0	338.8	367.7	421.9	507.3	689.4	857.2	1,025.2	1,091.4	1,148.7	1,186.6	1,213.4
カナダ Canada	203.9	281.1	393.7	442.8	541.4	678.0	748.2	943.2	971.8	1,128.8	1,140.1	1,100.7
オーストラリア Australia	72.2	86.9	98.2	105.1	129.3	193.5	290.7	405.8	427.7	534.7	711.0	819.2
アメリカ USA	352.3	453.2	567.7	699.6	829.5	927.2	1,021.0	990.4	926.2	838.0	767.0	770.1
フランス France	166.8	189.5	209.1	256.0	333.3	427.3	468.1	505.5	547.7	562.4	568.2	547.1
イギリス UK	95.8	91.2	118.9	170.4	202.3	177.6	184.5	128.1	219.8	1,087.0	1,233.4	314.4
ドイツ Germany	293.2	359.5	503.6	629.3	981.1	1,221.6	1,405.0	1,277.2	1,264.2	1,271.7	1,095.0	1,518.2
日本 Japan	7.5	20.8	33.4	46.2	54.2	61.3	67.3	80.5	93.5	100.9	98.1	95.1
イタリア Italy	37.5	63.8	85.7	112.0	126.9	147.0	177.4	247.9	275.4	333.3	244.2	315.7
韓国 Korea	12.7	11.6	9.3	15.4	27.6	44.8	68.9	107.9	151.1	166.4	184.0	179.6

* 国際麻薬統制委員会 (INCB)・統計のために定義された1日投与量 (S-DDD: フェンタニル 0.6mg = モルヒネ 100mg) で換算
Fentanyl 0.6mg = morphine 100mg (INCB, defined daily doses for statistical purposes)

3 オキシコドンの合計（100万人1日あたりモルヒネ消費量換算（g））
Oxycodone (morphine equivalent g/day/a million population)

	2000-02	2001-03	2002-04	2003-05	2004-06	2005-07	2006-08	2007-09	2008-10	2009-11	2010-12	2011-13
オーストリア Austria	2.7	5.1	7.2	8.9	11.2	13.6	16.0	17.7	22.2	24.6	27.8	31.1
カナダ Canada	113.1	154.0	210.0	254.6	321.0	356.9	395.9	437.3	564.2	577.7	572.1	503.9
オーストラリア Australia	45.7	63.4	82.6	104.2	129.0	155.1	182.5	209.9	266.1	307.1	329.6	362.9
アメリカ USA	253.4	298.0	329.9	363.4	375.6	411.5	429.6	528.6	660.8	754.3	799.1	806.5
フランス France	2.7	3.8	3.7	4.6	7.9	14.7	22.1	29.1	39.6	45.2	51.0	60.2
イギリス UK	5.1	8.6	13.7	20.2	23.3	20.7	27.8	81.0	106.8	43.2	65.6	62.4
ドイツ Germany	14.0	20.3	29.8	43.6	50.1	57.3	62.7	74.1	95.8	105.3	116.2	122.8
日本 Japan	—	0.2	0.2	1.5	3.4	5.9	7.3	8.7	9.8	12.1	12.7	14.7
イタリア Italy	0.2	—	0.1	1.1	2.7	3.1	6.7	10.5	20.9	27.8	35.5	43.1
韓国 Korea	1.6	1.7	1.2	2.4	4.2	7.4	9.7	11.3	16.0	19.3	29.6	28.3

* 国際麻薬統制委員会（INCB）・統計のために定義された1日投与量（S-DDD：オキシコドン 75mg = モルヒネ 100mg）で換算
Oxycodone 75mg = morphine 100mg (INCB, defined daily doses for statistical purposes)

4 モルヒネ、フェンタニル、オキシコドンの合計（100万人1日あたりモルヒネ消費量換算（g））
Morphine, fentanyl, and oxycodone in total (morphine equivalent g/day/a million population)

	2000-02	2001-03	2002-04	2003-05	2004-06	2005-07	2006-08	2007-09	2008-10	2009-11	2010-12	2011-13
オーストリア Austria	471.9	547.9	631.2	734.4	880.7	1,100.8	1,313.0	1,502.2	1,543.9	1,655.7	1,717.5	1,821.3
カナダ Canada	484.3	615.8	790.6	884.0	1,049.3	1,227.8	1,337.1	1,588.5	1,727.8	1,912.6	1,940.8	1,874.1
オーストラリア Australia	265.8	299.3	333.1	362.6	410.8	496.6	616.5	753.8	829.3	975.7	1,169.4	1,300.7
アメリカ USA	711.4	872.2	1,030.4	1,203.0	1,355.4	1,514.6	1,639.4	1,725.0	1,791.5	1,801.5	1,775.9	1,791.3
フランス France	274.3	305.5	329.8	377.9	459.1	556.2	601.1	637.0	687.1	701.9	711.3	697.3
イギリス UK	152.7	151.6	184.7	251.9	295.5	270.2	287.5	320.5	471.5	1,281.3	1,433.2	488.8
ドイツ Germany	352.5	425.9	581.1	726.8	1,082.3	1,336.4	1,523.3	1,413.2	1,421.1	1,438.3	1,269.1	1,692.8
日本 Japan	25.9	38.8	49.2	60.8	68.7	76.7	82.9	96.8	110.5	120.0	118.3	116.6
イタリア Italy	46.6	72.2	94.6	123.2	140.0	157.4	191.7	266.2	306.1	371.1	302.2	382.5
韓国 Korea	21.0	21.0	18.2	22.7	36.2	55.8	84.2	124.2	172.2	189.5	217.5	211.7

* 国際麻薬統制委員会（INCB）・統計のために定義された1日投与量（S-DDD：フェンタニル 0.6mg = オキシコドン 75mg = モルヒネ 100mg）で換算
Fentanyl 0.6mg = Oxycodone 75mg = morphine 100mg (INCB, defined daily doses for statistical purposes)

(1) たばこ販売数量と喫煙率

Cigarette Sales and Smoking Prevalence

年 Year	販売数量（百万本） Number of cigarettes sold in Japan (million)	15歳以上1人当り Per person 15 years and older	20歳以上喫煙率 Smoking prevalence among adults 20 years and older	
			男 Males	女 Females
昭和40年(1965)	173,639	2,357本	82.3%	15.7%
昭和45年(1970)	222,745	2,801	77.5	15.6
昭和50年(1975)	290,202	3,427	76.2	15.1
昭和55年(1980)	303,974	3,397	70.2	14.4
昭和60年(1985)	310,700 (2.4%)	3,271	64.6	13.7
平成2年(1990)	322,000 (15.9%)	3,194	60.5	14.3
平成7年(1995)	334,700 (21.2%)	3,175	58.8	15.2
平成12年(2000)	324,500 (25.1%)	2,999	53.5	13.7
平成17年(2005)	285,200 (33.6%)	2,598	45.8	13.8
平成20年(2008)	245,800 (34.9%)	2,224	39.5	12.9
平成21年(2009)	233,900 (35.1%)	2,117	38.9	11.9
平成22年(2010)	210,200		36.6	12.1
平成23年(2011)	197,500		33.7	10.6
平成24年(2012)	195,100		32.7	10.4
平成25年(2013)	196,900		32.2	10.5
平成26年(2014)	179,300		30.3	9.8
平成27年(2015)			31.0	9.6

(注)：() は外国たばこのシェア
Note: Market share of imported cigarettes.

資料：販売数量は、日本専売公社「専売統計」および日本たばこ協会調べ
喫煙率は、日本たばこ産業株式会社「全国たばこ喫煙者率調査」

Source: Cigarette sales, Japan Tobacco and Salt Co. and Tobacco Institute of Japan.
Smoking prevalence, Japan Tobacco Inc.

(2) アルコール消費量と飲酒習慣者数の推移

Alcohol Consumption and Habitual Drinkers

年 Year	飲酒習慣者の 年次推移(男性)(%) Annual changes in the percentages of drinkers (men)	飲酒習慣者の 年次推移(女性)(%) Annual changes in the percentages of drinkers (women)	酒類のアルコール分 100度換算課税数量合計 Total tax amounts for alcoholic beverages (reduced to 100-degree alcohol)	人口1人当たり 酒類のアルコール分 100度換算課税数量 Tax amounts for alcoholic beverages (reduced to 100-degree alcohol) per capita	成人人口1人当たり 酒類のアルコール分 100度換算課税数量 Tax amounts for alcoholic beverages (reduced to 100-degree alcohol) per adult
昭和40年(1965)			373,372	3.80	6.00
昭和45年(1970)			516,752	4.98	7.40
昭和50年(1975)			629,682	5.63	8.20
昭和55年(1980)			682,761	5.83	8.40
昭和60年(1985)			753,838	6.23	8.76
平成元年(1989)	51.5	6.3	773,795	6.28	8.59
平成5年(1993)	46.3	5.8	868,846	6.96	9.18
平成10年(1998)	52.2	9.4	868,958	6.90	8.73
平成15年(2003)	42.9	9.3	857,522	6.72	8.35
平成20年(2008)	35.9	6.4			

※「我が国の精神保健福祉」より

(注) 1) 単位：飲酒習慣の年次推移は%、酒類のアルコール分100度換算課税数量はキロリットル、人口・成人1人当たりアルコール分100度換算課税数量はリットル/年。

2) 飲酒習慣の年次推移は、厚生労働省栄養調査に基づき作成。昭和61年以前は栄養調査での飲酒習慣は行われていない。また平成15年以降の値に関しては習慣飲酒の質問形式が変わったため、それ以前の値との単純な比較はできない。

3) 酒類のアルコール分100度換算課税数量、人口・成人1人当たりアルコール分100度換算課税数量は国税庁調べに基づき作成。

Note: 1) Units: Annual changes in drinking habits (%); tax amounts for alcoholic beverages (reduced to 100-degree alcohol) (kiloliter); tax amounts for alcoholic beverages (reduced to 100-degree alcohol) per population or adult (liter/year).

2) Annual changes in drinking habits were created based on the nutrition survey by the Ministry of Health, Labour and Welfare. Drinking habits have not been examined in the nutrition survey since 1986. The values obtained since 2003 cannot be simply compared with those before 2003, because a question format has been employed to examine the changes in drinking habits since 2003.

3) Tax amounts for alcoholic beverages (reduced to 100-degree alcohol) and tax amounts for alcoholic beverages (reduced to 100-degree alcohol) per population or adult were determined based on the survey by the National Tax Agency.

(3) エネルギーおよび栄養素摂取量(1人1日当たり)
Energy and Nutrient Intake (Per Capita Per Day)

年 Year	総エネルギー Total energy	たんぱく質(動物性) Protein(animal)	脂肪(動物性) Fat(animal)	炭水化物 Carbohydrate	食塩 Salt	ビタミンA Vitamin A	ビタミンC Vitamin C
昭和50年(1975)	2,188kcal	80.0 g (38.9%)	52.0 g (27.4%)	337 g	14.0 g	1,602IU	117mg
昭和55年(1980)	2,084	77.9 (39.2)	52.4 (27.2)	313	13.0	1,576	107
昭和60年(1985)	2,088	79.0 (40.1)	56.9 (27.6)	298	12.1	2,188	128
平成2年(1990)	2,026	78.7 (41.4)	56.9 (27.5)	287	12.5	2,567	120
平成7年(1995)	2,042	81.5 (44.4)	59.9 (29.8)	280	13.2	2,840	135
平成12年(2000)	1,948	77.7 (41.7)	57.4 (28.8)	266	12.3	2,654	128
平成17年(2005)	1,904	71.1 (38.3)	53.9 (27.3)	267	11.0	604 μ g RE	106
平成18年(2006)	1,891	69.8 (37.5)	54.1 (27.3)	264	10.8	596	98
平成19年(2007)	1,898	69.8 (38.0)	55.1 (27.7)	264	10.6	615	96
平成20年(2008)	1,867	68.1 (36.1)	52.1 (25.9)	265	10.5	597	100
平成21年(2009)	1,861	67.8 (36.3)	53.6 (27.0)	260	10.3	536	100
平成22年(2010)	1,849	67.3 (36.0)	53.7 (27.1)	258	10.2	529	90
平成23年(2011)	1,840	67.0 (36.4)	54.0 (27.4)	255	10.1	532	94
平成24年(2012)	1,874	68.0 (36.4)	55.0 (28.0)	260	10.0	527	96
平成25年(2013)	1,873	68.9 (37.2)	55.0 (28.1)	259	9.8	516	94

資料：厚生労働省「国民健康・栄養調査」
Source: 'National Health and Nutrition Survey' Ministry of Health, Labour and Welfare

(4) 食品群別摂取量(1人1日当たり)
Food Intake (Per Capita Per Day)

年 Year	穀類 Grains	穀類エネルギー比率 ¹⁾	イモ類 Potatoes and taro	豆類 Beans	緑黄色野菜 Green and yellow vegetables	魚介類 Fish	肉類 Meat	乳類 Milk
昭和50年(1975)	340.0 g	49.8%	60.9 g	70.0 g	48.2 g	94.0 g	64.2 g	103.6 g
昭和55年(1980)	319.1	48.7	63.4	65.4	51.0	92.5	67.9	115.2
昭和60年(1985)	308.9	47.2	63.2	66.6	73.9	90.0	71.7	116.7
平成2年(1990)	285.2	45.5	65.3	68.5	77.2	95.3	71.2	130.1
平成7年(1995)	264.0	40.7	68.9	70.0	94.0	96.9	82.3	144.5
平成12年(2000)	256.8	41.4	64.7	70.2	95.9	92.0	78.2	127.6
平成17年(2005)	452.0 ²⁾	42.7	59.1	59.3	94.4	84.0	80.2	125.1
平成18年(2006)	449.8	42.4	62.1	56.3	95.6	80.2	80.4	125.3
平成19年(2007)	445.7	42.3	56.3	56.0	92.2	80.2	82.6	123.9
平成20年(2008)	448.8	43.3	56.9	56.2	93.4	78.5	77.7	111.2
平成21年(2009)	442.2	42.7	54.6	55.6	93.4	74.2	82.9	115.4
平成22年(2010)	439.7	43.0	53.3	55.3	87.9	72.5	82.5	117.3
平成23年(2011)	433.9	42.5	54.1	51.7	86.6	72.7	83.6	122.7
平成24年(2012)	439.7	42.1	54.3	57.9	86.8	70.0	88.9	125.8
平成25年(2013)	434.9	42.0	52.6	60.4	83.6	72.8	89.6	125.8

資料：厚生労働省「国民健康・栄養調査」
Source: 'National Health and Nutrition Survey', Ministry of Health, Labour and Welfare

- (注) 1) 総エネルギー摂取量に占める穀物からのエネルギー摂取量
2) 2001年に準拠食品成分表が変更されているので年次変化の考察には注意を要する。
Note: 1) The proportion of energy intake from grains to the total energy intake
2) The reference food composition table was changed in 2001.

受療率とは、わが国の病院及び診療所の患者について、3年に1回(昭和59年以前は毎年1回)行っている「患者調査」から調査日当日受診した患者の全国推計数を求め、これを人口で除して、人口10万対で表したものである。

Note: Estimated rate of patients is the ratio of the total number of outpatients who visited medical facilities and inpatients on the patient survey day to the whole population of Japan.

人口10万対 per 100,000 population

傷病分類 ¹⁾ Classification of diseases	昭和40年 1965	昭和45年 1970	昭和50年 1975	昭和57年 1982	昭和59年 1984	昭和62年 1987	平成2年 1990	平成5年 1993	平成8年 1996	平成11年 1999	平成14年 2002	平成17年 2005	平成20年 2008	平成23年 2011
全疾患 Total	5,910	6,987	7,049	6,805	6,403	6,600	6,768	6,735	7,000	6,566	6,222	6,696	6,467	6,852
全結核 ²⁾ Tuberculosis	301	192	116	41	38	36	27	21	15	14	10	7	6	5
新生物 Neoplasms	63	86	95	146	161	185	218	241	287	277	272	293	296	295
胃の悪性新生物(再掲) Malignant Neoplasm of Stomach (among them)	13	18	19	28	32	32	36	38	42	37	31	30	30	27
気管・気管支および肺の悪性新生物(再掲) Malignant Neoplasm of trachea, bronchus and Lung (among them)	...	3	4	9	11	14	16	18	21	21	23	26	27	28
乳房の悪性新生物(女)(再掲) Malignant Neoplasm of Breast (Female) (among them)	3	4	4	7	9	10	12	14	38	36	34	37	41	46
子宮の悪性新生物(再掲) ³⁾ Malignant Neoplasm of Uterus (among them)	7	8	8	8	4	8	9	8	9	8	8	8	8	8
糖尿病 Diabetes mellitus	34	64	87	106	119	128	161	159	189	178	173	182	168	185
統合失調症 Schizophrenic psychoses	130	151	165	181	184	185	193	181
てんかん Epilepsy	...	26	22	28	25	24	26	24	24	19	21	22	18	18
白内障 Cataract	...	31	89	93	97	89	90	97	104	106	85	86	62	73
中耳炎 Otitis media	91	80	87	76	69	52	51	35	40	48	40
高血圧性疾患 Hypertensive diseases	244	343	475	434	548	526	554	561	587	531	477	513	478	534
虚血性心疾患 ⁴⁾ Ischemic heart diseases	64	49	74	102	105	102	112	100	111	98	79	74	68	62
脳血管疾患 Cerebrovascular diseases	69	118	158	237	226	274	305	295	310	288	275	279	250	226
脳出血(再掲) Intracerebral hemorrhage	...	33	28	22	23	31	32	34	44	45	46	50	46	46
脳梗塞(再掲) ⁵⁾ Cerebral embolism	...	11	26	76	83	104	129	139	221	213	202	201	170	149
脳動脈硬化(症) Cerebral atherosclerosis	56	53	71	73	52	17	4	2	1	1	1
脳軟化(再掲) Encephalomalacia	...	26	28	22	11	7	4	2
急性上気道感染 Acute upper respiratory infections	...	585	576	408	424	361	365	331	276	270	222	225	205	217
喘息 Asthma	33	57	61	84	115	123	127	140	136	132	120	122	93	107
胃および十二指腸潰瘍 Gastric and duodenal ulcer	88	145	137	144	137	121	120	120	106	83	67	55	45	35
胃炎および十二指腸炎 Gastritis and duodenitis	213	218	214	147	128	119	117	124	110	84	69	67	52	49
慢性および詳細不明の腎不全 Chronic nephritis	21	19	32	40	46
慢性関節リウマチ ⁶⁾ Rheumatoid arthritis	...	81	67	64	49	44	44	40	38	35	34	33	31	30
その他のリウマチ Other rheumatosis	55	40	43	37	36
先天異常 Congenital anomalies	27	31	31	24	24	26	25	26
四肢の骨折 Fracture of upper and lower limb	...	75	65	85	91	90	97	90

(注) 1) 傷病分類は、40年はICD-7、昭和45、50年はICD-8、昭和57~平成5年はICD-9、平成8年以降はICD-10による傷病分類を適用している。各ICD間では分類体系の変更がなされている(特にICD-9とICD-10の間では大幅な変更がなされている)ため、同一傷病であっても直接比較できないものがある。「...」は、当該年次調査に適用したICDには存在しなかった傷病分類である。

2) 平成5年(ICD-9)までは、珪肺・塵肺結核・結核後遺症を含む。3) 平成5年(ICD-9)までは、胎盤の悪性新生物を含む。

4) 平成8年以降(ICD-10)は急性心筋梗塞の続発合併症を含む。5) 平成8年以降(ICD-10)は脳梗塞後遺症を含む。

6) 平成5年(ICD-9)までは、若年性関節リウマチを含む。7) 平成23年の数値は、宮城県の石巻医療圏、気仙沼医療圏及び福島県を除いた数値である。

Note: 1) The Seventh Revision of the International Classification of Diseases (ICD-7) was applied to the classifications of Diseases in 1965, the Eighth Revision (ICD-8) to the classifications in 1970 and 1975, the Ninth Revision (ICD-9) to the classifications during 1982-1993, and the Tenth (ICD-10) to the classifications in 1996 and thereafter. Because the classification system changes between different ICD revisions mentioned above (in particular, there are gross changes between ICD-9 and ICD-10), some statistics cannot be compared directly even under the same name of diseases. "..." indicates that no comparable category existed in the relevant revision of ICD applied to the annual survey. 2) Silicosis, silicotuberculosis, and tuberculosis sequelae were included in this category in ICD-9 and previous revisions (-1993). 3) Malignant neoplasms of the placenta were included in this category in ICD-9 and previous revisions (-1993). 4) Sequential complications of acute myocardial infarction were included in this category in ICD-10 (1996-). 5) Sequelae of cerebral infarction were included in this category in ICD-10 (1996-). 6) Juvenile rheumatoid arthritis was included in this category in ICD-9 and previous revisions (-1993). 7) The data in 2011 were calculated excluding the data of Ishinomaki medical area and Kesennuma medical area of Miyagi Prefecture, and Fukushima Prefecture.

資料: 厚生労働省「患者調査」

Source: Patient Survey, Ministry of Health, Labour and Welfare

単位 億円:100 million Yen

傷病分類 ²⁾ (ICD-10) Classification of diseases	平成 7年度 1995	平成 12年度 2000	平成 15年度 2003	平成 16年度 2004	平成 17年度 2005	平成 18年度 2006	平成 19年度 2007	平成 20年度 2008	平成 21年度 2009	平成 22年度 2010	平成 23年度 2011	平成 24年度 2012	平成 25年度 2013
総数 Total	218,683	237,960	240,931	243,627	249,677	250,468	256,418	254,452	262,041	272,228	278,129	283,198	287,447
結核 Tuberculosis	1,130	1,036	580	511	505	373	377	345	304	313	290	270	265
悪性新生物 Malignant neoplasms	18,637	20,808	24,813	23,306	25,748	24,836	26,958	28,190	29,159	30,312	31,831	33,267	33,792
糖尿病 Diabetes mellitus	8,741	11,084	11,465	11,168	11,165	11,342	11,471	11,559	11,504	12,149	12,152	12,088	12,076
精神及び行動の障害 Mental and behavioural disorders	13,703	16,574	18,281	19,506	18,863	19,369	19,378	17,774	18,831	19,590	19,050	18,879	18,810
神経系、眼及び付属器、耳及び乳様突起の疾患 Diseases of the nervous system, eye and adnexa, ear and mastoid process	15,426	18,164	18,387	19,253	18,906	19,992	20,610	20,889	21,647	23,101	23,545	24,422	25,077
高血圧性疾患 Hypertensive diseases	16,359	18,420	19,114	18,936	18,922	22,077	18,923	17,873	18,241	18,830	19,082	18,740	18,890
虚血性心疾患 Ischemic heart diseases	6,862	7,339	6,954	7,000	6,635	6,755	6,812	7,442	7,599	7,420	7,553	7,421	7,503
脳血管疾患 Cerebrovascular diseases	18,543	17,813	17,182	18,459	17,953	18,689	17,684	15,390	16,590	17,691	17,894	17,772	17,730
急性上気道感染 Acute upper respiratory infections	4,705	4,160	4,540	4,219	4,388	4,490	4,138	3,698	3,605	3,642
気管支炎及び慢性閉塞性肺疾患 Bronchitis and chronic obstructive pulmonary diseases	1,711	1,845	1,902	1,742	1,741	1,625	1,547	1,878	1,904	1,936
喘息 Asthma	4,129	4,451	4,313	4,036	3,871	3,934	3,701	3,502	3,433	3,612	3,557	3,487	3,445
胃潰瘍及び十二指腸潰瘍 Gastric and duodenal ulcer	5,466	4,456	3,550	3,495	3,230	3,022	2,908	2,624	2,524	2,434	4,784	4,566	4,537
胃炎及び十二指腸炎 Gastritis and duodenitis	3,697	3,000	2,514	2,585	2,394	2,530	2,474	2,583	2,608	2,642			
肝疾患 Diseases of liver	5,182	3,695	2,995	2,585	2,576	2,303	2,200	1,944	1,936	1,871	1,810	1,734	1,722
皮膚および皮下組織の疾患 Diseases of skin & subcutaneous tissue	4,269	5,030	4,418	4,622	4,870	4,443	4,744	4,460	4,381	4,642	4,894	5,008	5,091
筋骨格系および結合組織の疾患 Diseases of musculoskeletal system & connective tissue	17,625	18,926	16,662	16,669	17,148	18,017	18,433	18,770	19,505	20,263	20,898	21,647	22,422
糸球体疾患、腎尿管間質性疾患及び腎不全 Glomerular diseases, Renal tubulo-interstitial diseases and Renal failure	9,293	9,859	12,938	15,319	15,682	11,622	15,921	12,830	13,405	14,368	14,726	14,901	15,061
妊娠、分娩及び産後 Pregnancy, childbirth and the puerperium	2,040	2,283	2,017	2,041	1,833	1,923	2,014	1,746	1,821	2,056	2,122	2,302	2,336
損傷、中毒及びその他の外因の影響 Injury, poisoning and certain other consequences of external causes	13,788	16,110	15,585	16,647	17,405	17,657	17,190	17,070	17,774	17,958	18,898	19,844	20,466
その他 Others	47,377	52,907	52,721	51,528	55,842	55,469	58,935	63,885	65,270	67,398	75,043	76,850	78,226

(注) 1) 本表の国民医療費には、歯科医療費等は含まれていない。

2) 傷病分類は平成6年度まではICD-9、平成7年度からはICD-10による。

3) 平成20年度より療養費及び移送費は含まれていない。

4) 平成23年度より「胃潰瘍及び十二指腸潰瘍」と「胃炎及び十二指腸炎」をまとめて「胃及び十二指腸の疾患」として表章している。

Note : 1) Dental care expenditures are excluded. 2) ICD-9 (~1994) ICD-10 (1995~) 3) Refund of payment of patients for prosthetic devices, judo healing treatment, massage and finger pressure treatment, acupuncture, moxibustion treatment and transportation are excluded in FY2008 and thereafter. 4) "Gastric and duodenal ulcer" and "gastritis and duodenitis" are integrated into "gastric and duodenal diseases" in FY2011

資料：厚生労働省「国民医療費」

Source : Estimates of national medical care expenditures in Japan, Ministry of Health, Labour and Welfare